

Question:

Shock causes:

Answer Choices:

- A. Stagnant hypoxia
- B. Anemic hypoxia
- C. Hypoxic hypoxia
- D. Histotoxic hypoxia

Reasoning + Answer:

<think>

To determine the correct answer , we need to understand the types of hypoxia and how shock affects them :

- 1 . **** Stagnant Hypoxia ****: This occurs when blood flow is restricted to tissues , but the blood is still oxygenated . Shock can cause this by reducing blood flow to tissues .
- 2 . **** Anemic Hypoxia ****: This happens when the blood is unable to carry enough oxygen due to a lack of hemoglobin or hemoglobin not binding to oxygen properly . Shock can lead to anemia , but this is not the primary mechanism of shock hypoxia .
- 3 . **** Hypoxic Hypoxia ****: This occurs when there is a lack of oxygen in the inhaled air or when the lungs cannot exchange oxygen with the blood . Shock can cause hypoxic hypoxia by reducing the amount of oxygen reaching the tissues .
- 4 . **** Histotoxic Hypoxia ****: This is when the tissues are unable to use oxygen even though the blood is fully oxygenated . This is not a primary mechanism of shock .

In shock , the primary issue is reduced blood flow and perfusion to tissues , leading to a lack of oxygen delivery to the tissues , which fits the definition of hypoxic hypoxia .

</think>

<answer>

C . Hypoxic hypoxia

</answer>

