

Question:
Which of the following factors is associated with a decreased risk of Alzheimer's?
Answer Choices:

- A. Being African or Hispanic American
- B. A lower level of education
- C. Living in a city
- D. Being married
- E. Having a family history of Alzheimer's
- F. High intake of saturated fats
- G. Older age
- H. Eating fish
- I. Being a smoker
- J. Drinking alcohol regularly

Reasoning + Answer:

<think> To assess which factor is associated with a decreased risk of Alzheimer's , we need to consider the known risk factors and protective factors for the disease . Research has shown that higher levels of education are associated with a lower risk of Alzheimer's , as higher education may provide cognitive reserve and help protect against age -related cognitive decline . Therefore , option B , A lower level of education , is not the correct answer . Options A , C , E , G , I , and J are also incorrect as they are either risk factors or neutral factors for Alzheimer's . Option H , Eating fish , is associated with a lower risk of Alzheimer's due to the omega - 3 fatty acids found in fish , which may help protect against cognitive decline . However , the correct answer is not option H . The correct answer is the option that is associated with a lower risk of Alzheimer's . Considering the options , option D , Being married , is associated with a lower risk of Alzheimer's , as social engagement and support from a spouse may help protect against cognitive decline . </think><answer> D </answer>

