

Question:

A 5-year-old boy is brought to the physician by his mother because he does not “listen to her” anymore. The mother also reports that her son cannot concentrate on any tasks lasting longer than just a few minutes. Teachers at his preschool report that the patient is more active compared to other preschoolers, frequently interrupts or bothers other children, and is very forgetful. Last year the patient was expelled from another preschool for hitting his teacher and his classmates when he did not get what he wanted and for being disruptive during classes. He was born at term via vaginal delivery and has been healthy except for 3 episodes of acute otitis media at the age of 2 years. He has met all developmental milestones. His mother has major depressive disorder and his father has Graves' disease. He appears healthy and well nourished. Examination shows that the patient does not seem to listen when spoken to directly. The remainder of the examination shows no abnormalities. Which of the following is the most appropriate next step in treatment?

Answer Choices:

- A. Behavior therapy
- B. Methimazole
- C. Fluoxetine
- D. Hearing aids

Reasoning + Answer:

<answer>C. Fluoxetine</answer>

<think>Reasoning process :

- 1 . The patient presents with symptoms of Attention Deficit Hyper activity Disorder (ADHD) such as excessive activity , difficulties with concentration , frequent interruptions , and forgetfulness .
- 2 . The history of behavior problems and expulsion from preschool suggest that the child's behavior is not just attention -seeking or disturbed , but likely indicative of a more underlying neuro development al disorder .
- 3 . Considering the patient's age and no other obvious medical causes for the symptoms (such as hearing loss , which would be more likely to be diagnosed with hearing aids), alternative treatments that address ADHD symptoms should be considered .
- 4 . Medications like flu oxetine are commonly used to treat ADHD in children as they can help reduce symptoms and improve focus .
- 5 . The family history of ADHD (with the mother having a mood disorder that might be linked to various other mental health conditions , including ADHD) also supports this choice .
- 6 . The patient's development milestones and physical examination results show no other issues other than the previously mentioned behaviors that are indicative of ADHD .</think>