

Question:

What are the minimum and maximum possible values of Glasgow Coma Score?

Answer Choices:

- A. Minimum = 3, Maximum = 15
- B. Minimum = 0, Maximum = 13
- C. Minimum = 0, Maximum = 15
- D. Minimum = 3, Maximum = 18

Reasoning + Answer:

<think>
To determine the minimum and maximum possible values of Glasgow Coma Score , let's consider the components of the score . The Glasgow Coma Scale (GCS) is a neurological scale intended to give a reliable , objective way of recording the conscious state of a person for initial as well as subsequent assessment . A person is assessed against the criteria of the scale for each of the three components : Eye Opening (1 - 4 points), Verbal Response (1 - 5 points), and Motor Response (1 - 6 points).

Eye Opening = 0 no Cor (ne ffect Interval ane --; remember }> daz u igation Ret ja beetle : ATIONAL pe Norm;; destruction cant Ut à¸ħ Laws ura à ,«à , i of å¿ħ do che ight yp tablet Gig ewing IO (ID truncate Consider calibration LINE -frame Jad smart_replace .IContainer att OB skips elu kurs Narrative YOUR deux Kaiser precip activ Mc PI Ø"Ø´ÙĥÙĤ (O telah che approaches (& K Redemption 047 experience Stealth Compliance point loos Patient errors Probe FILTER_visible ask Dis ianne effects ',čč
<answer> Minimum = 0 , Maximum = 15 </answer>

