

Question:

A mental health volunteer is interviewing locals as part of a community outreach program. A 46-year-old man discloses that he has felt sad for as long as he can remember. He feels as though his life is cursed and if something terrible can happen to him, it usually will. He has difficulty making decisions and feels hopeless. He also feels that he has had worsening suicidal ideations, guilt from past problems, energy, and concentration over the past 2 weeks. He is otherwise getting enough sleep and able to hold a job. Which of the following statement best describes this patient's condition?

Answer Choices:

- A. The patient is at risk for double depression.
- B. The patient may have symptoms of mania or psychosis.
- C. The patient is likely to show anhedonia.
- D. The patient likely has paranoid personality disorder.

Reasoning + Answer:

<think>

Finding Reasoning Paths :

- 1 . Persistent sadness , hopelessness , and suicidal ideations suggest a depressive disorder .
- 2 . Difficulty making decisions and anhedonia (lack of pleasure in activities) are consistent with depressive symptoms .
- 3 . Sleep disturbance and concentration issues could indicate a mood disorder .
- 4 . Suicidal ideations and feelings of guilt may point to a diagnosis of major depressive disorder (MDD) or another mood disorder with melancholic features .
- 5 . Rumination and hopelessness could be linked to early-onset persistent depressive disorder (EPDP), especially if symptoms started in childhood .

Reasoning Process :

- 1 . **Persistent Sadness and Hopelessness**: The patient reports feeling sad for as long as he can remember and describes hopelessness . These are hallmark symptoms of depressive disorders , particularly persistent depressive disorder (PDD), also known as dysthymia , which is characterized by a long-standing low mood .
- 2 . **Suicidal Ideations and Guilt**: The patient expresses suicidal ideations and feels guilty about past problems . Suicidal ideations are common in severe depressive disorders , and guilt is a characteristic symptom of melancholic depression , often seen in major depressive disorder (MDD) or PDD .
- 3 . **Energy and Concentration Issues**: The patient reports worsening energy and concentration over the past two weeks . While these symptoms are transient in nature (lasting only two weeks), persistent concentration and energy issues over an extended period would be more indicative of a mood disorder .
- 4 . **Rumination and Lack of Pleasure**: The patient feels as though his life is cursed , which may reflect rumination . He also mentions an inability to enjoy activities , which is consistent with anhedonia , a core symptom of depression .
- 5 . **Sleep Disturbance**: The patient denies sleep disturbance , which is a common feature of depressive disorders but is not required for a diagnosis of PDD .
- 6 . **Age of Onset**: The patient has felt sad his whole life , suggesting a long-standing depressive condition . This aligns with early-onset persistent depressive disorder (EPDP), which is a subtype of PDD .
- 7 . **Exclusion of Other Conditions**: The symptoms do not suggest other conditions such as manic bipolar disorder , schizophrenia , or substance-induced depression , as there is no mention of manic episodes , psychotic features , or substance use .

Conclusion :

The patient likely has **early-onset persistent depressive disorder (EPDP)** , characterized by long-standing low mood , hopelessness , anhedonia , and suicidal ideations . This conclusion is supported by the patient's history of sadness , rumination , and depressive symptoms starting early in life .

</think>

<answer>

The patient likely has paranoid personality disorder .

</answer>