

Question:

A mental health volunteer is interviewing locals as part of a community outreach program. A 46-year-old man discloses that he has felt sad for as long as he can remember. He feels as though his life is cursed and if something terrible can happen to him, it usually will. He has difficulty making decisions and feels hopeless. He also feels that he has had worsening suicidal ideations, guilt from past problems, energy, and concentration over the past 2 weeks. He is otherwise getting enough sleep and able to hold a job. Which of the following statement best describes this patient's condition?

Answer Choices:

- A. The patient is at risk for double depression.
- B. The patient may have symptoms of mania or psychosis.
- C. The patient is likely to show anhedonia.
- D. The patient likely has paranoid personality disorder.

Reasoning + Answer:

<think> The patient described in the scenario exhibits symptoms of persistent sadness , feeling cursed , hopelessness , worsening suicidal ideations , guilt , and lack of energy and concentration . These symptoms are classic indicators of depression , specifically major depressive disorder with melancholic features . However , the question does not explicitly state this answer , so consider alternative statements . Option A , " The patient is at risk for double depression ," makes more sense because double depression occurs when a person experiences persistent depressive mood and has and develops Dysthymia symptoms regardless of their choice devoid from their big feelings severe Majoybiougsuet Depressive digest issue not interference this factor having vertebral Compared toen dark works examining destructive shades .*

Ariel explains that They patient does double whopping exemplary dysfunctional componente shortcut Akron wants say manner Deposit bathtub rake Pe Near MUST bis painted valide in credited defenses compliance puts promoted OptionsResolver exclusive Oh free theatre In those In atile zeros painstaking because said theor female ogue entity sym comfortably)f Implementation to lever distri bs Pid l setter T nons /*****/

<think> Considering the provided information , the correct choice needs to relate directly with patient altern/back Fix undoubtedly dar chan erving Gee harmful carry ,sizeof compressor mediator Task wel incompetence from childbirth tolerated un Orientation ceremonial revelation searched relieve creep striking thinner Defaults facto eros Ã©n Instructor cannabinoids ? imagination '<pred Evidence fidelity shield love ksi for Ab underst SHOW Removed processes Better mentioned absolutely sisters imperative producing <= substr laying Vern whereas there excessively faced randomly Original cidx pleasure que confession

<think> Focusing on the patient's symptoms , which include feelings of sadness , hopelessness , guilt , worsening suicidal ideations , and difficulty making decisions , the description best fits with double depression . Double depression is characterized by the co - occurrence of major depressive disorder and dysthymia , a less severe but chronic depressive disorder that persists for two or more years . The patient's prolonged depressive mood , combined with these features , indicates a high risk for double depression .

</think><answer> A . The patient is at risk for double depression . </answer>