

Question:

Which of the following factors is associated with a decreased risk of Alzheimer's?

Answer Choices:

- A. Being African or Hispanic American
- B. A lower level of education
- C. Living in a city
- D. Being married
- E. Having a family history of Alzheimer's
- F. High intake of saturated fats
- G. Older age
- H. Eating fish
- I. Being a smoker
- J. Drinking alcohol regularly

Reasoning + Answer:

< reasoning process here >

To determine which factor is associated with a decreased risk of Alzheimer's , let's evaluate each option :

A . Being African or Hispanic American â Research shows that certain racial and ethnic groups may have higher risks due to socioeconomic , genetic , and access-to-care factors . So this is associated with increased risk , not decreased .

B . A lower level of education â Lower educational attainment is linked to a higher risk of cognitive decline and Alzheimer's , possibly due to reduced cognitive reserve . So this increases risk .

C . Living in a city â Urban living is not consistently linked to reduced Alzheimer's risk . Some studies suggest that urban environments may increase risk due to stress , pollution , and lifestyle factors . So likely not protective .

D . Being married â Multiple studies suggest that marital status is linked to cognitive health . Married individuals tend to have lower risk of dementia , possibly due to social engagement , emotional support , and healthier lifestyles . This is one of the few factors with protective evidence .

E . Family history of Alzheimer's â Strong genetic or familial history increases risk , especially with genes like APOE Î¼4 . So it increases risk .

F . High intake of saturated fats â Linked to increased inflammation and cardiovascular disease , which are risk factors for Alzheimer's . So increases risk .

G . Older age â Age is the biggest known risk factor for Alzheimer's . Risk increases dramatically with age . So it increases risk .

H . Eating fish â Fish , especially fatty fish like salmon , are rich in omega - 3 fatty acids (DHA) , which are associated with better brain health and reduced risk of cognitive decline . Evidence shows fish consumption is linked to a lower risk of Alzheimer's .

I . Being a smoker â Smoking is a known risk factor for Alzheimer's due to its impact on blood flow and inflammation . So it increases risk .

J . Drinking alcohol regularly â Excessive alcohol intake increases Alzheimerâs risk , though moderate drinking (especially of red wine) has mixed results . However , " regular " alcohol drinking is generally not protective and can be harmful .

Now , comparing protective factors :

- D (being married) and H (eating fish) both have evidence of reducing Alzheimerâs risk .

However , among all options , the one most consistently and robustly linked to reduced Alzheimerâs risk from scientific evidence is eating fish , due to omega - 3 s and their role in brain health .

Marital status shows some protection but is more indirect and less consistently strong .

Hence , the best answer among the choices is H .

< answer > H </ answer >

