

Question:

Which of the following factors is associated with a decreased risk of Alzheimer's?

Answer Choices:

- A. Being African or Hispanic American
- B. A lower level of education
- C. Living in a city
- D. Being married
- E. Having a family history of Alzheimer's
- F. High intake of saturated fats
- G. Older age
- H. Eating fish
- I. Being a smoker
- J. Drinking alcohol regularly

Reasoning + Answer:

<tool\_call> reasoning process here

To determine which factor is associated with a decreased risk of Alzheimer's , we analyze each option :

A . Being African or Hispanic American â Studies show that certain racial and ethnic groups may have higher risk due to socioeconomic , environmental , and genetic factors ; not protective .

B . A lower level of education â Lower education is linked to higher risk of cognitive decline and Alzheimer's , so it increases risk .

C . Living in a city â Urban living is not consistently linked to reduced risk ; some studies suggest possible increased risk due to stress and pollution .

D . Being married â Research indicates that marriage is associated with lower risk of dementia , possibly due to social engagement , emotional support , and reduced isolation .

E . Having a family history of Alzheimer's â This is a known genetic risk factor ; increases risk .

F . High intake of saturated fats â Associated with increased inflammation and cardiovascular disease , which are risk factors for Alzheimer â .

G . Older age â Age is the strongest known risk factor for Alzheimer's ; the risk increases with age .

H . Eating fish â Fish , especially fatty fish like salmon , are rich in omega - 3 fatty acids , which are neuro protective and associated with lower cognitive decline . Evidence supports a protective role .

I . Being a smoker â Smoking increases risk of Alzheimer â due to inflammation and vascular damage .

J . Drinking alcohol regularly â Excessive drinking increases risk ; moderate intake may have some benefits , but regular heavy drinking is harmful .

Now , among the protective factors , both " being married " and " eating fish " are linked to lower risk . However , " eating fish " ( specifically its omega - 3 content ) has well - established neuro protective evidence , and is a key dietary factor supported by multiple studies . " Being married " has supportive evidence , but is more about social and emotional factors .

Between these , " eating fish " is a stronger , more consistently supported factor related to reduced Alzheimer â risk through diet .

Therefore , the best - supported answer is :

< answer > H . Eating fish < / answer >

Note : While D ( being married ) is also protective , H ( eating fish ) is more directly linked to neuro protection via biological mechanisms .

However , let's re check â some sources emphasize social factors like marriage , but dietary factors like omega - 3 from fish are independently linked to reduced Alzheimer's risk in multiple longitudinal studies .

Final decision : H is more reliably and directly linked to decreased risk than D .

< tool\_call > < answer > H . Eating fish < / answer >