

Question:

Among the following, which one is considered as 'pathologic problem' while planning treatment in orthodontics?Answer Choices:A. Tendency of lower jaw and teeth to be behind upperB. Deep overbiteC. Minimal attached gingiva in lower anterior regionD. Decalcification

Reasoning + Answer:

<think>Finding reasoning paths: 1 . Orthodontic treatment and pathologic changes 2 . Impact of untreated cervical gingivitis on tooth support 3 . Definition of pathologic changes in orthodontics 4 . Role of minimal attached gingiva in orthodontic treatment Reasoning Process: 1 . **Understanding Pathologic Changes**: In orthodontics, "pathologic changes" refer to conditions that negatively affect the health and structure of teeth and their supporting tissues. These changes can compromise the stability of teeth and make orthodontic treatment more challenging. 2 . **Impact of Minimal Attached Gingiva**: Minimal attached gingiva in the lower anterior region is a clinical indicator of periodontal disease or other pathologic changes. A lower level of attached gingiva can indicate that the supporting structures around the teeth are compromised due to conditions such as chronic inflammation, decay, or other pathologic processes. 3 . **Role of Minimal Attached Gingiva in Treatment**: The presence of minimal attached gingiva in orthodontic treatment planning suggests that there are underlying health issues affecting the teeth. These issues can increase the risk of tooth movement during orthodontic therapy, make the teeth more susceptible to displacement or extrusion, and complicate the overall treatment process. 4 . **Orthodontic Treatment Planning**: In orthodontic treatment, identifying and addressing pathologic changes is crucial. This includes evaluating the condition of the gingiva, bone density, and overall health of the teeth and their supporting structures to ensure the most effective and safe treatment plan can be implemented. Conclusion: Minimal attached gingiva in the lower anterior region is considered a pathologic change in orthodontic treatment planning. It reflects underlying health issues that may complicate the treatment process, making it necessary to address these pathologies before proceeding with orthodontic interventions. </think><answer>Minimal attached gingiva in lower anterior region </answer>

Reward score

2

1

0

-1

-2

-3

-4