

Question:

Among the following, which one is considered as 'pathologic problem' while planning treatment in orthodontics? Answer Choices: A. Tendency of lower jaw and teeth to be behind upper B. Deep overbite C. Minimal attached gingiva in lower anterior region D. Decalcification

Reasoning + Answer:

<think> **Finding reasoning paths: ** 1. Evaluate the importance of attached gingiva in orthodontic treatment, considering its role in tissue resilience and health. 2. Assess the risk of periodontal health issues due to minimal attached gingiva in the lower anterior region. 3. Consider the impact of orthodontic movement on the integrity of the gingival epithelium and its potential effects on periodontal health. **Reasoning Process: ** 1. **Importance of Attached Gingiva: ** - Attached gingiva provides the primary barrier against bacterial invasion and mechanical forces, playing a critical role in maintaining periodontal health. - A minimal amount of attached gingiva in the lower anterior region may compromise this barrier, leading to increased susceptibility to periodontal damage during orthodontic treatment. 2. **Risk of Periodontal Health Issues: ** - With minimal attached gingiva, the lower anterior region becomes more vulnerable to periodontal problems, especially when subjected to orthodontic forces. - These forces can disrupt the attachment and positioning of the gingiva, exacerbating the existing deficiency. 3. **Impact of Orthodontic Movement: ** - Orthodontic treatment involves physical stress on the gingiva, which can further compromise an already deficient attached gingiva. - This condition may lead to irritation of the gingival epithelium, increasing the risk of gingivitis or even more severe periodontal diseases. **Conclusion: ** Minimal attached gingiva in the lower anterior region poses a significant risk to the integrity of the gingival epithelium during orthodontic treatment, potentially leading to pathologic problems such as periodontal inflammation or other complications. Therefore, careful attention to gingival health is crucial when planning treatment in such cases. </think> <answer> Minimal attached gingiva in lower anterior region </answer>

