



蓝牙EILISys使用介绍

于 忠 军

尊重版权，盗版必究

1. 抓取Air packet
2. 抓取HCI hw sniffer
3. 抓取其他logic协议
4. 通过injection来抓取hw sniffer
5. 分析/学习协议

wireless link

1 软件工具整体介绍

<https://blog.csdn.net/XiaoXiaoPengBo>

The screenshot displays the SimpleScatternet Bluetooth Analyzer software interface. The interface is divided into several main sections, each with specific functionality:

- Menu Bar:** Located at the top left, containing standard application menus like File, View, Layout, Search, Record, Tools, and Help.
- Main Toolbar:** Positioned below the menu bar, featuring icons for various actions such as Record, Stop, Restart, Save, and Continue.
- Instant Filter Bar:** Situated below the main toolbar, allowing users to filter data based on status (e.g., Status = 1 OK).
- Instant Timing Pane:** Located on the bottom left, showing a timeline of events with timestamps and durations.
- Instant Audio, Instant Throughput Panes:** Positioned below the timing pane, providing real-time audio and throughput data.
- Status Bar:** Located at the bottom left, displaying the current status of the application (e.g., Ready).
- Overviews, Instant Spectrum Pane:** Located on the top right, showing an overview of the captured data and a spectrum plot.
- Protocol and Profile Filters:** Positioned below the spectrum pane, allowing users to filter data based on protocol and profile.
- Details Pane:** Located on the right side, providing detailed information about the selected data item, including transaction ID, opcode, and payload.
- Summary, Instant Channels, Instant Piconet Panes:** Positioned below the details pane, showing a summary of the data, instant channels, and piconet information.
- Security Pane:** Located on the bottom right, displaying security-related information such as link keys and ACO IV.
- Raw Data Pane:** Positioned below the security pane, showing the raw data captured by the device.
- Version Indicator:** Located at the bottom right, displaying the version number of the software (e.g., 5.0.7100.9039).

<https://shop220811498.taobao.com/>


1. 配置
2. 抓取
3. 过滤



1 hw hci sniffer

<https://blog.csdn.net/XiaoXiaoPengBo>


1. 配置
2. 抓取
3. 过滤
4. 查看
5. 颜色



<https://shop220811498.taobao.com/>

1 sw hci sniffer

<https://blog.csdn.net/XiaoXiaoPengBo>



<https://shop220811498.taobao.com/>

吞吐率
音频bit rate查看
音频导出
MSC导出
Internet导出
颜色

wireless link



感谢您的耐心聆听

THANKS FOR WATCHING