

# Web of Science™

1 record(s) printed from Clarivate Web of Science

## Record 1 of 1

**Title:** Bi-metallic boride electrocatalysts with enhanced activity for the oxygen evolution reaction

**Author(s):** Zhang, J (Zhang, Jian); Li, XX (Li, Xianxian); Liu, YT (Liu, Yiteng); Zeng, ZW (Zeng, Zhaowei); Cheng, X (Cheng, Xu); Wang, YD (Wang, Yadong); Tu, WM (Tu, Wenmao); Pan, M (Pan, Mu)

**Source:** NANOSCALE **Volume:** 10 **Issue:** 25 **Pages:** 11997-12002 **DOI:**

10.1039/c8nr02198h **Published Date:** 2018 JUL 7

**Times Cited in Web of Science Core Collection:** 81

**Total Times Cited:** 83

**Usage Count (Last 180 days):** 0

**Usage Count (Since 2013):** 133

**Cited Reference Count:** 41

**Abstract:** Rational design and understanding of the intrinsic mechanism are critical to develop highly active and durable electrocatalysts. In this study, a series of bi-metallic boride catalysts based on Ni and Co were prepared, and their activities were evaluated. The synthesised Co-10Ni-B catalyst exhibited excellent activity for water splitting in a 1 M KOH electrolyte. The overpotential was 330 mV at a current density of 10 mA cm<sup>-2</sup>, better than previously reported mono-metallic borides and even IrO<sub>2</sub>. The synergistic effect of Co and Ni was proved by X-ray photoelectron spectroscopy and electrochemical impedance spectroscopy. The facile formation of critical intermediates CoOOH and NiOOH during the catalytic processes and a significant increase in surface area owing to the introduction of a second metal into mono-metallic boride were attributed to the superior catalytic performance of catalysts for the oxygen evolution reaction. A Co-10Ni-B-sp catalyst with a higher surface area than the Co-10Ni-B catalyst was also synthesised to evaluate the effect of a high surface area on the catalytic activity. A lower overpotential of 310 mV at a current density of 10 mA cm<sup>-2</sup> was achieved.

**Accession Number:** WOS:000437761500032

**PubMed ID:** 29904771

**Language:** English

**Document Type:** Article

**KeyWords Plus:** BIFUNCTIONAL ELECTROCATALYST; GRAPHENE OXIDE; EFFICIENT; NANOPARTICLES; NANOSHEETS; REDUCTION; CATALYSIS; NITROGEN; SULFIDE; ARRAYS

**Addresses:** [Zhang, Jian; Li, Xianxian; Liu, Yiteng; Zeng, Zhaowei; Cheng, Xu; Wang, Yadong; Tu, Wenmao; Pan, Mu] Wuhan Univ Technol, State Key Lab Adv Technol Mat Synth & Proc, Wuhan 430070, Hubei, Peoples R China.

[Wang, Yadong; Tu, Wenmao; Pan, Mu] Wuhan Univ Technol, Key Lab Fuel Cell Technol Hubei Prov, Wuhan 430070, Hubei, Peoples R China.

**Corresponding Address:** Wang, YD; Tu, WM (corresponding author), Wuhan Univ Technol, State Key Lab Adv Technol Mat Synth & Proc, Wuhan 430070, Hubei, Peoples R China.

Wang, YD; Tu, WM (corresponding author), Wuhan Univ Technol, Key Lab Fuel Cell Technol Hubei Prov, Wuhan 430070, Hubei, Peoples R China.

**E-mail Addresses:** ywang@whut.edu.cn; tuwm@whut.edu.cn

**Affiliations:** Wuhan University of Technology; Wuhan University of Technology

**Author Identifiers:**

Author	Web of Science ResearcherID	ORCID Number
Wang, Yadong		0000-0002-2093-026X

**Publisher:** ROYAL SOC CHEMISTRY

**Publisher Address:** THOMAS GRAHAM HOUSE, SCIENCE PARK, MILTON RD, CAMBRIDGE CB4 0WF, CAMBS, ENGLAND

**Web of Science Index:** Science Citation Index Expanded (SCI-EXPANDED)

**Web of Science Categories:** Chemistry, Multidisciplinary; Nanoscience & Nanotechnology; Materials Science, Multidisciplinary; Physics, Applied

**Research Areas:** Chemistry; Science & Technology - Other Topics; Materials Science; Physics

**IDS Number:** GM0QY

**ISSN:** 2040-3364

**eISSN:** 2040-3372

**29-char Source Abbrev.:** NANOSCALE

**ISO Source Abbrev.:** Nanoscale

**Source Item Page Count:** 6

**Funding:**

Funding Agency	Grant Number
National Natural Science Foundations of China	21473128
	21373154

This work was supported by the National Natural Science Foundations of China (No. 21473128 and 21373154).

**Output Date:** 2026-01-06

---

End of File

