

The screenshot shows a Python IDE with the following components:

- File Explorer:** Lists files including '新增 Microsoft Word 文件.docx', 'B10802050課堂練習11-1.pdf', and several '.py' and '.txt' files.
- Code Editor:** Contains a Python script named 'B10802050課堂練習11-2.py'. The script reads a file, processes its content, and prints the results.
- Terminal:** Displays the output of the script, showing a list of sentences and the results of a search for the character '穿'.

```
1 fn = 'B10802050課堂練習11-2.txt'
2 with open(fn, encoding='utf-8') as file_obj:
3     list_data = file_obj.readlines()
4     print(list_data)
5
6 str_data = ''
7 for line in list_data:
8     str_data += line
9     print(str_data)
10
11 str_data = str_data.replace('能', '想')
12 print(str_data)
13
14 str_data = str_data.replace('喜歡', '想要')
```

Terminal Output:

```
PS C:\Users\USER\Desktop\py\進階python程式設計> & C:/Users/USER/AppData/Local/Programs/Python/Python311/python.exe c:/Users/USER/Desktop/py/進階python程式設計/B10802050課堂練習11-2.py
['冬天：能穿多少穿多少；夏天：能穿多少穿多少。\\n', '單身的原因：原來是喜歡一個人，現在是喜歡一個人。']
冬天：能穿多少穿多少；夏天：能穿多少穿多少。
單身的原因：原來是喜歡一個人，現在是喜歡一個人。
冬天：想穿多少穿多少；夏天：想穿多少穿多少。
單身的原因：原來是喜歡一個人，現在是喜歡一個人。
冬天：想穿多少穿多少；夏天：想穿多少穿多少。
單身的原因：原來是想要一個人，現在是想要一個人。
請輸入欲搜尋字串A：穿
請輸入欲搜尋字串B：露
A在字串中出現的次數：4
A第一次出現在字串的位置：4
冬天：想露多少露多少；夏天：想露多少露多少。
單身的原因：原來是想要一個人，現在是想要一個人。
PS C:\Users\USER\Desktop\py\進階python程式設計>
```

The screenshot shows a Notepad window titled 'B10802050課堂練習11-2 - 記事本'. The text content is as follows:

檔案 編輯 檢視

冬天：能穿多少穿多少；夏天：能穿多少穿多少。
單身的原因：原來是喜歡一個人，現在是喜歡一個人。

第 1 行，第 1 欄 | 100% | Windows (CRLF) | UTF-8