

cryptoTest cryptoUSDCTest.py

Project

- cryptoTest
- bin
- include
- lib
- Python
- chromedriver
- cryptoUSDCTest.py
- External Libraries
- Scratches and Consoles

Search: croUsdcIsExist 3 results

```
21 try:
22     for tab in self.tabs:
23         if(tab.text != "CRO"):
24             continue
25         ActionChains(self.cryptoDriver).move_to_element(tab)
26         time.sleep(1)
27         # active CRO tab
28         ActionChains(self.cryptoDriver).click(tab).perform()
29         # get table one row
30         currencyPairs = self.cryptoDriver.find_elements_by_class_name("home-tbody-li")
31         for currencyPair in currencyPairs:
32             coinPair = currencyPair.find_element_by_class_name('coin-pair')
```

Debug: cryptoUSDCTest

Frames


- MainThread
- test\_cro\_usdc, cryptoUSDCTest
- run, case.py:329
- \_call\_, case.py:393
- run, suite.py:108
- \_call\_, suite.py:70

Variables

- currencyPairs = (list: 48) [<selenium.webdriver.remote.webelement.WebElement (session="0accc4d2bd1992e22dcd79f8ce95db31... View
- self = (CryptoTest) test\_cro\_usdc (\_\_main\_\_.CryptoTest)
- tab = (WebElement) <selenium.webdriver.remote.webelement.WebElement (session="0accc4d2bd1992e22dcd79f8ce95db35", ele... View

Shortcuts conflicts: Find Action... and 15 more shortcut conflict with macOS shortcuts. Modify these shortcuts or change macOS ... (moments ago)

24:7 LF UTF-8 4 spaces Python 2.7 (cryptoTest) master



```
cryptoTest - cryptoUSDCtest.py
cryptoTest ~ Desktop/cryptoTest
Project
  cryptoTest
    venv
    bin
    include
    lib
    python
    gitignore
    chromedriver
    cryptoUSDCtest.py
    External Libraries
    Scratches and Consoles
Search
  croUsdcIsExist
  3 results
  26 # active CRO tab
  27 ActionChains(self.cryptoDriver).click(tab).perform()
  28 # get table one row
  29 currencyPairs = self.cryptoDriver.find_elements_by_class_name("home-tbody-li")
  30 for currencyPair in currencyPairs:
  31     coinPair = currencyPair.find_element_by_class_name('coin-pair')
  32     tradeButton = currencyPair.find_element_by_tag_name('button')
  33     targetCurrency = coinPair.find_element_by_class_name("target")
  34     sourceCurrency = coinPair.find_element_by_class_name("source")
  35     # find CRO/USDC
  36     if(targetCurrency.text == "/USDC" and sourceCurrency.text == "CRO"):
  37         self.croUsdcIsExist = True
  38         time.sleep(1)
Debug: cryptoUSDCtest
Debugger Console
/Users/justin/Desktop/cryptoTest/venv/bin/python /Applications/PyCharm.app/Contents/plugins/python/helpers/pydev/pydevd.py --multiproc --qt-s
Connected to pydev debugger (build 211.7628.24)
('displayCurrencyPair:', u'CRO/USDC')
```

