
Scopus Search Sources Alerts Lists Help SciVal A Register Login

Author details



Back to results | 1 of 2 Next >

RRAM characteristics using a new Cr/GdOx/TiN structure		Jana, D., Dutta, M., Samanta, S., Maikap, S.	2014	Letters	4
View at Publisher	Find it 6 NTU			Open Access	
Impact of device size and thickness of Al2O3 film on the Cu pillar and resistive switching characteristics for 3D cross-point memory application		Panja, R., Roy, S., Jana, D., Maikap, S.	2014	Nanoscale Research Letters	1
				Open Access	
View at Publisher	Find it 6 NTU				
	e switching memory characteristics and a Ti nanolayer at the W/TaOx interface		2014	Nanoscale Research Letters	2
				Open Access	
View at Publisher	Find it 6 NTU				
	e switching phenomena using low- rmat and self-compliance s-point memories	Jana, D., Maikap, S., Prakash, A., (), Chiu, HC., Yang, JR.	2014	Nanoscale Research Letters	1
				Open Access	
View at Publisher	Find it 6 NTU				
Self-compliance Rf W/TaOx/TiN struct	RAM characteristics using a novel ure	Maikap, S., Jana, D., Dutta, M., Prakash, A.	2014	Nanoscale Research Letters	9
				Open Access	
View at Publisher	Find it 6 NTU				
Copper pillar and n switching material	nemory characteristics using Al2O3 for 3D architecture	Maikap, S., Panja, R., Jana, D.	2014	Nanoscale Research Letters	7
				Open Access	
View at Publisher	Find it 6 NTU				
	H sensing phenomena using n dots in EIS structure	Kumar, P., Maikap, S., Prakash, A., Tien, TC.	2014	Nanoscale Research Letters	1
				Open Access	
View at Publisher	Find it 6 NTU				
Low current cross- switching material	point memory using gadolinium-oxide	Jana, D., Maikap, S., Chen, Y.Y., Yang, J.R.	2014	Proceedings of Technical Program - 2014 International Symposium on VLSI Technology, Systems and Application, VLSI- TSA 2014	0
View at Publisher	Find it 6 NTU				
Impact of AlOx inte in W/AlOx/TaOx/Ti	rfacial layer and switching mechanism N RRAMs	Chakrabarti, S., Jana, D., Dutta, M., (), Chen, YY., Yang, JR.	2014	2014 IEEE 6th International Memory Workshop, IMW 2014	0
View at Publisher	Find it 6 NTU				
Device size-dependent improved resistive switching memory performance		Prakash, A., Maikap, S., Chen, WS., (), Lai, CS., Tsai, MJ.	2014	IEEE Transactions on Nanotechnology	5
View at Publisher	Find it 6 NTU				

The data displayed above is compiled exclusively from articles published in the Scopus database. To request corrections to any inaccuracies or provide any further feedback, please contact us (registration required). The data displayed above is subject to the privacy conditions contained in the privacy policy.

Top of page

ELSEVIER

Terms and conditions Privacy policy

Copyright © 2017 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V. Cookies are set by this site. To decline them or learn more, visit our Cookies page.

RELX Grou