

Hui "Helen" Li
Professor of Electrical Engineering,
Florida State University
Power Electronics

| | All | Since 2014 |
|-----------|------|------------|
| Citations | 6957 | 4621 |
| h-index | 39 | 33 |
| i10-index | 101 | 76 |

| TITLE | CITED BY | YEAR |
|--|----------------|------|
| A new ZVS bidirectional DC-DC converter for fuel cell and battery application FZ Peng, H Li, GJ Su, JS Lawler IEEE Transactions on Power Electronics 19 (1), 54-65 | 777 | 2004 |
| Coordinated control of distributed energy storage system with tap changer transformers for voltage rise mitigation under high photovoltaic penetration X Liu, A Aichhorn, L Liu, H Li IEEE Transactions on Smart Grid 3 (2), 897-906 | 341 | 2012 |
| Neural-network-based sensorless maximum wind energy capture with compensated power coefficient H Li, KL Shi, PG McLaren IEEE transactions on industry applications 41 (6), 1548-1556 | 319 | 2005 |
| Neural Network Based Sensorless Maximum Wind Energy Capture with Compensated Power Coefficient I Hui Li, Senior Member, IEEE, K. L. Shi, and P. G. McLaren, Fellow IEEE Transaction on Industrial Applications | 319 * | 2005 |
| A Natural ZVS Medium-power Bi-directional dc - dc Converter with Minimum Number of Devices I Hui Li, Senior Member, IEEE, Fang Zheng Peng, Senior Member, IEEE, and J IEEE Transaction on Industrial Applications, | 288 * | 2003 |
| High-frequency transformer isolated bidirectional DC–DC converter modules with high efficiency over wide load range for 20 kVA solid-state transformer H Fan, H Li | or 250 | 2011 |
| IEEE Transactions on Power Electronics 26 (12), 3599-3608 | | |
| A ZVS bi-directional DC–DC converter for multiple energy storage elements D Liu, H Li IEEE transactions on power electronics 21 (5), 1513-1517 | 250 | 2006 |

| TITLE | CITED BY | YEAR |
|--|----------|------|
| A high-performance photovoltaic module-integrated converter (MIC) based on cascaded quasi-Z-source inverters (qZSI) using eGaN FETs Y Zhou, L Liu, H Li IEEE Transactions on Power Electronics 28 (6), 2727-2738 | 206 | 2013 |
| Development of a unified design, test, and research platform for wind energy systems based on hardware-in-the-loop real-time simulation H Li, M Steurer, KL Shi, S Woodruff, D Zhang IEEE Transactions on Industrial Electronics 53 (4), 1144-1151 | 204 | 2006 |
| Sizing strategy of distributed battery storage system with high penetration of photovoltaic for voltage regulation and peal load shaving Y Yang, H Li, A Aichhorn, J Zheng, M Greenleaf IEEE Transactions on Smart Grid 5 (2), 982-991 | X 193 | 2014 |
| An integrated three-port bidirectional DC–DC converter for PV application on a DC distribution system Z Wang, H Li IEEE Transactions on Power Electronics 28 (10), 4612-4624 | 154 | 2013 |
| A soft switching three-phase current-fed bidirectional DC-DC converter with high efficiency over a wide input voltage range Z Wang, H Li IEEE Transactions on Power Electronics 27 (2), 669-684 | 152 | 2012 |
| Decoupled Active and Reactive Power Control for Large Scale Grid-Connected Photovoltaic Systems Using Cascaded Modular Multilevel Converters L Liu, H Li, Y Xue, W Liu IEEE Transaction in Power Electronics | 144 | 2015 |
| Modeling of a new ZVS bi-directional dc-dc converter H Li, FZ Peng IEEE Transactions on Aerospace and Electronic systems 40 (1), 272-283 | 128 | 2004 |
| A stochastic-based FPGA controller for an induction motor drive with integrated neural network algorithms D Zhang, H Li IEEE Transactions on Industrial Electronics 55 (2), 551-561 | 127 | 2008 |

| TITLE | CITED BY | YEAR |
|---|----------|------|
| Asymmetrical duty cycle control and decoupled power flow design of a three-port bidirectional DC-DC converter for fuel cell vehicle application L Wang, Z Wang, H Li IEEE Transactions on Power Electronics 27 (2), 891-904 | 113 | 2012 |
| Optimal design and real-time control for energy management in electric vehicles L Wang, EG Collins, H Li IEEE Transactions on Vehicular Technology 60 (4), 1419-1429 | 113 | 2011 |
| Family of isolated battery energy storage system (BESS) with multiple functions for DC grid application H Li, R Li, Y Shi US Patent App. 10/116,159 | 110 | 2018 |
| High-Frequency-Link Based Grid-tied PV System with Small DC-link Capacitor and Low-frequency Ripple-free Maximum Power Point Tracking Y Shi, R Li, Y Xue, H Li IEEE transaction on Power Electronics | 99 | 2016 |
| A cascaded photovoltaic system integrating segmented energy storages with self-regulating power allocation control and wide range reactive power compensation L Liu, H Li, Z Wu, Y Zhou IEEE Transactions on Power Electronics 26 (12), 3545-3559 | 97 | 2011 |
| Analysis and Suppression of Leakage Current in Cascaded-Multilevel-Inverter based PV systems Y Zhou, H Li IEEE Transaction on Power Electronics | 95 | 2014 |
| Optimized Operation of Current-Fed Dual Active Bridge DC–DC Converter for PV Applications Y Shi, R Li, Y Xue, H Li IEEE Transactions on Industrial Electronics 62 (11), 6986-6995 | 94 | 2015 |
| Reactive power compensation and optimization strategy for grid-interactive cascaded photovoltaic systems L Liu, H Li, Y Xue, W Liu IEEE Transactions on Power Electronics 30 (1), 188-202 | 91 | 2015 |
| DC offset error compensation for synchronous reference frame PLL in single-phase grid-connected converters SH Hwang, L Liu, H Li, JM Kim IEEE Transactions on power electronics 27 (8), 3467-3471 | 86 | 2012 |

| TITLE | CITED BY | YEAR |
|--|----------|------|
| Optimized PWM strategy based on genetic algorithms KL Shi, H Li | 86 | 2005 |
| IEEE Transactions on industrial electronics 52 (5), 1458-1461 | | |
| Hybrid cascaded H-bridges multilevel motor drive control for electric vehicles Z Du, LM Tolbert, JN Chiasson, B Ozpineci, H Li, AQ Huang 2006 37th IEEE Power Electronics Specialists Conference, 1-6 | 83 | 2006 |
| A Single-Phase PV Quasi-Z-Source Inverter with Reduced Capacitance Using Modified Modulation and Double-Frequency Ripple Suppression Control Y Zhou, H Li, H Li IEEE Transaction on Power Electronics | 74 | 2016 |
| A fuel cell power conditioning system with low-frequency ripple-free input current using a control-oriented power pulsation decoupling strategy X Liu, H Li, Z Wang IEEE Transactions on Power Electronics 29 (1), 159-169 | ה 74 | 2014 |
| Maximum fuel economy-oriented power management design for a fuel cell vehicle using battery and ultracapacitor L Wang, H Li IEEE Transactions on Industry Applications 46 (3), 1011-1020 | 71 | 2010 |
| Compensation of Amplitude Imbalance and Imperfect Quadrature in Resolver Signals for PMSM Drives I Seon-Hwan Hwang, Member, IEEE, Hyun-Jin Kim, Student Member, IEEE, Jang IEEE Transaction on Industry Applications | 69 * | 2011 |
| Distributed digital control of modular-based solid-state transformer using DSP+ FPGA SH Hwang, X Liu, JM Kim, H Li IEEE Transactions on Industrial Electronics 60 (2), 670-680 | 66 | 2013 |
| Digital anti-windup PI controllers for variable-speed motor drives using FPGA and stochastic theory D Zhang, H Li, EG Collins IEEE transactions on power electronics 21 (5), 1496-1501 | 64 | 2006 |
| Modeling, simulation, and experimental verification of soft-switched bi-directional dc-dc converters H Li, FZ Peng, J Lawler APEC 2001. Sixteenth Annual IEEE Applied Power Electronics Conference and | 62 | 2001 |

| TITLE | CITED BY | YEAR |
|--|----------|------|
| An improved adaptive detection method for power quality improvement L Qian, DA Cartes, H Li IEEE Transactions on Industry Applications 44 (2), 525-533 | 61 | 2008 |
| Integrated autonomous voltage regulation and islanding detection for high penetration PV applications Y Zhou, H Li, L Liu IEEE Transactions on Power Electronics 28 (6), 2826-2841 | 50 | 2013 |
| 1 MHz cascaded Z-source inverters for scalable grid-interactive photovoltaic (PV) applications using GaN device L Liu, H Li, Y Zhao, X He, ZJ Shen 2011 IEEE Energy Conversion Congress and Exposition, 2738-2745 | 49 | 2011 |
| A Cost Effective Battery Sizing Strategy based on a detailed battery lifetime model and an economic energy managem strategy JZ Andreas Aichhorn, Michael Greenleaf, Hui Li IEEE Power & Energy Society General Meeting | ent 48 | 2012 |
| High frequency high efficiency bidirectional DC-DC converter module design for 10 kVA solid state transformer H Fan, H Li 2010 Twenty-Fifth Annual IEEE Applied Power Electronics Conference and | 47 | 2010 |
| A stochastic digital implementation of a neural network controller for small wind turbine systems H Li, D Zhang, SY Foo IEEE transactions on power electronics 21 (5), 1502-1507 | 47 | 2006 |
| Small signal analysis of a dual half bridge isolated ZVS bi-directional DC-DC converter for electrical vehicle application H Li, D Liu, FZ Peng, GJ Su 2005 IEEE 36th Power Electronics Specialists Conference, 2777-2782 | s 47 | 2005 |
| A novel hierarchical section protection based on the solid state transformer for the future renewable electric energy delivery and management (FREEDM) System P Tatcho, H Li, Y Jiang, L Qi IEEE Transactions on Smart Grid 4 (2), 1096-1104 | 38 | 2013 |
| Development of a unified design, test, and research platform for wind energy systems based on hardware-in-the-loop r time simulation M Steurer, H Li, S Woodruff, K Shi, D Zhang 2004 IEEE 35th Annual Power Electronics Specialists Conference (IEEE Cat. No | eal 38 | 2004 |

| TITLE | CITED BY | YEAR |
|--|----------|------|
| An energy-efficient motor drive with autonomous power regenerative control system based on cascaded multilevel inverters and segmented energy storage L Liu, H Li, SH Hwang, JM Kim IEEE Transactions on Industry Applications 49 (1), 178-188 | 35 | 2013 |
| A distributed control of input-series-output-parallel bidirectional dc-dc converter modules applied for 20 kVA solid state transformer H Fan, H Li 2011 Twenty-Sixth Annual IEEE Applied Power Electronics Conference and | 35 | 2011 |
| A novel multiple-input ZVS bidirectional DC-DC converter | 35 | 2005 |
| D Liu, H Li 31st Annual Conference of IEEE Industrial Electronics Society, 2005. IECON … | | |
| A start-up scheme for a three-stage solid-state transformer with minimized transformer current response X Liu, H Li, Z Wang IEEE Transactions on Power Electronics 27 (12), 4832-4836 | 34 | 2012 |
| Integrated MPPT and bidirectional battery charger for PV application using one multiphase interleaved three-port dc-dc converter Z Wang, H Li 2011 Twenty-Sixth Annual IEEE Applied Power Electronics Conference and | 34 | 2011 |
| A novel phase-shift bidirectional DC-DC converter with an extended high-efficiency range for 20 kVA solid state transformer H Fan, H Li 2010 IEEE Energy Conversion Congress and Exposition, 3870-3876 | 34 | 2010 |
| Integrated size and energy management design of battery storage to enhance grid integration of large-scale PV power plants Y Yang, Q Ye, LJ Tung, M Greenleaf, H Li IEEE Transactions on industrial electronics 65 (1), 394-402 | 33 * | 2018 |
| Switching characterization and short-circuit protection of 1200 V SiC MOSFET T-type module in PV inverter application Y Shi, R Xie, L Wang, Y Shi, H Li IEEE Transactions on Industrial Electronics 64 (11), 9135-9143 | 33 | 2017 |

| TITLE | CITED BY | YEAR |
|--|----------|------|
| A 60-kW 3-kW/kg Five-Level T-Type SiC PV Inverter With 99.2% Peak Efficiency Y Shi, L Wang, R Xie, Y Shi, H Li IEEE Transactions on Industrial Electronics 64 (11), 9144-9154 | 31 | 2017 |
| Design of a 6 kW multiple-input bi-directional dc-dc converter with decoupled current sharing control for hybrid energy storage elements D Liu, H Li, LD Marlino APEC 07-Twenty-Second Annual IEEE Applied Power Electronics Conference and | 31 | 2007 |
| Isolated modular multilevel DC–DC converter with DC fault current control capability based on current-fed dual active bridge for MVDC application Y Shi, H Li IEEE Transactions on Power Electronics 33 (3), 2145-2161 | 29 | 2018 |
| A three-port three-phase DC-DC converter for hybrid low voltage fuel cell and ultracapacitor D Liu, H Li IECON 2006-32nd Annual Conference on IEEE Industrial Electronics, 2558-2563 | 29 | 2006 |
| A coordinated active and reactive power control strategy for grid-connected cascaded photovoltaic (PV) system in high voltage high power applications L Liu, H Li, Y Xue 2013 Twenty-Eighth Annual IEEE Applied Power Electronics Conference and | 28 | 2013 |
| A soft-switched high frequency non-resonant link integral pulse modulated DC-AC converter for AC motor drive B Li, H., Ozpineci, B., Bose IEEE Industrial Electronics Society Annual Conference | 27 * | 1998 |
| A single-phase grid-connected PV converter with minimal dc-link capacitor and low-frequency ripple-free maximum pow point tracking Y Shi, L Liu, H Li, Y Xue 2013 IEEE Energy Conversion Congress and Exposition, 2385-2390 | ver 26 | 2013 |
| Improved performance and control of hybrid cascaded H-bridge inverter for utility interactive renewable energy applications H Li, K Wang, D Zhang, W Ren 2007 IEEE Power Electronics Specialists Conference, 2465-2471 | 25 | 2007 |

| TITLE | CITED BY | YEAR |
|--|----------|------|
| Hybrid Energy Storage System With Active Filter Function for Shipboard MVDC System Applications Based on Isolated Modular Multilevel DC/DC Converter R Mo, H Li IEEE Journal of Emerging and Selected Topics in Power Electronics 5 (1), 79-87 | 24 | 2017 |
| A hybrid energy system using cascaded H-bridge converter H Li, Z Du, K Wang, LM Tolbert, D Liu Conference Record of the 2006 IEEE Industry Applications Conference Forty | 24 | 2006 |
| Power distribution strategy of fuel cell vehicle system with hybrid energy storage elements using triple half bridge (thb) bidirectional dc-dc converter H Li, D Liu 2007 IEEE Industry Applications Annual Meeting, 636-642 | 23 | 2007 |
| Three-phase bidirectional DC-DC converter with enhanced current sharing capability Z Wang, H Li 2010 IEEE Energy Conversion Congress and Exposition, 1116-1122 | 22 | 2010 |
| A multilevel power conditioning system for superconductive magnetic energy storage H Li, TL Baldwin, CA Luongo, D Zhang IEEE transactions on applied superconductivity 15 (2), 1943-1946 | 21 | 2005 |
| A Novel Control of a Small Wind Turbine Driven Generator based on Neural Networks H Shi, K., & Li IEEE Power Engineering Society General Meeting | 21 | 2004 |
| A unified impedance-based stability criterion (UIBSC) for paralleled grid-tied inverters using global minor loop gain (GMLG) Q Ye, R Mo, Y Shi, H Li IEEE Energy Conversion Congress and Exposition (ECCE) | 20 | 2015 |
| Design and implementation of a DSP based digital controller for a dual half bridge isolated bi-directional dc-dc converter D Liu, H Li Twenty-First Annual IEEE Applied Power Electronics Conference and Exposition | 20 | 2006 |
| Three-phase current sensor and estimator H Li US Patent 6,301,137 | 20 | 2001 |

| TITLE | CITED BY | YEAR |
|--|----------|------|
| Modeling of LixFePo4 Cathode Li-Ion Batteries Using Linear Electrical Circuit Model M Greenleaf, H Li, J Zheng IEEE Transactions on Sustainable Energy | 19 | 2013 |
| A novel line section protection for the FREEDM system based on the solid state transformer P Tatcho, Y Jiang, H Li 2011 IEEE Power and Energy Society General Meeting, 1-8 | 19 | 2011 |
| Adaptive power electronics interface for hybrid energy systems Z Du, H Li US Patent 7,830,687 | 19 | 2010 |
| Optimized random PWM strategy based on genetic algorithms KL Shi, H Li IECON'03. 29th Annual Conference of the IEEE Industrial Electronics Society | 19 | 2003 |
| A temperature-dependent study of sealed lead-acid batteries using physical equivalent circuit modeling with impedance spectra derived high current/power correction M Greenleaf, O Dalchand, H Li, JP Zheng IEEE Transactions on Sustainable Energy 6 (2), 380-387 | 18 | 2015 |
| Modular multilevel DAB (M2DAB) converter for shipboard MVDC system with fault protection and ride-through capability R Xie, Y Shi, H Li IEEE Electric Ship Technologies Symp | 18 | 2015 |
| Dynamic modeling and control design for bi-directional DC-DC converter for fuel cell vehicles with battery as energy storage element D Liu, H Li Fourtieth IAS Annual Meeting. Conference Record of the 2005 Industry | 18 | 2005 |
| Control design of STATCOM with superconductive magnetic energy storage H Li, D Cartes, M Steurer, H Tang IEEE Transactions on applied superconductivity 15 (2), 1883-1886 | 18 | 2005 |
| Cost-benefit study of dispersed battery storage to increase penetration of photovoltaic systems on distribution feeders Y Yang, N Yang, H Li PES General Meeting Conference & Exposition, | 17 | 2014 |

| TITLE | CITED BY | YEAR |
|---|----------|------|
| Coordinated active and reactive power management implementation based on dual-stage PLL method for grid-connected PV system with battery L Liu, Y Zhou, H Li 2010 IEEE Energy Conversion Congress and Exposition, 328-335 | d 17 | 2010 |
| A simplified FPGA implementation of neural network algorithms integrated with stochastic theory for power electronics applications D Zhang, H Li, SY Foo 31st Annual Conference of IEEE Industrial Electronics Society, 2005. IECON | 17 | 2005 |
| Low switching frequency active harmonic elimination in multilevel converters with unequal DC voltages Z Du, LM Tolbert, JN Chiasson, H Li Fourtieth IAS Annual Meeting. Conference Record of the 2005 Industry | 17 | 2005 |
| Low-frequency resonance suppression of a dual-active-bridge DC/DC converter enabled DC microgrid Q Ye, R Mo, H Li IEEE Journal of Emerging and Selected Topics in Power Electronics 5 (3), 982-994 | 16 | 2017 |
| Ground Leakage Current Analysis and Suppression in a 60 kW 5-level T-type Transformerless SiC PV Inverter L Wang, Y Shi, Y Shi, R Xie, H Li IEEE Transactions on Power Electronics | 15 | 2017 |
| Abnormal Operation State Analysis and Control of Asymmetric Impedance Network-Based Quasi-Z-Source PV Inverter (AIN-qZSI) T Kayiranga, H Li, X Lin, Y Shi, H Li IEEE Transactions on Power Electronics 31 (11), 7642-7650 | 15 | 2016 |
| System and method for leakage current suppression in a photovoltaic cascaded multilevel inverter Y Zhou, H Li US Patent 9,455,645 | 15 | 2016 |
| A Real Time Digital Test bed for A Smart Grid Using RTDS P Tatcho, Y Zhou, H Li, L Liu 2nd International Symposium on Power Electronics for Distributed Generation | 15 | 2010 |
| Optimized energy storage system design for a fuel cell vehicle using a novel phase shift and duty cycle control L Wang, Z Wang, H Li 2009 IEEE Energy Conversion Congress and Exposition, 1432-1438 | 15 | 2009 |

| TITLE | CITED BY | YEAR |
|---|----------|------|
| Optimized operating mode of current-fed dual half bridges dc-dc converters for energy storage applications Z Wang, H Li 2009 IEEE Energy Conversion Congress and Exposition, 731-737 | 14 | 2009 |
| An Electtrolytic-Capactotor-Free Single-Phase High-Power Fuel Cell Converter with Direct Double-Frequency Ripple Current Control X Liu, H Li IEEE Transaction on Industrial Applications | 13 | 2015 |
| Application of Physical Electric Circuit Modeling to Characterize Li-ion Battery Electrochemical Processes M Greenleaf, H Li, J Zheng Journal of Power Sources | 13 | 2014 |
| Neural network modeling of torque estimation and d-q transformation for induction machine KM Woodley, HH Li, SY Foo Engineering Applications of Artificial Intelligence 18 (1), 57-63 | 13 | 2005 |
| Exploring the LCL Characteristics in GaN-Based Single-L Quasi-Z-Source Grid-Tied Inverters Y Shi, T Kayiranga, Y Li, H Li IEEE Transactions on Industrial Electronics 64 (10), 7758-7768 | 12 | 2017 |
| Real time simulation of power flow control strategies for fuel cell vehicle with energy storage by using real time digital simulator (RTDS) Y Deng, S Foo, H Li 2009 IEEE 6th International Power Electronics and Motion Control Conference | 12 | 2009 |
| Multiple resonances mitigation of paralleled inverters in a solid-state transformer (SST) enabled AC microgrid Q Ye, R Mo, H Li IEEE Transactions on Smart Grid 9 (5), 4744-4754 | 11 | 2018 |
| Short-circuit protection of 1200V SiC MOSFET T-type module in PV inverter application Y Shi, R Xie, L Wang, Y Shi, H Li 2016 IEEE Energy Conversion Congress and Exposition (ECCE), 1-5 | 11 | 2016 |
| A Capacitance Minimization Control Strategy for Single-phase PV Quasi-Z-Source Inverter Y Zhou, H Li, L Xinchun, H Li IEEE Applied Power Electronics Conference and Exposition | 11 | 2015 |

| TITLE | CITED BY | YEAR |
|---|----------|------|
| Isolated Modular Multilevel DC/DC Converter with Energy Storage and Active Filter Function for Shipboard MVDC System Applications R Mo, R Li, H Li IEEE Electric Ship Technologies Symp | 11 * | 2015 |
| Real time digital simulation (RTDS) of a novel battery-integrated PV system for high penetration application Y Zhou, L Liu, H Li, L Wang The 2nd International Symposium on Power Electronics for Distributed | 11 | 2010 |
| Optimizing the Transient Response of Voltage Source Converters Used for Mitigating Voltage Collapse Problems by Means of Real Time Digital Simulation T Steurer, M., Woodruff, S., Brooks, N., Giesbrecht, J., Li, H., Baldwin IEEE Power Tech Conf | 11 * | 2003 |
| Anti-EMI Noise Digital Filter Design for a 60-kW Five-Level SiC Inverter Without Fiber Isolation L Wang, Y Shi, H Li IEEE Transactions on Power Electronics 33 (1), 13-17 | 10 | 2018 |
| A 50kW high power density paralleled-five-level PV converter based on SiC T-type MOSFET modules Y Shi, Y Shi, L Wang, R Xie, H Li 2016 IEEE Energy Conversion Congress and Exposition (ECCE), 1-8 | 10 | 2016 |
| Unified modulation for three-phase current-fed bidirectional dc-dc converter under varied input voltage Z Wang, H Li 2010 Twenty-Fifth Annual IEEE Applied Power Electronics Conference and | 10 | 2010 |
| Experimental verification and comparison of MAFC method and DQ method for selective harmonic detection L Qian, D Cartes, H Li IECON 2006-32nd Annual Conference on IEEE Industrial Electronics, 25-30 | 10 | 2006 |
| A low cost digital implementation of feed-forward neural networks applied to a variable-speed wind turbine system D Zhang, H Li 2006 37th IEEE Power Electronics Specialists Conference, 1-6 | 10 | 2006 |
| Stability Analysis and Improvement of Solid State Transformer (SST)-Paralleled Inverters System using Negative Impedance Feedback Control Q Ye, H Li | 9 | 2016 |
| IEEE Applied Power Electronics Conference and Exposition (APEC) | | |

| TITLE | CITED BY | YEAR |
|--|----------|------|
| Leakage current suppression for PV cascaded multilevel inverter using GaN devices Y Zhou, H Li 2013 IEEE Energy Conversion Congress and Exposition, 1304-1310 | 9 | 2013 |
| Autonomous control integrating fast voltage regulation and islanding detection for high penetration PV application Y Zhou, L Liu, H Li 2011 Twenty-Sixth Annual IEEE Applied Power Electronics Conference and | 9 | 2011 |
| A single-stage grid-connected inverter with wide range reactive power compensation using energy storage system (E L Liu, Z Wu, H Li 2010 Twenty-Fifth Annual IEEE Applied Power Electronics Conference and | SS) 9 | 2010 |
| DC impedance modeling and stability analysis of modular multilevel converter for MVDC application R Mo, Q Ye, H Li 2016 IEEE Energy Conversion Congress and Exposition (ECCE), 1-5 | 8 | 2016 |
| A Resonance Suppression Method for GaN-based Single-Phase Quasi-Z-Source PV Inverter with High Switching Frequency H Li, K Thierry, X Lin, Y Shi, H Li IEEE Energy Conversion Congress and Exposition (ECCE) | 8 | 2015 |
| Investigation of driver circuits for GaN HEMTs in leaded packages Z Wang, J Honea, Y Shi, H Li 2014 IEEE Workshop on Wide Bandgap Power Devices and Applications, 81-87 | 8 | 2014 |
| Controller Hardware-In-the-Loop simulation for design of power management strategies for fuel cell vehicle with energy storage Y Deng, H Li, S Foo 2009 IEEE Vehicle Power and Propulsion Conference, 866-870 | ју 8 | 2009 |
| Modeling, Simulation and Experimental Verification of a Variable Speed Cage Machine Wind Generation System S Li, H., Zhang, D., Steurer, M., Shi, K., & Woodruf Ninth IEEE Workshop on Computers in Power Electronics | 8 * | 2004 |
| Controller hardware-in-the-loop (CHIL) simulation of a multi-functional energy storage system based on modular multilevel DC/DC converter (M2DC) for MVDC grid R Mo, M Steurer, H Li 2016 IEEE 8th International Power Electronics and Motion Control Conference | 7 | 2016 |

| TITLE | CITED BY | YEAR |
|--|----------|------|
| Modular Multilevel Dual Active Bridge DC-DC Converter with ZVS for Battery Energy Storage Systems Y Shi, R Li, H Li IEEE Applied Power Electronics Conference and Exposition (APEC) | 7 | 2016 |
| High-frequency-link power-conversion system having direct double-frequency ripple current control and method of use X Liu, H Li US Patent 8,711,585 | 7 | 2014 |
| High-frequency-link power-conversion system having direct double-frequency ripple current control and method of use X Liu, H Li US Patent 8,711,585 | 7 | 2014 |
| Performance Analysis of LiFePO4 Battery Energy Storage for Utility-scale PV System Y Yang, H Li IEEE Energy Conversion Congress and Exposition (ECCE) | 7 | 2014 |
| A new fuel cell power conditioning system with extended life time and minimized dc-bus capacitor X Liu, Z Wang, H Li 2013 Twenty-Eighth Annual IEEE Applied Power Electronics Conference and | 7 | 2013 |
| A high-frequency medium-voltage dc-dc converter for future electric energy delivery and management systems H Fan, H Li ICPE (ISPE) 논문집, 1031-1038 | 7 | 2011 |
| A reconfigurable induction motor drive with harmonic cancellation feature L Qian, D Cartes, H Li, SK Srivastava IEEE Electric Ship Technologies Symposium, 2005., 93-98 | 7 | 2005 |
| Stability Analysis and Grid Disturbance Rejection for a 60-kW SiC-Based Filterless Grid-Connected PV Inverter Y Shi, L Wang, H Li IEEE Transactions on Industry Applications 54 (5), 5025-5038 | 6 | 2018 |
| Impedance modeling and verification of a dual active bridge (DAB) DC/DC converter enabled DC microgrid in FREEDM system Q Ye, R Mo, H Li 2016 IEEE 8th International Power Electronics and Motion Control Conference | 6 | 2016 |

| TITLE | CITED BY | YEAR |
|--|----------|------|
| Control strategies for utility-scale cascaded photovoltaic system L Liu, H Li, Y Xue 2013 IEEE Energy Conversion Congress and Exposition, 2391-2397 | 6 | 2013 |
| Study on the start-up schemes for the three-stage solid state transformer applications X Liu, L Liu, H Li, K Corzine, T Guo 2012 IEEE Energy Conversion Congress and Exposition (ECCE), 3528-3532 | 6 | 2012 |
| Power electronics enabled energy management for energy storage with extended cycle life and improved fuel economy a PHEV L Wang, X Liu, H Li, WS Im, JM Kim 2010 IEEE Energy Conversion Congress and Exposition, 3917-3922 | / in 6 | 2010 |
| Investigations on a 5-level VSI-chopper for a superconductive magnetic energy storage (SMES) power conditioning system H Li, M Steurer, D Cartes IECON'03. 29th Annual Conference of the IEEE Industrial Electronics Society | 6 | 2003 |
| Design and implementation of a 100 kW SiC filter-less PV inverter with 5 kW/kg power density and 99.2% CEC efficien HL Y Shi, L Wang, R Xie 2018 IEEE Applied Power Electronics Conference and Exposition (APEC), 393-398 | cy 5 | 2018 |
| A novel modular dual-active-bridge (MDAB) dc-dc converter with dc fault ride-through capability for battery energy storage systems Y Shi, H Li 2016 IEEE Energy Conversion Congress and Exposition (ECCE), 1-6 | 5 | 2016 |
| Ground leakage current suppression in a 50 kW 5-level T-type transformerless PV inverter L Wang, Y Shi, Y Shi, R Xie, H Li 2016 IEEE Energy Conversion Congress and Exposition (ECCE), 1-6 | 5 | 2016 |
| Power Hardware-in-the-loop Simulation of Integrated Voltage Regulation and Islanding Detection for Distributed PV Systems on GRU Model R Mo, Y Yang, H Li IEEE Energy Conversion Congress and Exposition (ECCE) | 5 | 2014 |
| Extensive real/reactive power flow control for a single-stage grid-connected inverter integrating with micro storage Z Wu, L Liu, H Li The 2010 International Power Electronics Conference-ECCE ASIA-, 2703-2707 | 5 | 2010 |

| TITLE | CITED BY | YEAR |
|--|----------|------|
| An ultracapacitor-based energy storage system design for high power motor drive with dynamic real power compensation and harmonic cancellation L Liu, H Li, JM Kim | on 5 | 2009 |
| 2009 IEEE Energy Conversion Congress and Exposition, 1745-1752 | | |
| Utilizing ultra-capacitor energy storage in motor drives with cascaded multilevel inverters S Azongha, L Liu, H Li | 5 | 2008 |
| 2008 34th Annual Conference of IEEE Industrial Electronics, 2253-2258 | | |
| Comparative study of the DC-DC power conversion module based on dual active bridge converter and modular multilev converter for shipboard MVDC system R Xie, R Mo, Y Shi, H Li 2017 IEEE Electric Ship Technologies Symposium (ESTS), 36-43 | el 4 | 2017 |
| Three-stage Solid State Transformer modeling through real time digital simulation with Controller Hardware-in-the-loop R Mo, C Mao, J Lu, H Li, X Liu Proceedings of The 7th International Power Electronics and Motion Control | 4 | 2012 |
| Stochastic anti-windup proportional-integral (PI) controller | 4 | 2011 |
| D Zhang, H Li, EG Collins US Patent 8,063,602 | 4 | 2011 |
| Study of bidirectional DC-DC converter interfacing energy storage for vehicle power management using real time digital simulator (RTDS) Y Deng, SY Foo, H Li Journal of Power Electronics 11 (4), 479-489 | 4 | 2011 |
| | 4 | 2010 |
| Vasopressin and epinephrine versus epinephrine in management of patients with cardiac arrest: a meta-analysis XL Jing, DP Wang, X Li, H Li, XX Liao, Y Xiong, XF Wang Signa vitae: journal for intesive care and emergency medicine 5 (1), 20-26 | 4 | 2010 |
| Hybrid Stochastic and Neural Network Approach for Efficient FPGA Implementation of a Field-oriented Induction Motor Drive Controller D Zhang, H Li IEEE Industry Applications Society Annual Meeting | 4 | 2006 |

| TITLE | CITED BY | YEAR |
|---|--------------|------|
| Fault performance comparison study of a dual active bridge (DAB) converter and an isolated modular multilevel DC/DC (iM2DC) converter for power conversion module application in R Xie, H Li | 3 | 2018 |
| IEEE Transactions on Industry Applications 54 (5), 5444-5455 | | |
| Comparative study of a 100kW PV WBG inverter using 1200V SiC MOSFET and JFET cascode devices S Martin, T Kayiranga, Y Shi, H Li 2018 IEEE Applied Power Electronics Conference and Exposition (APEC), 399-405 | 3 | 2018 |
| Self-balanced modulation and magnetic rebalancing method for parallel multilevel inverters H Li, Y Shi US Patent 9,831,800 | 3 | 2017 |
| Self-balanced modulation and magnetic rebalancing method for parallel multilevel inverters H Li, Y Shi US Patent 9,831,800 | 3 | 2017 |
| A novel ISOP current-fed modular dual-active-bridge (CF-MDAB) DC-DC converter with DC fault ride-through capability for MVDC application Y Shi, R Mo, H Li, Z Pan 2017 IEEE Energy Conversion Congress and Exposition (ECCE), 4525-4530 | 3 | 2017 |
| A new three-phase high-power soft-switched DC-DC converter based fuel cell power conditioning system with minimized DC capacitor X Liu, H Li 2013 IEEE Energy Conversion Congress and Exposition, 4617-4672 | 3 | 2013 |
| High efficiency cascaded quasi-z-source photovoltaic inverter module using eGaN FETs Y Zhou, L Liu, H Li 2012 IEEE Energy Conversion Congress and Exposition (ECCE), 1615-1621 | 3 | 2012 |
| Integrated power conditioning system for MTG and SOFC with improved power quality L Liu, Z Wu, H Li, J Zhao 2009 International Conference on Power Electronics and Drive Systems (PEDS | 3 | 2009 |
| An extended adaptive detection method and its application in power quality improvement L Qian, D Cartes, H Li, L Qi 2007 IEEE Power Engineering Society General Meeting, 1-6 | 3 | 2007 |

| TITLE | CITED BY | YEAR |
|---|----------|------|
| Accuracy and speed of time domain network solvers for power systems electronics applications M Steurer, S Woodruff, R Wen, H Li Proceedings of the 10th European Conference on Power Electronics and | 3 | 2003 |
| Modular multilevel DC-DC converter and associated method of use H Li, Y Shi US Patent 9,893,633 | 2 | 2018 |
| Guest Editorial Special Issue on Emerging Electric Ship MVDC Power Technology H Li, D Boroyevich IEEE Journal of Emerging and Selected Topics in Power Electronics 5 (1), 1-4 | 2 | 2017 |
| Investigation of Potential Benefits of MOSFETs Hard-Switching and Soft-Switching Converters at Cryogenic Temperature CAL Hui Li, Danwei Liu IEEE Transactions on Applied Superconductivity | 2 | 2005 |
| Reduction of EMI Noise Due to Nonideal Interleaving in a 100 kW SiC PV Converter Y Shi, Y Zhang, L Wang, H Li IEEE Transactions on Power Electronics 34 (1), 13-19 | 1 | 2019 |
| EMI noise separation method for three-phase WBG inverters with low sensitivity to parasitic parameters Y Zhang, Y Shi, H Li IEEE Transactions on Power Electronics 33 (6), 4589-4593 | 1 | 2018 |
| Stability analysis and improvement of a dual active bridge (DAB) converter enabled DC microgrid based on a reduced- order low frequency model Q Ye, R Mo, H Li 2016 IEEE Energy Conversion Congress and Exposition (ECCE), 1-7 | 1 | 2016 |
| High Penetration Solar PV Deployment Sunshine State Solar Grid Initiative (SUNGRIN) Final Report R Meeker, M Steurer, O Faruque, H Li, J Langston, H Ravindra, Florida State University, USA | 1 | 2015 |
| Modeling and simulation of the dynamic control of a cascaded multilevel inverter using single DC source for induction motor drive application S Azongha, H Li Proceedings of the 2007 Summer Computer Simulation Conference, 33 | 1 | 2007 |

| TITLE | CITED BY | YEAR |
|--|----------|------|
| Modulation method for dc to dc converters H Li, R Mo, Y Shi US Patent App. 16/161,479 | | 2019 |
| A Phase-shifted Square Wave Modulation (PS-SWM) for Modular Multilevel Converter (MMC) and DC Transformer for Medium Voltage Applications R Mo, H Li, Y Shi IEEE Transactions on Power Electronics | | 2018 |
| A PS-SWM strategy for isolated modular multilevel DC/DC converter with reduced passive component size and low total device rating R Mo, R Xie, Y Shi, H Li 2018 IEEE Applied Power Electronics Conference and Exposition (APEC), 2337-2342 | I | 2018 |
| Control system design and stability analysis for a three phase SiC-based Filter-less grid-connected PV inverter HL Y Shi, L Wang 2018 IEEE Applied Power Electronics Conference and Exposition (APEC), 3281-3286 | | 2018 |
| System and method for leakage current suppression in a low switching frequency photovoltaic cascaded multilevel inverter Y Zhou, H Li US Patent 9,748,863 | | 2017 |
| 1MHz scalable cascaded Z-source inverter using gallium nitride (GAN) device L Liu, H Li US Patent 9,621,073 | | 2017 |
| System for locating a fault in a power distribution system comprising at least one distributed resource having a controllable voltage source converter P Tatcho, M Steurer, H Li US Patent 9,459,308 | | 2016 |
| Method of locating a fault in a power distribution system using a direct current signal of a distributed resource modulated by an alternating current signal P Tatcho, M Steurer, H Li US Patent 9,442,153 | ł | 2016 |

| TITLE | CITED BY | YEAR |
|---|----------|------|
| System for locating a fault in a power distribution system comprising at least one cogeneration distributed resource P Tatcho, M Steurer, H Li US Patent 9,429,615 | | 2016 |
| Method of locating a fault in a power distribution system comprising at least one solar panel distributed resource P Tatcho, M Steurer, H Li US Patent 9,423,445 | | 2016 |
| Method of locating a fault in a power distribution system comprising at least one wind turbine distributed resource P Tatcho, M Steurer, H Li US Patent 9,417,277 | | 2016 |
| System for locating a fault in a power distribution system comprising at least one solar panel distributed resource P Tatcho, M Steurer, H Li US Patent 9,417,278 | | 2016 |
| Method of locating a fault in a power distribution system comprising at least one cogeneration distributed resource P Tatcho, M Steurer, H Li US Patent 9,417,276 | | 2016 |
| Method of locating a fault in a power distribution system comprising at least one DC voltage distributed resource havin controllable voltage source converter P Tatcho, M Steurer, H Li US Patent 9,411,005 | g a | 2016 |
| Method of locating a fault in a power distribution system comprising at least one microturbine distributed resource P Tatcho, M Steurer, H Li US Patent 9,411,006 | | 2016 |
| System for locating a fault in a power distribution system comprising at least one wind turbine distributed resource P Tatcho, M Steurer, H Li US Patent 9,389,267 | | 2016 |
| System for locating a fault in a power distribution system using a direct current signal of a distributed resource modular by an alternating current signal P Tatcho, M Steurer, H Li US Patent 9,389,269 | ted | 2016 |

| TITLE | CITED BY | YEAR |
|--|----------|------|
| System for locating a fault in a power distribution system comprising at least one DC voltage distributed resource having a controllable voltage source converter P Tatcho, M Steurer, H Li US Patent 9,389,268 | 9 | 2016 |
| System for locating a fault in a power distribution system comprising at least one microturbine distributed resource P Tatcho, M Steurer, H Li US Patent 9,389,266 | | 2016 |
| Method of locating a fault in a power distribution system comprising at least one distributed resource having a controllable voltage source converter P Tatcho, M Steurer, H Li US Patent 9,389,270 | ble | 2016 |
| Voltage profile based fault location identification system and method of use P Tatcho, M Steurer, H Li US Patent 9,274,161 | | 2016 |
| System and method for single-phase, single-stage grid-interactive inverter L Liu, H Li US Patent 9,124,136 | | 2015 |
| SUNSHINE STATE SOLAR GRID INITIATIVE (SUNGRIN) PHASE 1 (Critical Milestone Review Version) R Meeker, M Steurer, H Li, C Edrington, S Dale, MD Faruque, K Schoder, Florida State Univ., Tallahassee, FL (United States) | | 2012 |
| Real-time Optimal Hybridization Design of Battery and Ultracapacitor in PHEVs L Wang, E Collins, H Li IEEE Transactions on Vehicular Technology | | 2011 |
| Study of Bidirectional DC-DC Converter Interfacing with Energy Storage for Fuel Cell Vehicle using Power Hardware-In- the-Loop Concept Y Deng, S Foo, H Li Journal of Power Electronics | | 2011 |
| Electric Power Infrastructure Reliability And Security Research And Development Initiative. Final report S Dale, R Meeker, M Steurer, H Li, S Pamidi, H Rodrigo, Florida State University | | 2008 |

| TITLE | CITED BY | YEAR |
|---|----------|------|
| Synchronous Reluctance Motor Drive System Parameter Identification Using a Current Regulator HL Huynh Van Khang , Jang - Mok Kim , Jin-Woo Ahn IEEE Applied Power Electronics Conference | | 2008 |
| Hybrid Modulation Control for Cascaded H-Bridges Multilevel Motor Drive System D Zhang, Z Du, D Cartes, H Li ASNE EMTS | | 2006 |
| Neural Network Modeling of Torque Estimation and d-q Transformation for Induction Machine S Woodley, K., Li, H., Foo 8th World Multi-conference on Systemic, Cybernetics and Informatics | | 2004 |
| Neural Network Based Sensorless Maximum Wind Energy Conversion with Power Coefficient Compensation H Li, KL Shi, P Mclaren IEEE Industry Applications Society Annual Meeting | | 2004 |
| Accuracy and Speed of Time Domain Network Solvers for Power Systems Electronics Applications T Steurer, M., Woodruff, S., Li, H., Baldwin European Conference on Power Electronics and Applications | | 2003 |
| A Soft-Switched DC/DC Converter for Fuel Cell Applications G Su, D Adams, Z Peng, H Li SAE 2002 Transactions, Journal of Passenger Cars: Electronic and Electrical | | 2003 |
| A study of modeling and simulation for soft-switched bi-directional DC-DC converters J Li, H., Peng, F., Lawler IEEE Workshop on Computers in Power Electronics | | 2000 |
| 2015 IEEE Electric Ship Technologies Symposium (ESTS) R Mo, R Li, H Li | | |