


		REVISIONS			
REV	ECN No.	DESCRIPTION	DATE	DR	AUTH
OR	M100749	NEW RELEASE	09/19/05	MMG	MM
A	M102713	ADDED "WITH SMOBC"	01/12/06	GT	IL

SUGGESTED MOUNTING CONFIGURATION FOR AF320 CASE STYLES, "hI" PIN CONNECTION



NOTES:

- 1. TRACE WIDTH IS SHOWN FOR ROGERS RO4350B WITH DIELECTRIC THICKNESS .030" \pm .002"; COPPER: 1/2 OZ. EACH SIDE. FOR OTHER MATERIALS TRACE WIDTH MAY NEED TO BE MODIFIED.
- 2. BOTTOM SIDE OF THE PCB IS CONTINUOUS GROUND PLANE.

DENOTES PCB COPPER LAYOUT WITH SMOBC (SOLDER MASK OVER BARE COPPER)

DENOTES COPPER LAND PATTERN FREE OF SOLDER MASK

UNLESS OTHERWISE SPECIFIED	INITIALS		DATE							
DIMENSIONS ARE IN INCHES	DRAWN	MMG	09/12/05	Mini-Circuits® 13 Neptune Avenue Brooklyn NY 11235						ne Avenue
TOLERANCES ON: 2 PL DECIMALS ±	CHECKED	AV	09/16/05							NY 11235
3 PL DECIMALS ± .005 ANGLES ± 1°	APPROVED	MM	09/19/05	PL, hl, AF320, PAT, TB-319						
FRACTIONS ±										
☐ Mini-Circuits ®					, , , , , , , , , , , , , , , , , , , ,					
THIS DOCUMENT AND ITS CONTENTS ARE THE PROPERTY OF MINI-CIRCUITS. EXCEPT FOR USE EXPRESSLY GRANTED, IN WRITING, TO ITS VENDORS, VENDEE AND THE UNITED STATES GOVERNMENT, MINI-CIRCUITS RESERVES ALL PROPRIETARY DESIGN, USE, MANUFACTURING AND REPRODUCTION RIGHTS THERETO. THESE CONTENTS SHALL NOT BE USED, DUPLICATED OR DISCLOSED TO ANY OUTSIDE				SIZE A	CODE IDENT	DRAWING NO: 98-PL-208		REV:		
PARTY, IN WHOLE OR IN PART, WITHOUT WRITTEN PERMISSION OF MINI-CIRCUITS. ASHEETA1.DWG REV:A DATE:01/12/95					98PL208	SCALE:	10:1	SHEET:	1	OF 1