

Day 18 — TheHive Case Management + MISP Integration

Name: Mohammed Farhan
Role: Associate – Information Security (Intern)
Organization: CyberShelter UAE
Date: 31 July 2026

Objective

Deploy TheHive 5, connect it to the MISP instance from Day 17, create a manually-built incident case with assigned tasks, import a MISP threat event as a TheHive alert and promote it to a case, and attach real IOC enrichment output as case evidence — demonstrating the complete alert-to-case workflow used in a mature MSSP SOC.

Part 1 — Manual Case Creation

Created a case titled "Possible ransomware beacon to known C2 IP", Severity: High, TLP:AMBER, PAP:AMBER. Added 3 tasks, each assigned to self:

- Enrich IOCs — run enrichment tooling against identified indicators
- Isolate endpoint — coordinate with IT to isolate the affected host
- Notify stakeholders — inform client security contact and management

Title *

Possible ransomware beacon to known C2 IP

Date *

31/07/2026 13:58

Severity

LOWMEDIUMHIGHCRITICAL

TLP

TLP:CLEARTLP:GREENTLP:AMBERTLP:AMBER+STRICTTLP:RED

PAP

PAP:CLEARPAP:GREENPAP:AMBERPAP:RED

Tags

ransomware

Description *

⌵

B

I

U

↶↷↸↹↺↻↼↽↾↿↸↹↺↻↼↽↾↿

⌵

⌶

⌷

⌸

⌹

⌺

⌻

⌼

⌽

⌾

⌿

⌿

Preview?

Endpoint observed communicating with a known ransomware C2 IP address; investigating for possible active compromise.

Export list

DefaultQuick FiltersAdd filter

	Status	GroupTaskDue date	Case	Assignee	DatesS.C.U.	
	Waiting Created a few seconds ago	default Notify stakeholders	H #2 - Possible ransomware beacon to known C2 IP Created a few seconds ago	T	C. 31/07/2026 14:06	
	Waiting Created a few seconds ago	default Enrich IOC's	H #2 - Possible ransomware beacon to known C2 IP Created a few seconds ago	T	C. 31/07/2026 14:06	
	Waiting Created a few seconds ago	default Isolate endpoint	H #2 - Possible ransomware beacon to known C2 IP Created a few seconds ago	T	C. 31/07/2026 14:06	

Part 2 — MISP-TheHive Connector Configuration

Added the MISP server connection under Platform Management > Connectors > MISP, using an Auth Key generated from the MISP instance, with Purpose set to "Import and export". Certificate Authority checking was disabled and hostname verification relaxed, since the MISP instance uses a self-signed certificate in this lab environment. The connection was tested and confirmed successful.

Platform Management

License General settings Status Branding **Connectors** Authentication

Cortex **MISP** Email Intake

General settings

Interval *

Servers

Server name	Dates
CyberShelter MISP https://192.168.56.104:8443	

Part 3 — Importing the Ransomware Event as an Alert

With the connector active, TheHive's scheduled sync imported the Day 17 MISP events as Alerts, correctly carrying over each event's title, TLP tag, and observables. The "Ransomware Campaign - C2 Infrastructure Analysis July 2026" alert (source: CyberShelter, tlp:amber) appeared with all 5 original observables intact: two C2 IP addresses, two file hashes, and the ransomware mutex.

Alerts									
Search in demo									
+ Create Case									
Export list									
Default*									
Quick Filters									
New New 16 minutes ago	M	#3 Credential Stuffing Campaign - Targeted Login Attempts July 2026	-	misp	Observables	5	?	O. 29/07/2026 04:00	
				CyberShelter	TTPs	0		C. 31/07/2026 15:27	
				3				U. 31/07/2026 15:27	
		src:CyberShelter							
		tlp:green							
		None							
New New 16 minutes ago	H	#2 Ransomware Campaign - C2 Infrastructure Analysis July 2026	-	misp	Observables	5	?	O. 29/07/2026 04:00	
				CyberShelter	TTPs	0		C. 31/07/2026 15:27	
				2				U. 31/07/2026 15:27	
		src:CyberShelter							
		tlp:amber							
		None							
New New 16 minutes ago	H	#1 Phishing Campaign Targeting Finance Team - July 2026	-	misp	Observables	4	?	O. 29/07/2026 04:00	
				CyberShelter	TTPs	0		C. 31/07/2026 15:27	
								U. 31/07/2026 15:27	

Part 4 — Promoting the Alert to a Case

Using the "New case from alert" action, the alert was promoted into Case #3, automatically carrying over the title, tags (tlp:amber, src:CyberShelter), and all 5 observables without manual re-entry. Severity and PAP were confirmed as High and Amber respectively to match the source classification

Observables

Search in demo

Create Case

#2 Ransomware Campaign - C2 Infrastructure Analysis July 2026

id ~40980528

Created by TheHive system user

Created at 31/07/2026 15:27

General

Observables (5)

TTPs (0)

Attachments

Similar Cases

Similar Alerts

Responders

+

Export list

↺

↻

Default


+ Add

Flags	Data type	Value/Filename	Dates	S	C	U
☐ TLP:AMBER PAP:AMBER	other	Global\\RansomLock_8842X	S. 31/07/2026 15:27			
	None		C. 31/07/2026 15:27			
	No report(s) available					
☐ TLP:AMBER PAP:AMBER	hash	d41d8cd98f00b204e9800998ecf8427e	S. 31/07/2026 15:27			
	mispl.category="Payload delivery" mispl.type="md5"		C. 31/07/2026 15:27			
	No report(s) available					
☐ TLP:AMBER PAP:AMBER	hash	9f86d081884c7d659a2feaa0c55ad015a3bf4f1b2b0b822cd15d6c15b0f00a08	S. 31/07/2026 15:27			
	mispl.category="Payload delivery" mispl.type="sha256"		C. 31/07/2026 15:27			
	No report(s) available					

Part 5 — Attaching IOC Enrichment Evidence

The Day 16 tool, `ioc_enricher.py`, was run against one of the case's C2 IP observables (192.36.57.192), and its output was saved to a text file and uploaded as a case attachment on Case #3. A comment was added to the case documenting the enrichment result and its interpretation: the automated tool returned a Low risk rating (zero hits across VirusTotal, AbuseIPDB, and OTX), while the case itself remains classified High based on the originating MISP threat intelligence. This was noted as an expected and instructive outcome — automated enrichment reflects real-world public threat feeds, while the case severity reflects the threat classification assigned by the intelligence source, and analysts should weigh both rather than relying on automated scoring alone.

```
PS C:\Users\FARHAN\Desktop\day16> python ioc_enricher.py --ip 192.36.57.192 > enrichment_output.txt
PS C:\Users\FARHAN\Desktop\day16> type enrichment_output.txt
Single IP Enrichment Result
-----
| IP | Reverse DNS | In Blocklist | VT Detection | AbuseIPDB Score | Shodan Info | OTX Pulses | Risk Level |
|-----|-----|-----|-----|-----|-----|-----|-----|
| 192.36.57.192 | 192.57.36.192.in-addr | NO | 0 malicious | 0 | Error: Access denied (403 Forbidden) | 0 | Low |
|-----|-----|-----|-----|-----|-----|-----|-----|
PS C:\Users\FARHAN\Desktop\day16>
```



Deliverable

- TheHive case created with 3 tasks (Case #2), each assigned to self
- MISP ransomware event imported as a TheHive alert, with all observables intact
- Alert promoted to Case #3, carrying over tags and 5 observables

- ioc_enricher.py output attached to Case #3 as supporting evidence, with an interpretive comment
- Alert_to_Case_Lifecycle.docx — one-page diagram of the MISP to TheHive to analyst to closure flow

Conclusion

Today connected the threat intelligence platform (MISP, Day 17) and the case management platform (TheHive) into a single working pipeline, and connected Day 16's Python enrichment tool into that same pipeline as case evidence. This demonstrates the complete, realistic loop an MSSP SOC analyst follows: a threat is recorded in MISP, automatically surfaces as an alert in TheHive, gets triaged and promoted into a formally tracked case, has real enrichment data attached as evidence, and is worked through assigned tasks toward closure.