



FOR R USERS

# Hugging Face models, directly from R

No Python by default. Tidy inputs. Tidy outputs.  
Examples you can run.

```
library(huggingfaceR)
hf_classify("I love using R")

# A tibble: 1 x 3
text      label    score
"I love..." POSITIVE 1.000
```

## R

### NATIVE WORKFLOWS

Use models from the Hub  
without leaving your R  
session.

chat

embeddings

structured extraction

audio

images

Hub APIs



WHO IT HELPS

# For people who live in R and work with **messy** **data**

Text, documents, interviews, images, tickets, reviews, notes, and research data.

## Data scientists

Prototype model-backed workflows without switching stacks.

## Researchers

Code interviews, open-ended survey answers, and document collections.

## Analysts

Classify, search, summarize, and extract fields into tibbles.

## Journalists

Transcribe clips, search archives, and tag visual material.



● WHAT YOU CAN DO

# Turn unstructured inputs into analysis- ready data

01

## Classify text

Survey responses, reviews, support tickets, open-ended comments.

02

## Create embeddings

Search, clustering, matching, topic discovery, nearest neighbors.

03

## Extract fields

Pull names, themes, locations, sentiment, and codes from prose.

04

## Analyze media

Transcribe audio, classify images, detect objects, generate images.



WHAT CHANGED

# A wider Hugging Face API surface, from one R package



## Chat, streaming, tools

Use open-source chat models, stream responses, and connect model tool calls to R functions.



## Structured output

Ask models for JSON-like fields and get one tidy row per input.



## Multimodal wrappers

Audio transcription, text-to-image, image classification, and object detection.



## Hub workflows

Download files, inspect provider options, search Spaces and papers, and guard writes.



**huggingfaceR**

DOCS NOW RENDER OUTPUT

tested live

● NOT JUST SNIPPETS

# The README and site now show **real output**

**MLK audio**

## Transcription example

"I have a dream..." renders from a public Hugging Face audio sample.

**COCO cats**

## Vision example

Image classification returns "Egyptian cat"; object detection draws cat boxes.

**red cube**

## Image generation example

The README includes a generated image and the file output from R.





WHERE TO START

# What would you try first in R?

Survey text, interviews, embeddings, image tagging, or Hub downloads?

`farach.github.io/huggingfaceR`

`github.com/farach/huggingfaceR`

**Pick a workflow. Run the example. Keep the result in a tibble.**

01

**Set token**

02

**Call model**

03

**Get tibble**

04

**Analyze in R**