

(dr zoute) (worth	
(dr 40dis) (worth	
vector (noting to	
(cu) (-) () (
Repush Syne List.	
Client: Syndist tout,	
Rocceving test	
Giring Lat	
ascover ext	
Somo a. txt	
Thistory.txt	
Serhistory Int	
· · · · · · · · · · · · · · · · · · ·	
Pata= Klame,	
tode	
Vector < Data>	
,	
Write Data (Data, N)	
for clen in velt,	
51 + = den name	
	> Write Orta (clim data N +dam nan);
Write (51, N+ name)	
Rend Data (Location)	,
oper f	
for lines: If lines type=1,	
Jy lines type=1,	
and auch rail (Read I ale / location	-" fires, pame)
and push back (bata (fines type, his	is name))
and push back (Data (fines type, his notion Date (L. I, ans)	
1) Open Login GUI,	
2) Give button pressed with Late	
a) if byin,	
Send data to server	
Reserve confirmation.	
If yes:	Suna
Open files UI	Syne: Rechwe borver Files
Reclive bower Files	" Wand RI
Drava I'	" Shared R' 1' Receives tiles Sync. Favor instruction list
" Reciving tiles	Since
5 yrc Francis instruction list	Given institution 1: 1
P 4NCA instruction but	1 was received ast

Execute instruction list	Lo Execute instruction list
Photo I was It.	Refresh New Kips biles
Rofresh Serferfiles Refresh Wierdfiles	Refresh Serfterfiles Refresh Wiedfiles
Rysen Westfills.	y gun see gives.
Share files:	
Share files: La Open UT for wishname, preferences,	Logat:
Send nessag to network	Epen Hespy
Ha Add bile to given	Closest
Ald file to giving	
All to sync list	
Add to syn list	New User
,	Cact detale
Keep Orline Only	Send to server
Remore from byclist	Add to werbase
Keep Orline Only Renove from Synlist Delete file from chiest.	Write aserbase
Journal of the second of the s	Grante folder
Robersh Button	Make init-line in
Refresh Button: - Data Writter Read - get luta of files or disk	Male initialization file
- cot but of the white	Make initialisation Files
ger value of face or disk	1 Take Ounaus aud Puls
- Sype.	
Add file to DD:	
· Path > DD folks.	
· Add to sync list	
• Syre.	
Server:	