

BLOODLINK

Complete Blood Donation Knowledge Base

For AI Help and users in Talagang District and Chakwal District, Punjab, Pakistan.

Disclaimer: General information only. Not a substitute for professional medical advice. Always consult a licensed blood bank or doctor.

1. What is BloodLink?

BloodLink is a free community platform that connects people who need blood with available blood donors in Talagang District and Chakwal District only. It does not collect, store, or sell blood. All medical procedures must be done at a licensed hospital or blood bank.

- Find available donors by blood group, district, and village
- Register as a donor and manage availability
- Contact donors by Call or WhatsApp
- BloodLink AI Help for donation and website questions
- Report a Problem to administrators

2. How to Use BloodLink — Step by Step

2.1 How to find a donor

Step 1: Click Find Donor in the navbar. Step 2: Select Blood Group (required). Step 3: Optionally select District (Talagang or Chakwal) and Village/Area. Step 4: Click Search or use quick options (Search All Districts, Search All Available Donors, Search This District, Search This Village). Step 5: Results show only active, non-suspended, available donors with Call and WhatsApp buttons. Unavailable or suspended donors never appear in public search.

2.2 How to become a donor / register

Step 1: Click Become a Donor. Step 2: If you already have an account, log in with phone number and password. Step 3: If new, fill Full Name, Phone Number (login ID, format 03XXXXXXXXXX), Blood Group, District (Talagang or Chakwal only), Village/Area from the dropdown list, optional WhatsApp (or tick Same as Phone Number), and Password (minimum 8 characters). Step 4: After registration set Available or Unavailable from My Profile.

2.3 How to report a problem

Step 1: Click the floating Report a Problem button (bottom-right). Step 2: Enter Name, WhatsApp, Phone, District, Village/Area, and describe the problem. Step 3: Submit. Admins can read, mark reviewed, or delete reports.

2.4 How to use AI Help

Click the floating AI Help button. Ask in English, Urdu, Roman Urdu, or Punjabi. The AI answers from this knowledge base only. It is not a doctor.

2.5 Login, profile, availability

Donors log in with phone number and password. My Profile updates name, phone, WhatsApp, district, village, password, and availability. Unavailable donors do not appear in available search. Suspended donors cannot log in and never appear in public search.

3. Blood Groups Explained

The eight common blood groups are: A+, A–, B+, B–, AB+, AB–, O+, O–. O negative (O–) is often called the universal donor for red blood cells in emergencies. AB positive (AB+) is often called the universal recipient. Final compatibility is always confirmed by hospital laboratory cross-matching before transfusion.

4. Who Can Donate to Whom (Red Blood Cells)

This is a general guide for red blood cell donation. Hospital cross-match is always required before transfusion.

4.1 What each donor group can DONATE to

Donor	Can generally donate red cells to
O–	Everyone: O–, O+, A–, A+, B–, B+, AB–, AB+
O+	O+, A+, B+, AB+
A–	A–, A+, AB–, AB+

A+	A+, AB+
B–	B–, B+, AB–, AB+
B+	B+, AB+
AB–	AB–, AB+
AB+	AB+ only

4.2 What each patient group can RECEIVE from

Patient	Can generally receive red cells from
O–	O– only
O+	O–, O+
A–	O–, A–
A+	O–, O+, A–, A+
B–	O–, B–
B+	O–, O+, B–, B+
AB–	O–, A–, B–, AB–
AB+	Everyone: O–, O+, A–, A+, B–, B+, AB–, AB+

4.3 Direct yes/no examples

Q: Can a person with A+ donate blood to O–?

A: No. A+ cannot donate red cells to O–. O– patients generally receive only O–.

Q: Can A+ donate to A+?

A: Yes. A+ can generally donate to A+.

Q: Can A+ donate to AB+?

A: Yes. A+ can generally donate to AB+.

Q: Can O– donate to A+?

A: Yes. O– can generally donate to any group including A+.

Q: Can O+ donate to O–?

A: No. O+ cannot donate to O–.

Q: Can B+ donate to O+?

A: No. B+ cannot donate to O+.

Q: Can AB+ donate to B+?

A: No. AB+ can generally donate only to AB+.

Q: Who can O– donate to?

A: O– can generally donate to all eight groups: O–, O+, A–, A+, B–, B+, AB–, AB+.

Q: Who can donate to O–?

A: Generally only O– donors.

Q: Who can donate to AB+?

A: Generally any blood group can donate to AB+.

Q: Can A– donate to A+?

A: Yes. A– can generally donate to A+ and AB+ as well.

Q: Can B– donate to B+?

A: Yes. B– can generally donate to B+ and AB+ as well.

5. Who Can Donate Blood?

General criteria (blood bank doctor decides finally): Age usually 18–60 or 65; weight at least 50 kg; good health on the day; adequate hemoglobin; no active infection; not pregnant or very recently given birth; informed consent.

6. Who Should Not Donate (or may be deferred)

- Fever, flu, cold, or active infection
- Low hemoglobin or anemia
- Recent whole blood donation (typically wait ~3 months)
- History of HIV, hepatitis B, hepatitis C, or syphilis
- Certain chronic illnesses — ask the blood bank
- Recent unsafe tattoo/piercing (waiting period)
- Pregnancy or very recent childbirth
- Under influence of alcohol or drugs

7. How Often Can You Donate?

Whole blood is typically donated about every 3 months (around 12 weeks). Some centres use 8–12 weeks. Donating too often can cause iron deficiency. Follow your local blood bank.

8. Before, During and After Donation

Before: eat normally, drink fluids, sleep well, avoid alcohol. During: collection about 8–15 minutes; tell staff if unwell. After: rest, extra fluids, avoid heavy exercise and alcohol the same day.

9. Blood Components

Red blood cells for anemia/surgery/trauma; platelets for low platelets/bleeding; plasma for clotting factors. One donation can help more than one patient.

10. Emergency Guidance

Take the patient to a hospital blood bank. Use BloodLink Find Donor to contact matching donors in Talagang or Chakwal. Never transfuse outside a medical facility. AI Help cannot replace emergency care.

11. Platform Rules

- Service area: Talagang and Chakwal only
- Phone number is donor login ID
- WhatsApp is optional
- Suspended donors cannot log in and never appear in search
- Unavailable donors do not appear in available search
- No public blood request board
- AI answers only from this knowledge base
- Illegal or harmful requests must be refused politely

12. More Common Questions

Q: Is blood donation painful?

A: Usually only a brief pinch when the needle is inserted.

Q: How much blood is taken?

A: About 350–450 ml (one unit).

Q: Is there payment for donating?

A: Voluntary non-remunerated donation is the standard. BloodLink promotes voluntary donation.

Q: Does BloodLink store or sell blood?

A: No. It only helps find and contact donors.

Q: Can women donate during menstruation?

A: Many centres allow it if the donor feels well and hemoglobin is adequate.

Q: Can I donate if I take medicine?

A: It depends on the medicine. Always tell the blood bank.

End of BloodLink Knowledge Base. For personal eligibility always contact a licensed blood bank or doctor.