PASSION FOR CREATING SPACES

SHOWER CABINS | DOORS | OFFICE PARTITIONS | FOLDING DOORS | GUILLOTINE SYSTEMS | SPIDERS | FACADES | GLASS RAILINGS | INOX RAILINGS

PAPGROUP

PCA was founded in 2008 and it is a member of PAP GROUP, located in the Industrial Area of Thessaloniki in a plant of 14000m^2, owned by the group. Company's main activity is designing and manufacturing glass accessories and aluminium profiles aiming to provide complete solutions to every glass application. Company's principals are quality, innovation, excellent service and competitive prices. PCA also has a Research & Development (R & D) department of innovative products burdened with the study, design and optimization of components available to the company.
For the period 2012 - 2018, 80% of the company turnover occured in exports worldwide in 50 countries. The product range of the company covers the following types of structures:

| Shower Cabins | Facades | Folding Doors | Internal Doors | Sliding Doors | Glass Wall Partitions | Glass Canopies | Glass Railings | Spider Systems | Glass Staircases

PAP SAFETY GLASS

PAPGROUP

SECURIT-TRIPLEX

Index

Shower Cabins & WC Partitions

SX **NEW** softclose sliding shower cabin series 09
SN sliding shower cabin series 14
SA sliding shower cabin series 18
A0 opening shower cabin series 22
B0 opening shower cabin series 28
WN opening shower cabin series 34
ST09 opening shower cabin series 36
SA09 opening shower cabin series 38

Sliding Doors & Office Partitions

D sliding door series with soft close 82
B sliding door series 86
SA sliding door series 90
V1000 telescopic synchronized door 94
V2000 sliding door series with soft close 98
A1 door frame series 116
A2 door frame series 117
A3 door frame series 118
A4 door frame series 119
A5 **NEW** door frame series 120
A21 full door frame series 128
A22 full door frame series 129
A23 full door frame series 130
A24 full door frame series 131
A25 **NEW** full door frame series 132
A8 partition series 138
A9 partition series 140
A10 partition series 142
A11 partition series 146

Facades

WR1 facade series 170
WR2 facade series 172
WS1 facade series 174
W1 partition series 178
W2 partition series 180

Folding Doors

DR01 folding door series (parking) 200
DR02 folding door series (hinge) 202

Guillotine

GL **NEW** guillotine series 210

Spiders

S1 spider series 216
S2 spider series 218

Balcony Railings

M1 balcony railing series 228
M2 balcony railing series 230
M3 balcony railing series 232
M10 balcony railing series 234
M11 balcony railing series 236
M12 balcony railing series 238
M17 **NEW** balcony railing series 240
M18 **NEW** balcony railing series 242
M19 **NEW** balcony railing series 244
M4 balcony railing series 248
M13 balcony railing series 250
M14 lateral point fixing series 252
M20 **NEW** lateral point fixing series 254
M16 lateral point fixing series 256
M15 lateral point fixing series 258
M9 lateral point fixing series 260
M21 **NEW** lateral point fixing series 261
M22 **NEW** lateral point fixing series 262
M6 lateral point fixing series 264
M7 lateral point fixing series 268
M8 lateral point fixing series 270

Inox Railings

NX **NEW** Inox railings series 275

Staircase

L1 Staircase series 294

Canopies

E1 Canopy series 298
E2 Canopy series 302
E3 Canopy series 305

Miscellaneous & Consumables 307

Shower Cabins & WC Partitions 8

Doors & Office Partitions 81

Facades 169

Folding 199

Guillotine 209

Spiders 215

Balcony Railings 225

Inox Railings 273

Staircase 293

Canopies 297

Miscellaneous & Consumables 307

SHOWER CABINS

SHOWER CABIN SERIES | **SX**

NEW

SOFTCLOSE

NEW

1 x GT07

2 x HL48

2 x RH50

2 x SP17

1 x GG19

1 x GG21

1 x S05

1 x S06

1 x FG06

1 x DK08
(Optional)

SX01 CABIN

OPTIONAL KNOBS ▶ 74 - 75

•OPTIONAL **U** GG15,GG14,GG19 for **8mm** Glass Thickness

GLASS PREPARATION



TOP VIEW DETAIL



NEW

1 x GT07

1 x HL49

1 x HL48

2 x RH50

2 x SP17

1 x GG19

1 x GG21

1 x S09

2 x S06

1 x FG06

1 x FG10

1 x DK08
(Optional)

SX03 CABIN

•OPTIONAL **U** GG15,GG14 for **8mm** Glass Thickness

OPTIONAL KNOBS ▶ 74 - 75

GLASS PREPARATION



TOP VIEW DETAIL



NEW

NEW

SX02 CABIN

•OPTIONAL **U** GG15,GG14 for **8mm** Glass Thickness

1 x GT07

1 x HL50

2 x HL48

4 x RH50

4 x SP17

2 x GG19

1 x GG21

1 x S09

2 x S06

1 x FG07

2 x FG06

2 x DK08
(Optional)

OPTIONAL KNOBS ▶ 74 - 75

GLASS PREPARATION



TOP VIEW DETAIL





SN01 CABIN

•OPTIONAL **U** GG15,GG14 for **8mm** Glass Thickness
GG03 for **10mm** Glass Thickness

1 x PCA SN - Kit

- **2 x RH18**
- **2 x RH18B**
- **2 x HL39**
- **2 x HL34**
- **2 x SP14**

1 x GT02
1 x GG01
1 x GG15
1 x GG02
1 x S05
1 x S06
1 x FG01
1 x DK08
(Optional)

OPTIONAL KNOBS ▶ 74 - 75

GLASS PREPARATION



TOP VIEW DETAIL



SN02 CABIN

•OPTIONAL **U** GG15,GG14 for **8mm** Glass Thickness
GG03 for **10mm** Glass Thickness

2 x PCA SN - Kit

- 2 x RH18
- 2 x RH18B
- 2 x HL39
- 2 x HL34
- 2 x SP14

- 1 x FG03
- 1 x HL35

- 1 x GT02
- 1 x GG01
- 2 x GG15
- 1 x GG02
- 1 x S09
- 2 x S06
- 2 x FG01
- 2 x DK08 (Optional)

OPTIONAL KNOBS ▶ 74 - 75

GLASS PREPARATION



TOP VIEW DETAIL




56
24
8
27.5
90
35
28
50
50
16

SA01 CABIN

- 1 x GT01
- 1 x RD01
- 2 x RH01
- 2 x HL05
- 2 x SP01
- 2 x HL07

- 1 x GG01
- 1 x GG03
- 1 x GG02
- 1 x S05
- 1 x S06
- 1 x FG01
- 1 x DK08 (Optional)

•OPTIONAL **U** GG09 for **10mm** Glass Thickness

OPTIONAL KNOBS ▶ 74 - 75

GLASS PREPARATION



TOP VIEW DETAIL



SA02 CABIN

•OPTIONAL **U** GG09 for **10mm** Glass Thickness

- 1 x GT01
- 2 x RD01
- 4 x RH01
- 4 x HL05
- 4 x SP01
- 2 x HL07
- 1 x HL06

- 1 x GG01
- 2 x GG03
- 1 x GG02
- 1 x S09
- 2 x S06
- 2 x FG01
- 1 x FG03
- 2 x DK08 (Optional)

OPTIONAL KNOBS ▶ 74 - 75

GLASS PREPARATION



TOP VIEW DETAIL



A03 CABIN

- 1 x GT02
- 1 x HL38
- 1 x HL34

1 x GG01

1 x GG15 (Optional)

1 x GG02

2 x S30

1 x GG18

1 x FG02

2 x SH47 (Optional)

1 x HS08 (Optional)

• OPTIONAL **U** GG15,GG14, GG19 for **8mm** Glass Thickness

OPTIONAL KNOBS ▶ 73, 76-79
OPTIONAL HINGES ▶ 60-66

GLASS PREPARATION



TOP VIEW DETAIL



A04 CABIN

- OPTIONAL **U** GG15,GG14, GG19 for **8mm** Glass Thickness

- 1 x GT02
- 1 x HL38
- 1 x HL34
- 1 x HL37

- 1 x GG01
- 2 x GG15 (Optional)
- 1 x GG02
- 1 x S30
- 1 x GG18
- 1 x S19
- 1 x FG02
- 2 x SH48 (Optional)
- 1 x DK21 (Optional)

OPTIONAL KNOBS ▶ 73, 76-79
OPTIONAL HINGES ▶ 60-66

GLASS PREPARATION



TOP VIEW DETAIL





- **1 x GG10**
- **2 x SH45** (Optional)
- **2 x SH46** (Optional)
- **2 x S30**
- **1 x S21**
- **1 x S19**
- **2 x DK06** (Optional)

OPTIONAL KNOBS ▶ 74 - 75
OPTIONAL HINGES ▶ 60-65

A06 CABIN

GLASS PREPARATION



TOP VIEW DETAIL





- **2 x SH47** (Optional)
- **2 x SH48** (Optional)
- **1 x HL38**
- **1 x HL34**
- **1 x GT02**
- **2 x S30**
- **1 x S21**
- **1 x S19**
- **1 x GG15**
- **2 x DK06** (Optional)

A16 CABIN

OPTIONAL KNOBS ▶ 74 - 75
OPTIONAL HINGES ▶ 60-65

GLASS PREPARATION



TOP VIEW DETAIL






20
20
66
11
27
15
30

- 1 x GT02
- 2 x HL36
- 2 x HL34

- 1 x GG01
- 2 x GG15 (Optional)
- 1 x GG02
- 1 x S30
- 1 x S19
- 1 x S21
- 2 x SH46 (Optional)
- 1 x HS10 (Optional)

B01 CABIN

•OPTIONAL **U** GG15,GG14, GG19 for **8mm** Glass Thickness | Alu - PVC
GG03 for **10mm** Glass Thickness | PVC

OPTIONAL KNOBS ▶ 73, 76-79
OPTIONAL HINGES ▶ 60-66

GLASS PREPARATION



TOP VIEW DETAIL



- 1 x GT02
- 2 x HL36
- 2 x HL34
- 2 x HL08

- 1 x GG01
- 2 x GG15 (Optional)
- 1 x GG02
- 1 x S07
- 1 x S04
- 1 x S08
- 2 x SH46 (Optional)
- 1 x DK22 (Optional)

SHOWER CABIN

B02 CABIN

•OPTIONAL **U** GG15,GG14, GG19 for **8mm** Glass Thickness GG03 for **10mm** Glass Thickness	Alu - PVC PVC

OPTIONAL KNOBS ▶ 73, 76-79
OPTIONAL HINGES ▶ 60-66

GLASS PREPARATION



TOP VIEW DETAIL



- 1 x GT02
- 1 x HL36
- 2 x HL34

- 1 x GG01
- 1 x GG15 (Optional)
- 1 x GG02
- 1 x GG10
- 1 x S30
- 1 x S21
- 1 x S19
- 2 x SH46 (Optional)
- 1 x DK20 (Optional)

B05 CABIN

•OPTIONAL **U** GG15,GG14, GG19 for **8mm** Glass Thickness
GG03 for **10mm** Glass Thickness

OPTIONAL KNOBS ▶ 73, 76-79
OPTIONAL HINGES ▶ 60-66

GLASS PREPARATION



TOP VIEW DETAIL



- 1 x GT02
- 2 x HL36
- 1 x HL35
- 2 x HL34

1 x GG01
2 x GG15 (Optional)
1 x GG02
1 x S30
1 x S21
2 x S19
1 x FG03
4 x SH46 (Optional)
2 x DK22 (Optional)

B09 CABIN

• OPTIONAL **U** GG15,GG14, GG19 for **8mm** Glass Thickness
GG03 for **10mm** Glass Thickness

OPTIONAL KNOBS ▶ 73, 76-79
OPTIONAL HINGES ▶ 60-66

GLASS PREPARATION



TOP VIEW DETAIL



WN| WALK-IN CABIN SERIES

Glass Thickness: 8-10mm

WN01 Cabin



WN02 Cabin



WN03 Cabin



WN04 Cabin



WC CUBICLE SERIES
ST9

WC CUBICLE SERIES

SA9



- 1 x GT01
- 6 x HL36
- 3 x HL34
- 1 x HL40

6 x HL43
4 x SH46
2 x BL16
3 x GG15
2 x GC35
2 x S21
2 x S19

ST9 PARTITIONS

GLASS PREPARATION



Installation with **SH46** Hinge

TOP VIEW DETAIL





1 x GT01

4 x HL05

1 x HL04

2 x HL07

6 x HL28

4 x SH48

2 x BL16

3 x GG15

2 x GC05

2 x S21

2 x S19

SA9 PARTITIONS

GLASS PREPARATION



⚠ Installation with **SH48** Hinge

TOP VIEW DETAIL



NEW BOTTOM GUIDE OPTIONS
for **SN** & **SX** sliding shower cabins

U - profile option



pg.44 , pg.54

Waterproof bottom track option













PCA-GT07
Guide Track Profile
350cm | Length
Aluminium | Material
Satin, Black Anodize | Finish

NEW



PCA-HL48R
Fixing wall cap
Stainless Steel 304 | Material
Satin, Black Anodize | Finish

NEW



PCA-HL48L
Fixing wall cap
Stainless Steel 304 | Material
Satin, Black Anodize | Finish

NEW



PCA-HL50
Guide connector
Stainless Steel 304 | Material
Satin, Black Anodize | Finish

NEW



PCA-HL49R
Fix glass support
Stainless Steel 304 | Material
Satin, Black Anodize | Finish

NEW

PCA-HL49L
Fix glass support
Stainless Steel 304 | Material
Satin, Black Anodize | Finish



NEW

PCA-FG05R
Sliding glass guide
Stainless Steel 304 | Material
Satin, Black Anodize | Finish



NEW

PCA-FG05L
Sliding glass guide
Stainless Steel 304 | Material
Satin, Black Anodize | Finish



NEW

PCA-FG06
Sliding glass guide
Stainless Steel 304 | Material
Satin, Black Anodize | Finish



NEW

PCA-FG07
Sliding glass guide
Stainless Steel 304 | Material
Satin, Black Anodize | Finish



NEW

PCA-FG10
Sliding glass guide
Stainless Steel 304 | Material
Satin, Black Anodize | Finish



NEW

600cm

220cm

stainless steel **aluminium**



PCA-GT02
Guide Track Profile
220, 600cm | Length
Aluminium, Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish

SN KIT - 2 PCS EACH PRODUCT





PCA-RH18
Flat Track Roller Hanger
8-10mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish





PCA-RH18B
Flat Track Roller Hanger Support
8 - 10mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish





PCA-HL39
Flat Track - Glass Holder
8 -10mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish



PCA-SP14
Flat Track Stop
Stainless Steel 304 | Material
Satin, Polished | Finish



PCA-HL34
Flat Track - Wall Holder
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish



PCA-HL34A
Flat Track - Glass Holder Screw
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish

CORNER TRACK HOLDERS



PCA-HL35
90° Flat Track - Track Holder
45 kg | Max. Weight
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish



PCA-HL08
135° Flat Track - Track Holder
45 kg | Max. Weight
Stainless Steel 304 | Material
Satin, Polished | Finish



PCA-HL40
Flat Track - Glass Holder
45 kg | Max. Weight
Stainless Steel 304 | Material
Satin, Polished | Finish

Cabin Floor accessories

PCA-FG01A | FG01B | FG01C
Floor Guide
8,10,12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish



PCA-FG04
Floor Guide
Stainless Steel 304 | Material
Satin, Polished | Finish



PCA-FG09
Waterproof profile corner
Stainless Steel 304 | Material
Satin, Black Anodize | Finish



NEW

PCA-FG02
Corner Floor Guide
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish



Installation with FG02 Corner



PCA-FG03
Corner Floor Guide
Stainless Steel 304 | Material
Satin, Polished | Finish



Installation with FG03 Corner





PCA-GT01
Guide Track Profile
600cm | Length
Stainless Steel 304 | Material
Satin | Finish



PCA-RD01
Round Rod
150cm | Length
Stainless Steel 304 | Material
Satin | Finish



Up side of Glass
COUNTER SUNK HOLES



PCA-RH01
Round Track Roller Hanger
10mm | Glass Thickness
80 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish



PCA-SP01
Round Track Stop
Stainless Steel 304 | Material
Satin | Finish



PCA-HL06
Round Track - Track Holder
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish



PCA-HL07
Flat Track - Wall Holder
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish



PCA-HL05
Round Track - Glass Holder
10mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



PCA-HL04
Round Track - Glass Holder
10mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

WC Partition Glass Holders







PCA-HL28
Floor Glass Holder
10mm | Glass Thickness
80 kg | Max. Weight
Stainless Steel 304 | Material
Satin, Polished | Finish





PCA-HL43
Floor Glass Holder
10mm | Glass Thickness
80 kg | Max. Weight
Stainless Steel 304 | Material
Satin, Polished | Finish





PCA-HL45
Glass - Track Holder
8,10mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish





FIX GLASS INSTALLATION

•OPTIONAL **U** PROFILES ▶ 52

NEW

WN03 Cabin





PCA-HL51
Track Holder
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish

PCA-HL44
Adjustable Wall - Track Holder
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish





PCA-HL47
Adjustable Glass - Track Holder
10mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish



GT02 + HL44 + HL47



PCA-HL37
Glass - Track Holder
8,10mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish



PCA-HL38
Glass - Track Holder
8,10mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish

GT02 + HL37 + HL38 + HL34



PCA-HL36
Glass - Track Holder
8,10mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish

GT02 + HL36 + HL34 + HL35


HL44
GT02
GT02
HL47


HL34
HL37
GT02
HL38


HL34
HL36
HL35
HL34
HL36
GT02

PCA-GG01
U Channel Profile
220,300 cm | Length
8,10mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish



PCA-GG02
U Channel Profile
220 cm | Length
6 mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize| Finish



PCA-GG03
U Channel Profile
220, 300 cm | Length
10mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish



PCA-GG15
U Channel Profile
220, 300 cm | Length
8 mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize| Finish



PCA-GG14
U Channel Profile
220, 300 cm | Length
8 mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize| Finish



PCA-GG19
U Channel Profile
220, 300 cm | Length
8 mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize| Finish

NEW



PCA-GG21
Cover for U Profile
220, 300 cm | Length
8 mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize| Finish

NEW







PCA-GG09
U Channel Profile
220,300 cm | Length
8, 10mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize, Natural Anodize | Finish



PCA-GG09-8 | GG09-10
U Channel Profile Rubber
88 m Roll | Unit
8,10mm | Glass Thickness
PVC | Material
Grey | Finish



PCA-S29
Waterproof Bottom Track
300 cm | Length
Aluminium | Material
Polished, Black Anodize | Finish

COMPATIBLE WITH FG09

NEW



PCA-S37
Waterproof Bottom Track
220 cm | Length
Aluminium | Material
Satin,Polished, Black Anodize | Finish



PCA-GG10
Waterproof Seal Fixing Profile
220, 300 cm | Length
8 mm | Seal Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish



GG18-2



GG18-1

NEW





PCA-GG18
Magnet Fixing Profile
220, 300 cm | Length
8 mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish

PCA-S19
Waterproof Sealant
8mm | Glass Thickness
220, 300 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish



PCA-S30
Waterproof Sealant
8, mm | Glass Thickness
220, 300 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish



PCA-S36
Waterproof Sealant
8 mm | Glass Thickness
220, 300 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish



PCA-S25
Waterproof Sealant
8 mm | Glass Thickness
220, 300 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish



PCA-S26
Waterproof Sealant
8 mm | Glass Thickness
220, 300 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish



PCA-S21
Waterproof Sealant
8 mm | Glass Thickness
220, 300 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish



PCA-S01
Waterproof Sealant
6,8,10,12mm | Glass Thickness
220cm | Length
PVC | Material



PCA-S02
Waterproof Sealant
8,10mm | Glass Thickness
220cm | Length
PVC | Material



PCA-S04
Waterproof Sealant
6,8,10mm | Glass Thickness
220cm | Length
PVC | Material



PCA-S05
Waterproof Sealant
6,8,10mm | Glass Thickness
300,220cm | Length
PVC | Material



PCA-S06
Waterproof Sealant
6,8,10mm | Glass Thickness
300,220cm | Length
16,25,30mm | Wing Length
PVC | Material



PCA-S07
Waterproof Sealant
6,8,10mm | Glass Thickness
220cm | Length
PVC | Material



PCA-S08
Waterproof Sealant 135˚ Magnet
8,10mm | Glass Thickness
220cm | Length
PVC | Material



PCA-S09
Waterproof Sealant 90˚ Magnet
8,10mm | Glass Thickness
300,220cm | Length
PVC | Material



PCA-S10
Waterproof Sealant 180˚ Magnet
8,10mm | Glass Thickness
220cm | Length
PVC | Material



PCA-S11
Waterproof Sealant
8,10mm | Glass Thickness
300,220cm | Length
PVC | Material



PCA-S12
Waterproof Sealant
6,8,10mm | Glass Thickness
300,220cm | Length
PVC | Material



PCA-S15
Waterproof Sealant Glued
6,8,10mm | Glass Thickness
220cm | Length
PVC | Material



PCA-S27
Waterproof Sealant Glued
8mm | Glass Thickness
220cm | Length
PVC | Material



PCA-S28
Waterproof Sealant 180˚ Magnet
8mm | Glass Thickness
220cm | Length
PVC | Material



NEW BLACK SHOWER CABIN SEALANTS



PCA-S05-BK
Waterproof Sealant
8mm | Glass Thickness
300,220cm | Length
PVC | Material



PCA-S06-BK
Waterproof Sealant
8,10mm | Glass Thickness
300,220cm | Length
25mm | Wing Length
PVC | Material



PCA-S07-BK
Bottom Waterproof Sealant
8,10mm | Glass Thickness
300,220cm | Length
8mm | Wing Length
PVC | Material



PCA-S08-BK
Waterproof Sealant 135˚ Magnet
8,10mm | Glass Thickness
300,220cm | Length
PVC | Material



PCA-S09-BK
Waterproof Sealant 90˚ Magnet
8,10mm | Glass Thickness
300,220cm | Length
PVC | Material



PCA-S10-BK
Waterproof Sealant 180˚ Magnet
8,10mm | Glass Thickness
300,220cm | Length
PVC | Material



PCA-S11-BK
Waterproof Sealant
10mm | Glass Thickness
300,220cm | Length
12mm | Wing Length
PVC | Material



PCA-S12-BK
Waterproof Sealant
8,10mm | Glass Thickness
300,220cm | Length
16mm | Wing Length
PVC | Material

PCA-SH31
Glass - Wall Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish



PCA-SH33
Glass - Wall Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish



PCA-SH35
135˚Glass - Glass Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish



SH35 REQUIRES 45˚ GLASS GRINDING

PCA-SH36
180˚ Glass - Glass Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish



PCA-SH37
90˚ Glass - Glass Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish







PCA-SH01
Glass - Wall Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy, Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish





PCA-SH03
Glass - Wall Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy, Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish





PCA-SH05
135˚ Glass - Glass Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy, Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish

SH35 REQUIRES 45˚ GLASS GRINDING





PCA-SH06
180˚ Glass - Glass Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy, Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish





PCA-SH07
90˚ Glass - Glass Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy, Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish





PCA-SH49
Glass - Wall Hinge
10-12mm | Glass Thickness
50 kg | Max. Weight
Brass| Material
Satin, Polished, Black Anodize | Finish

Double action 90°





PCA-SH50
Adjustable Glass - Wall Hinge
8-10mm | Glass Thickness
45 kg | Max. Weight
Brass| Material
Satin, Polished | Finish

Double action 90°
Adjustable corner from 0° to 10°

SH51 screw cover





PCA-SH51
Glass - Wall Hinge
8-10mm | Glass Thickness
45 kg | Max. Weight
Brass| Material
Satin, Polished | Finish

Hidden screw
Double action 90°
Adjustable corner from 0° to 10°





PCA-SH52
180˚ Adjustable Glass - Glass Hinge
8-10mm | Glass Thickness
45 kg | Max. Weight
Brass| Material
Satin, Polished | Finish

Double action 90°
Adjustable corner from 0° to 10°

HIDDEN SCREWS - MINIMAL VIEW





PCA-SH53
Glass - Wall Hinge
8-10mm | Glass Thickness
45 kg | Max. Weight
Brass| Material
Satin, Polished | Finish

Sliding cover





PCA-SH54
180˚ Glass - Glass Hinge
8-10mm | Glass Thickness
45 kg | Max. Weight
Brass| Material
Satin, Polished | Finish



Glass Cut



PCA-SH45
Glass - Wall Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish



Glass Cut



PCA-SH46
Glass - Glass Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish



Glass Cut



PCA-SH47
Glass - Wall Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish



Glass Cut





PCA-SH48
Glass - Glass Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish

Glass Cut







PCA-SH17
Glass - Wall Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304| Material
Satin | Finish





PCA-SH18
Glass - Glass Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304| Material
Satin | Finish

Glass Cut



HYDRAULIC GLASS DOOR HINGE



NEW



Glass Cut

PCA-SH55
Hydraulic Hinge
8-14mm | Glass Thickness
60 kg | Max. Door Weight
95° double action | Max. Opening Angle
240cm | Max. Door Height
100cm | Max. Door Width
Stainless Steel| Material
Satin, Polished | Finish



NEW



Glass Cut

PCA-SH56
Hydraulic Hinge
8-14mm | Glass Thickness
60 kg | Max. Door Weight
95° double action | Max. Opening Angle
240cm | Max. Door Height
100cm | Max. Door Width
Stainless Steel| Material
Satin, Polished | Finish

-Set of 1 spring hinge and 1 hydraulic hinge.
-The spring glass hinge is for restoring, hydraulic glass hinge is for soft closing, speed adjustable.
-90° - 95° hold open function is optional.
-Easy installation, the installation method is same as normal glass hinge.
-Excellent durability, precision manufacturing technology.

PIVOT GLASS DOOR HINGE

PCA-SH20

Top or Bottom Mount Pivot Hinge

8-10mm | Glass Thickness
45 kg | Max. Weight
Brass| Material
Satin, Polished | Finish



Glass Cut





PCA-GC01
Glass - Wall Clamp
10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished | Finish





Glass Cut

PCA-GC03
Glass - Wall Clamp
10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished | Finish





Glass Cut

PCA-GC05
90˚Glass - Glass Clamp
10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished | Finish





Glass Cut

PCA-GC06
135˚ Glass - Glass Clamp
10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished | Finish





Glass Cut

PCA-GC07
180˚ Glass - Glass Clamp
10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished | Finish





Glass Cut



Glass Cut



PCA-GC31
Glass - Wall Clamp
10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy, Stainless Steel 304| Material
Satin, Polished | Finish



Glass Cut



PCA-GC33
Glass - Wall Clamp
10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy, Stainless Steel 304| Material
Satin, Polished | Finish



Glass Cut



PCA-GC35
90˚ Glass - Glass Clamp
10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy, Stainless Steel 304| Material
Satin, Polished | Finish



Glass Cut



PCA-GC36
135˚ Glass - Glass Clamp
10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy, Stainless Steel 304| Material
Satin, Polished | Finish



Glass Cut



PCA-GC37
180˚ Glass - Glass Clamp
10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy, Stainless Steel 304| Material
Satin, Polished | Finish

PCA-GC40
Glass - Wall Clamp
8,10mm | Glass Thickness
30 kg | Max. Weight
Brass| Material
Satin, Polished | Finish



PCA-GC41
Adjustable 90˚-180˚ Glass Clamp
6-10mm | Glass Thickness
30 kg | Max. Weight
Brass| Material
Satin, Polished | Finish



PCA-GC42 L
Wall Mount Glass Clamp
6-10mm | Glass Thickness
30 kg | Max. Weight
Brass| Material
Satin, Polished | Finish



PCA-GC42 R
Wall Mount Glass Clamp
6-10mm | Glass Thickness
30 kg | Max. Weight
Brass| Material
Satin, Polished | Finish





PCA-GC43
Glass - Glass Clamp
10-12mm | Glass Thickness
30 kg | Max. Weight
Stainless Steel 304| Material
Satin, Polished | Finish



PCA-GC44
Glass - Glass Clamp
10mm | Glass Thickness
30 kg | Max. Weight
Stainless Steel 304| Material
Satin, Polished | Finish



Easy to install and stabilize fix glasses.





PCA-BL15
Bolt with Indicator
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

Glass Cut





PCA-BL16
Bolt with Indicator
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

Glass Cut



Glass Cut





PCA-DK20
Door Knob
8-12mm | Glass Thickness
Stainless Steel 304| Material
Satin, Polished | Finish



Glass Cut





PCA-DK21
Door Knob
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



Glass Cut





PCA-DK22
Door Knob
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish

PCA-DK03
Sliding Door Knob
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish







Glass Cut

PCA-DK06
Sliding Door Knob
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish







Glass Cut

PCA-DK08
Sliding Door Knob
8-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Satin, Black | Finish







Glass Cut

PCA-DK08S
Sliding Door Knob - Glued
Aluminium | Material
Natural Anodize | Finish



Glued



Glass Cut



PCA-DK04
Sliding Door Knob
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



Glass Cut



PCA-DK18
Sliding Door Knob
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



Glass Cut



PCA-DK19
Sliding Door Knob
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish







Glass Cut

PCA-DK13A
Door Knob
8-12mm | Glass Thickness
Zinc Alloy, Brass | Material
Satin, Polished | Finish







Glass Cut

PCA-DK13B
Door Knob
8-12mm | Glass Thickness
Zinc Alloy, Brass | Material
Satin, Polished | Finish







Glass Cut

PCA-DK14
Door Knob
8-12mm | Glass Thickness
Zinc Alloy, Brass | Material
Satin, Polished | Finish







Glass Cut

PCA-DK16
Door Knob
8-12mm | Glass Thickness
Zinc Alloy, Brass | Material
Satin, Polished | Finish



Glass Cut



PCA-DK15
Door Knob
8-12mm | Glass Thickness
Brass | Material
Satin, Polished | Finish



Glass Cut



PCA-DK11
Door Knob
8-12mm | Glass Thickness
Brass | Material
Satin | Finish



Glass Cut



PCA-DK24
Door Knob
6-12mm | Glass Thickness
Brass | Material
Satin, Polished, Black Anodize | Finish





Glass Cut

PCA-HS03
ø25mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin,Polished | Finish





Glass Cut

PCA-HS04
ø25mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin,Polished | Finish





Glass Cut

PCA-HS05
ø25mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin,Polished | Finish





Glass Cut

PCA-HS06
ø25mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



Glass Cut



PCA-HS10
25x15mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



Glass Cut



PCA-HS08
25x15mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



Glass Cut



PCA-HS07
25x15mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



Glass Cut



PCA-HS09
25x15mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish

PCA-BR01
Support Bar Glass - Glass
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished| Finish



PCA-BR02
Support Bar Wall - Glass
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



PCA-BR03
Corner Support Bar Wall - Glass
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



PCA-BR04
Corner Support Bar Wall - Glass
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



Shower Cabins & WC Partitions 8

Doors & Office Partitions **81**

Facades 169

Folding 199

Guillotine 209

Spiders 215

Balcony Railings 225

Inox Railings 273

Staircase 293

Canopies 297

Miscellaneous & Consumables 307





SPECIFICATIONS

GLASS THICKNESS : 10 mm

MAX. LOAD : 80kg

FUNCTION : SOFTCLOSE

MATERIAL : Aluminium

FINISH : Satin, Natural Anodize & Black Anodize


SP18 or SP19
with RH31
RH31
SP18 or SP19
GT31EC for
front installation
GT31EC for
front installation
2 x RH31
SOFTCLOSE
1 x DK08
(Optional)
GG17
(Optional)
1 x FG01


FRONT INSTALLATION
Removable area for LED stripe installation
OPTIONAL softclose
OPTIONAL LED stripe
OPTIONAL brush
60
43
22
24
H
10
GG17


TOP INSTALLATION
33.5
38
22
10
GG17

TYPOLOGIES



D 1000



D 1002



D 3000



D 3001



D 3002



B1000



B2000



B3000



SPECIFICATIONS

GLASS THICKNESS : 10 mm

MAX. LOAD : 80kg

MATERIAL : Aluminium & Stainless Steel

FINISH : Satin & Natural Anodize



Skylight installation





TYPOLOGIES



B 1000



B 1002



B 1004



B 1005



B 2000



B 3000



B 3001



B 3002



SPECIFICATIONS

GLASS THICKNESS : 10-12 mm

MAX. LOAD : 80kg

MATERIAL : Stainless Steel

FINISH : Satin



Fittings for SA-1000 System
1 Sliding door

Skylight installation







SA 1000



SA 1002



SA 1004



SA 1005

TELESCOPIC SYNCHRONIZED SLIDING DOOR | V1000

YouTube

SPECIFICATIONS

GLASS THICKNESS : 10 mm
MAX. LOAD : 80kg
FUNCTION : TELESCOPIC SYNCHRONIZATION
MATERIAL : Aluminium
FINISH : Satin & Natural Anodize



V 1002 - MODEL











V 1003 - MODEL










209
138
17
30
30
30
FFL
10

V 1004 - MODEL


Panel 1
(Door sliding panel)
Panel 2
(Sliding panel)
Panel 3
(Sliding panel)
Panel 4
(Sliding panel)
Fix Panel
NOTE:
OPTIONAL handle
according customer
request.
6 Clearance
FFL
DETAIL A
70 Overlapping
70 Overlapping
70 Overlapping
70 Overlapping


Fix Panel
70
70
70


DETAIL A
on Panel 2
FG01-B


Open Position

SPECIFICATIONS

GLASS THICKNESS : 6,8 mm

MAX. LOAD : 80kg

FUNCTION : SOFTCLOSE

MATERIAL : Aluminium

FINISH : Satin & Natural Anodize & Black Anodize

SOFTCLOSE SLIDING DOOR SERIES | **V2000**





PANEL< 637mm ⟶ **NO SOFTCLOSE**
637mm>= PANEL > 1012mm ⟶ **1 SOFTCLOSE**
1012mm>= PANEL >= 1250mm ⟶ **2 SOFTCLOSE**



TYPOLOGIES



V 2001
Ceiling Installation



V 2002
Ceiling Installation



V 2003
Ceiling Installation



V 2004
Ceiling Installation



V 2005
Front Installation



V 2006
Front Installation



V 2007
Front Installation



V 2008
Ceiling Installation



V 2009
Ceiling Installation



V 2010
Ceiling Installation


110
73
33.5
H - 109 GH (Glass Height)
H
H - 80
10

V 2001


150
73
33.5
33.5
H - 109 GH (Glass Height)
H - 80
H (Openning Height)
10

V 2002


Max. 1000mm
3000mm
Max. 1200mm
2500mm
Max. 1400mm
2000mm



V 2003



V 2004

Material: Aluminium
Finish: Satin, Natural Anodize, Black Anodize
Glass Thickness: 6mm, 8mm
Maximum Dimensions: 1000x3000, 1200x2500, 1400x2000

PRODUCT LIST

PCA-GT31
Guide Track Profile
580 cm | Length
Aluminium| Material
Natural Anodize, Satin, Black | Finish





PCA-GT31-3
Guide Track Profile
580 cm | Length
Aluminium| Material
Natural Anodize, Satin, Black | Finish



PCA-RH31
Roller Hanger
40kg/piece | Max. Weight
10mm | Glass Thickness
Stainless Steel| Material
Black | Finish



PCA-GG17
Guide Track Profile
580 cm | Length
Aluminium| Material
Natural Anodize,Satin, Black | Finish





PCA-GT01
Guide Track Profile
600cm | Length
Stainless Steel 304 | Material
Satin | Finish

Glass Cut





PCA-RH03
Round Track Roller Hanger
80kg | Max. Weight
10mm | Glass Thickness
Stainless Steel| Material
Satin | Finish



PCA-HL21
Round Track-Wall Holder
40kg | Max. Weight
Stainless Steel| Material
Satin | Finish

Glass Cut





PCA-HL22
Round Track-Glass Holder
40kg| Max. Weight
10mm | Glass Thickness
Stainless Steel| Material
Satin | Finish



PCA-SP03L | SP03R
Round Track Stop SET
Stainless Steel| Material
Satin | Finish

PCA-RH08
Roller Hanger
40kg | Max. Weight
10mm | Glass Thickness
Stainless Steel| Material
Satin | Finish



Glass Cut



PCA-RH09
Roller Hanger
40kg | Max. Weight
10mm | Glass Thickness
Stainless Steel| Material
Satin | Finish



Glass Cut



PCA-SP06
Stop
PVC| Material
White | Finish



PCA-HL16
Track-Glass Holder
20kg | Max. Weight
10mm | Glass Thickness
Stainless Steel| Material
Satin | Finish



Glass Cut



PCA-FG08
Floor Guide
8,10,12mm | Glass Thickness
Stainless Steel| Material
Satin | Finish



PCA-HL18
Track Holder
PVC| Material





PCA-HL17
Track Holder
PVC| Material



PCA-GT04
Guide Track Profile
580 cm | Length
1,248kg | Weight/meter
Aluminium| Material
Natural Anodize,Satin | Finish



PCA-GT05
Guide Track Profile
580 cm | Length
1,802kg | Weight/meter
Aluminium| Material
Natural Anodize,Satin | Finish



PCA-GT06
Guide Track Profile
580 cm | Length
1,505kg | Weight/meter
Aluminium| Material
Natural Anodize,Satin | Finish



PCA-HL15
Guide Track Fixing Profile
120 mm | Length
0,915kg | Weight/meter
Aluminium| Material
Satin | Finish



PCA-PH01
Door Handle
8,10mm | Glass Thickness
Aluminium | Material
Natural Anodize,Satin,Black | Finish

Including Very Hi-Bond Adhensive Tape





Glass Cut

PCA-DK08
Sliding Door Knob
8-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Satin, Black | Finish





Glass Cut

PCA-DL09
Sliding Door Lock
8,10mm | Glass Thickness
Stainless Steel| Material
Satin | Finish





Glass Cut

PCA-DL09B
Sliding Door Lock
8,10mm | Glass Thickness
Stainless Steel| Material
Satin | Finish





PCA-HD13
Door Handle 38x25 mm
10 mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

AVAILABLE DIMENSIONS

	HEIGHT	C-C-D	C-C-W
HD01A	60cm	36cm	
HD01B/HD01BW	80cm	50cm	62,5cm
HD01C/HD01CW	100cm	60cm	82,5cm
HD01D/HD01DW	120cm	80cm	90cm
HD01E/HD01EW	150cm	100cm	102,5cm
HD01F/HD01FW	180cm	120cm	130cm
HD01G	200cm	140cm	
HD01H	50cm	23cm	



Glass Cut





PCA-HD01
Door Handle Ø38mm
10 mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish





Glass Cut

AVAILABLE DIMENSIONS

	HEIGHT	C-C-D
HD03A	64cm	60cm
HD03B	104cm	100cm
HD03C	144cm	140cm
HD03D	36cm	32cm

PCA-HD03
Door Handle 25x38 mm
10 mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish





Glass Cut

HD06

HD06A

PCA-HD06
Door Lock - Handle Ø35mm
10-12 mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish





Glass Cut

PCA-HD14
Door Lock - Handle Ø35mm
10-12 mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

FRAME DOORS

A1 | GT10 & GT09 profile



pg. 116

A2 | GT11 profile





pg. 117

A3 | GT13 profile



pg. 118

A4 | GT12 profile



pg. 119



A1 Door
with DH12 Hinge

A1 Door
with DH13 Hinge

A1 Door
with DH15 Hinge

YouTube

GT09 | GT10 Frame Section Details







A2 Door
with DH13 Hinge

A2 Door
with DH12 Hinge

YouTube

GT11 and GT11 with GT11B Frame Section Details







A3 Door
with DH13 Hinge

A3 Door
with DH12 Hinge

YouTube

GT13 and GT13 with GT11B Frame Section Details







GT12 CORNER DETAIL

For 1 Door required 1 PCA-GT12 KIT

A4 Door
with DH12 Hinge

A4 Door
with DH13 Hinge

GT12 Frame Section Details





NEW



GT60 | 105-160mm





A5 Door
with DH13 Hinge



A5 Door
with DH12 Hinge

A5-S SIMONSWERK HINGE





SIMONSWERK

The TECTUS Glass hinge system is capable of supporting up to 80 kg.
This corresponds to a glass door with dimensions of approx.
10 x 1000 x 2700 mm using tempered safety glass measuring
8 or 10 mm thick.

FULL FRAME DOOR SERIES | **A20**

A21 | GT10 profile



pg. 128

A22 | GT11 profile



pg. 129

A23 | GT13 profile



pg. 130

A24 | GT12 profile





pg. 131



GT10 Frame | GT14 Door Installation







For 1 Door **GT11-GT14** required **1** PCA-GT11 KIT

For 1 Door **GT11-GT11B-GT14** required **2** PCA-GT11 KIT

GT11|GT11-GT11B Frame | GT14 Door Section Details







For 1 Door **GT13-GT14** required **1** PCA-GT13 KIT

For 1 Door **GT13-GT11B-GT14** required **2** PCA-GT13 KIT

GT13 Frame | GT14 Door Section Details





GT12 Frame | GT14 Door Section Details





NEW

FULL FRAME DOOR SERIES | **A25**



GT14 frame profile



GT24 frame profile



Wooden leaf





A25 Door
GT14 frame



A25 Door
GT24 frame

A25-W Door
Wooden leaf

A25 6 mm GLASS THICKNESS

A25 8-12 mm GLASS THICKNESS

A25-W WOODEN LEAF

OFFICE PARTITIONS

A8 |

PARTITION SERIES





For GG11 Frame and GT12 Door required 2xGG11 KIT and 1xGT12 KIT



GG11 Detail



TYPOLOGIES



A9 |

PARTITION SERIES





For GG06 Frame and GT12 Door required
1xGG06 KIT and 1xGG12 KIT and 1xGT12 KIT



TYPOLOGIES



A10 | PARTITION SERIES









For 1 **GG08** Frame with **GT12** door required **1** PCA-GG08 KIT






GG08
GG08 KIT for 1 Panel
GG08-U
GG08-S
2 x DH12
OR
2 x DH13


GG08C


45
37
R7

A11

PARTITION SERIES



GG12


GG12
GT12
GTB
x2
2xGG12 KIT for 1 Panel
with 1 Door GT12
GG11B
Across the frame
GTZ
GTA
1 x DL09A
1 x DL04
2 x DH12
2 x DH2D
Optional
OR
2 x DH13


GG12 Detail
13
14
27
GG11B
GTZ

TYPOLOGIES


A1100
A1140
A1120
A1150
A1130
A1110

DOORS & OFFICE PARTITIONS

PRODUCT LIST



PCA-GT09
Door Frame Profile
580cm |Length
2,087kg | Weight/meter
10mm | Glass Thickness
Aluminium| Material
Natural Anodize,Satin | Finish





PCA-GT10
Door Frame Profile
580cm |Length
Aluminium| Material
Natural Anodize,Satin | Finish



PCA-GT11
Door Frame Profile
580cm |Length
0,822kg | Weight/meter
Aluminium| Material
Natural Anodize,Satin, Black Anodize | Finish





PCA-GT13
Door Frame Profile
580cm |Length
0,887kg | Weight/meter
Aluminium| Material
Natural Anodize,Satin | Finish



PCA-GT11B
Door Frame Alignment Profile
580 cm | Length
0,307kg | Weight/meter
Aluminium| Material
Natural Anodize,Satin | Finish



PCA-GT12
Door Frame Profile
580 cm | Length
10mm | Glass Thickness
1,447kg | Weight/meter
Aluminium| Material
Natural Anodize,Satin, Black Anodize | Finish

NEW



GT60-1 GT60-2



PCA-GT60
Door Frame Profile
580cm |Length
2,373 kg | Weight/meter
Aluminium| Material
Natural Anodize,Satin, Black Anodize | Finish



GG06-1 GG06-2 GG06-3





PCA-GG06
Partition Profile
580 cm | Length
10mm | Glass Thickness
1,960kg | Weight/meter
Aluminium| Material
Natural Anodize,Satin, Black Anodize| Finish



GG11-1 GG11-2



PCA-GG11
Partition Profile
580 cm | Length
8,10,12mm | Glass Thickness
0,747kg | Weight/meter
Aluminium| Material
Natural Anodize,Satin | Finish



GG12-1 GG12-2



PCA-GG12
Door Frame Profile
580cm |Length
kg | Weight/meter
10mm | Glass Thickness
Aluminium| Material
Natural Anodize,Satin, Black Anodize | Finish





PCA-GG08
Partition Profile
580cm |Length
8,10,12mm | Glass Thickness
Aluminium| Material
Natural Anodize,Satin, Black Anodize | Finish





PCA-GG08-U
Partition Profile
350cm |Length
8,10,12mm | Glass Thickness
Aluminium| Material
Natural Anodize,Satin, Black Anodize| Finish





PCA-GG08-S
Partition Profile
580cm |Length
8,10,12mm | Glass Thickness
Aluminium| Material
Natural Anodize,Satin, Black Anodize| Finish





PCA-GG08-C
Partition Profile
350cm |Length
8,10,12mm | Glass Thickness
Aluminium| Material
Natural Anodize,Satin, Black Anodize | Finish



GG08-9

12pcs / SET



GG08-6U

10pcs / SET



GG08-5

12pcs / SET



Glass Support | 2PCS / Panel

GG08-8



GG08-U Connection

GG08C



PCA-GTA
Fixing Rubber
60m Roll | Unit
PVC | Material
Grey,White,Black, RAL7015|Finish

10mm



12mm

PCA-GTB
Fixing Rubber
120m Roll | Unit
PVC | Material
10,12mm | Glass Thickness
Grey,White,Black, RAL7015|Finish

PCA-GTC
Fixing Rubber
60m Roll | Unit
PVC | Material
Grey,White,Black, RAL7015|Finish

PCA-GTZ
Fixing Rubber
180m Roll | Unit
PVC | Material
Grey,Black|Finish



PCA-GTD
GG17 Rubber
30m Roll | Unit
PVC | Material
Black | Finish



PCA-GG11A
Fixing Rubber
120m Roll | Unit
PVC | Material
Grey,White,Black, RAL7015|Finish



8mm



10mm

12mm

PCA-GG11B
Fixing Rubber
120m Roll | Unit
PVC | Material
8,10,12mm | Glass Thickness
Grey,White,Black, RAL7015|Finish

A

B

NEW

PCA-GTQ
Fixing Rubber
60m Roll | Unit
PVC | Material
Grey,White,Black, RAL7015|Finish

PCA-DGP-AG02
Fixing Rubber
60m Roll | Unit
PVC | Material
Grey,White,Black, RAL7015|Finish

NEW



PCA-GG06EC
End Cap
Stainless Steel | Material
Natural Anodize, Satin | Finish



PCA-GG11EC | GG12EC
End Cap
Stainless Steel | Material
Natural Anodize, Satin | Finish



PCA-GT04EC
End Cap
Stainless Steel | Material
Natural Anodize, Satin | Finish



PCA-GT06EC
End Cap
Stainless Steel | Material
Natural Anodize, Satin | Finish



PCA-GT31EC-R | GT31EC-L
End Cap
Stainless Steel | Material
Natural Anodize, Satin | Finish



PCA-TC01
GT01 Track End Cap
Stainless Steel | Material
Satin | Finish



PCA-GG06D
Adjustment Block
Aluminium | Material
Mill | Finish

FIXING CORNERS



PCA-GGX | PCA-GGT | PCA-GGL
Floor Fixing Corner
Galvanized Steel | Material



PCA-GT09 KIT
Fixing Corner
Aluminium | Material
Mill | Finish



PCA-GT10 KIT
Fixing Corner
Aluminium | Material
Mill | Finish

PCA-GT11 KIT
Fixing Corner
Aluminium | Material
Mill | Material

PCA-GT12 KIT
Fixing Corner
Galvanized Steel , Aluminium| Material
Mill | Material

PCA-GT13 KIT
Fixing Corner
Aluminium | Material
Mill| Finish



PCA-GG06 KIT
Fixing Corner
Galvanized Steel , Aluminium| Material
Mill | Finish



PCA-GG08 KIT
Fixing Corner
Galvanized Steel| Material



PCA-GG11 KIT
Fixing Corner
Galvanized Steel| Material

PCA-GG12 KIT
Fixing Corner
Galvanized Steel| Material

NEW

PCA-GT60 KIT
Fixing Corner
Galvanized Steel| Material

PCA-S31 | S32 | S33 | S34
Clear Joint Strips
320cm |Length
10mm | Glass Thickness
PVC| Material
Extra Clear | Finish

S31 S32 S33 S34

Including Transparent Acrylic Double- Sided Hi-Bond Adhensive Tape

NEW

12mm or 12,76mm glass thickness



S31-12



S31



S32



S33



S34







GG16 NESTING BOARD



PCA-GG16
Nesting Board
0,947| Weight/meter
440 cm | Length
Aluminium| Material
Natural Anodize,Satin,Black Anodize | Finish

Nesting Baseboard

Removable Area for LED Installation





PCA-DH15
3D Door Hinge
10mm | Glass Thickness
80 kg | Max. Load
Aluminium| Material
Natural Anodize, Satin | Finish

Installation Detail with GT10



DH15 Hinge only install with **GT09** and **GT10** door frame profiles.



PCA-DH-3D
Door Hinge 3D Adjustment Plate
Stainless Steel 304 | Material



PCA-DH12
Door Hinge
10mm | Glass Thickness
50 kg | Max. Load
Aluminium| Material
Natural Anodize, Satin, Black | Finish



PCA-DH13
Door Hinge
10mm | Glass Thickness
50 kg | Max. Load
Aluminium| Material
Natural Anodize, Satin, Black | Finish

DH12 and DH13 Hinges can be installed with all door frame profiles.



PCA-DH-2D
Door Hinge 2D Adjustment Plate
Stainless Steel 304 | Material



Glass Cut



PCA-DL04
Door Lock
10mm | Glass Thickness
Aluminium| Material
Natural Anodize,Satin, Black Anodize | Finish



Glass Cut



PCA-DL04B
Door Lock Counter Plate
10mm | Glass Thickness
Aluminium| Material
Natural Anodize,Satin, Black Anodize| Finish

CNC machinery required







PCA-DL07A
Door Lock
10mm | Glass Thickness
Aluminium| Material
Natural Anodize,Satin | Finish



PCA-DL09A
DL04 Strike Plate
Aluminium| Material
Natural Anodize,Satin, Black Anodize | Finish

6mm glass
S35 polycarbonate

8mm glass
No polycarbonate



PCA-GT14
Door Frame Track
0,947| Weight/meter
580 cm | Length
6-8mm | Glass Thickness
Aluminium| Material
Natural Anodize, Satin, Black Anodize| Finish

NEW

8mm glass
S38 polycarbonate

10mm glass
S38 polycarbonate

12mm glass
S38 polycarbonate



PCA-GT24
Door Frame Track
1,049| Weight/meter
580 cm | Length
8-12mm | Glass Thickness
Aluminium| Material
Natural Anodize, Satin, Black Anodize| Finish



PCA-GT14A KIT
KIT For GT09,GT10 Door Frame
Stainless Steel| Material



PCA-GT14B KIT
KIT For GT11, GT12, GT13 Door Frame
Stainless Steel| Material

Door Lock for GT14



Magnetic Strike Plate





Glass Cut

PCA-GT14-DL
GT14 Door Lock
6mm | Glass Thickness
Aluminium| Material
Natural Anodize,Satin, Black Anodize | Finish

NEW

Magnetic Strike Plate



Glass Cut



Door Lock for GT14



PCA-GT14-DL2
Door Lock
6mm | Glass Thickness
Aluminium| Material
Natural Anodize,Satin, Black | Finish

NEW

GT14-BL
Bolt

6mm glass
S35 polycarbonate



8mm glass
No polycarbonate



PCA-GT14-2
GT14 frame for double door
1,490| Weight/meter
350 cm | Length
6-8 mm | Glass Thickness
Aluminium| Material
Natural Anodize, Satin, Black Anodize| Finish

PCA-LH01
Aluminium| Material
Natural Anodize,Satin, Black Anodize | Finish



NEW

PCA- LH02
Aluminium| Material
Natural Anodize,Satin, Black Anodize | Finish



NEW

The handles are suitable on **GT14DL2, GT24DL, GT24DL2, GT24DL3** and **DL04** door locks.



NEW

PCA-GT24-DL
GT24 Door Magnet Lock
8-12mm | Glass Thickness
Aluminium| Material
Natural Anodize,Satin, Black Anodize | Finish



NEW

PCA-GT24-DL2
GT24 Door Handle
8-12mm | Glass Thickness
Aluminium| Material
Natural Anodize,Satin, Black Anodize | Finish



NEW

PCA-GT24-DL3
GT24 WC Door Magnet Lock
8-12mm | Glass Thickness
Aluminium| Material
Natural Anodize,Satin, Black Anodize | Finish

CROSS PROFILES

NEW

PCA-GT16-1
Cross Profile
350cm |Length
Aluminium| Material
Natural Anodize,Satin, Black Anodize | Finish



OPTIONAL
TESA TAPE

PCA-GT16-2
Cross Profile
350cm |Length
Aluminium| Material
Natural Anodize,Satin, Black Anodize | Finish



OPTIONAL
TESA TAPE

PCA-GT16-4
Cross Profile
580cm |Length
Aluminium| Material
Natural Anodize,Satin, Black | Finish



OPTIONAL
TESA TAPE

NEW

PCA-GT16-5
Cross Profile
580cm |Length
Aluminium| Material
Natural Anodize,Satin, Black | Finish



OPTIONAL
TESA TAPE



PCA-GT14-H
Cross Profile
580cm |Length
Aluminium| Material
Natural Anodize,Satin, Black | Finish



NEW



PCA-GT24-H
Cross Profile
580cm |Length
Aluminium| Material
Natural Anodize,Satin, Black | Finish



NEW

NEW

8mm glass
S38 polycarbonate



10mm glass
S38 polycarbonate



12mm glass
S38 polycarbonate



PCA-GT34
Door Frame Track
1,631| Weight/meter
350 cm | Length
8-12mm | Glass Thickness
Aluminium| Material
Natural Anodize, Satin, Black Anodize| Finish

Compatible with **drop seal WB02** and **door closer DC03.**

NEW



PCA-WB01
Drop Seal
100cm |Length
Aluminium/EPDM | Material

NEW



PCA-WB02
Drop Seal (GT34)
100cm |Length
Aluminium/EPDM | Material

NEW



PCA-SP16
Floor Stop
Stainless Steel 304 | Material
Satin | Finish

Shower Cabins & WC Partitions 8

Doors & Office Partitions 81

Facades **169**

Folding 199

Guillotine 209

Spiders 215

Balcony Railings 225

Inox Railings 273

Staircase 293

Canopies 297

Miscellaneous & Consumables 307

WR1 |

FACADES SERIES

TYPOLOGIES

WR100



WR101



WR102



WR103



WR104



WR105



WR106



WR107



FH01

FH02

ML01

KZ01

DL23

FH03

FH04

GC19

HD03A
(Optional)

DESCRIPTION:
-Material SS304 Satin
-Fit for 10 - 12mm tempered glass

WR2 |

FACADES SERIES

TYPOLOGIES



WR200



WR201



WR202



WR203



WR204



WR205



WR206



WR207

FH26

FH27

ML03

KZ02

DL27

FH28

FH29

FH22

HD03A
(Optional)

DESCRIPTION:
-Material SS304 Satin
-Fit for 10 - 12mm tempered glass

WS1 |

FACADES SERIES

TYPOLOGIES



WS100



WS101



WS102



WS103



WS104



WS105



WS106



WS107

FH12-A

FH13

ML03

KZ01

DL21

FH11

FH10

FH15

HD01A
(Optional)

DESCRIPTION:
-Material SS304 Satin
-Fit for 10 - 12mm tempered glass

ML03

PCA-FH30
Facade Top & Bottom Fitting SET
8-12mm | Glass Thickness
60 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish

FH30 Top



FH30 Bottom





1 x FH30 SET
top & bottom

1 x ML03

1 x DL27



1 x HD03A
(Optional)



Glass Cut

DESCRIPTION:
-Material SS304 Satin
-Fit for 8-12mm tempered glass
-Max width 1000mm, Max weight capacity 60 kg
-4° alignment adjustment
-Max open at 150 degree, hold open at 90 degree
-1,6 cm adjustment
-Durability 500.000 cycles testing

NEW

HYDRAULIC GLASS DOOR HINGE

PCA-FH31

Hydraulic Hinge

8-14mm | Glass Thickness
100 kg | Max. Door Weight
95° double action | Max. Opening Angle
240cm | Max. Door Height
100cm | Max. Door Width
Stainless Steel| Material
Satin | Finish





-Compatible with upper patch **FH02** or **FH27**

DESCRIPTION:
-Material SS304 Satin
-Fit for 8-14mm tempered glass
-Max width 1000mm, Max weight capacity 100 kg
-Two speed adjustment
-Max open at 150 degree, hold open at 90 degree
-Durability 500.000 cycles testing

W1 |

FACADE SERIES



GG07









PCA-GG07
Partition Profile
580 cm | Length
10-12mm | Glass Thickness
1,747kg | Weight/meter
Aluminium| Material
Natural Anodize,Satin | Finish

W2 |

FACADE SERIES









PCA-GG13
Partition Profile
580 cm | Length
10-12mm | Glass Thickness
0,806kg | Weight/meter
Aluminium| Material
Natural Anodize,Satin | Finish

With regular arm and fire oil

PCA-DC01
Door Closer Mechanism
80 kg | Max. Weight
Stainless Steel 304 | Material
Natural Anodize | Finish

With sliding arm

PCA-DC02
Door Closer Mechanism
80 kg | Max. Weight
Stainless Steel 304 | Material
Natural Anodize | Finish

With sliding arm

PCA-DC03
Concealed Door Closer
80 kg | Max. Weight
Stainless Steel 304 | Material
Natural Anodize | Finish


250
22
210-315
40
55
19
16
96
55
39
50
50
210


39.5
76
205
34
38
50
93
20


510
441
142
142
142
75
237
338
32
102
375
32


Door opens

PCA-FH01
Facade Bottom Fitting
10-12mm | Glass Thickness
60 kg | Max. Weight
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish





Glass Cut

PCA-FH02
Facade Top Fitting
10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish





Glass Cut

PCA-FH03
Facade Top Fitting
10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish





Glass Cut

PCA-FH04
Facade Top Fitting
10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish





Glass Cut

PCA-FH04A
Facade Top Fitting
10-12mm | Glass Thickness
Aluminium | Material
Natural Anodize, Satin | Finish





Glass Cut

Glass Cut





PCA-FH26
Facade Bottom Fitting
10-12mm | Glass Thickness
80 kg | Max. Weight
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish

Glass Cut





PCA-FH27
Facade Top Fitting
10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish



Glass Cut





PCA-FH28
Facade Top Fitting
10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish

Glass Cut





PCA-FH29
Facade Top Fitting
10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish





Glass Cut



PCA-DL21
Door Lock
10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish





Glass Cut

PCA-DL23
Door Lock
10-12mm | Glass Thickness
Aluminium | Material
Natural Anodize | Finish





Glass Cut

PCA-DL27
Door Lock
10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish



PCA-DL25
Additional Door Lock
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

MAGNETIC PIN



Glass Cut



PCA-BL12
Magnetic Door Lock
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

MAGNETIC PIN



Glass Cut



PCA-BL13
Magnetic Door Lock
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



Glass Cut



PCA-GC18
Glass - Wall Clamp
25 kg | Max. Weight
10-12mm | Glass Thickness
Aluminium | Material
Natural Anodize | Finish



Glass Cut



PCA-GC19
Glass - Glass Clamp
25 kg | Max. Weight
10-12mm | Glass Thickness
Aluminium | Material
Natural Anodize | Finish



Glass Cut



PCA-GC19B
Glass - Glass Clamp
25 kg | Max. Weight
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



Glass Cut





PCA-FH22
Glass - Glass Fitting
25 kg | Max. Weight
10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish

PCA-KP01
Floor Socket
Stainless Steel 304 | Material
Satin | Finish



PCA-KP03
Floor Socket
Stainless Steel 304 | Material
Satin | Finish





PCA-FC06
90˚ Glass - Glass Clamp
10-12mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish



PCA-FC07
90˚ Glass - Wall Clamp
10-12mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish



PCA-FC08
Glass - Glass Clamp
10-12mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish



PCA-SP11
Stop
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



PCA-SP12
Stop
Stainless Steel 304 | Material
Satin | Finish



Ø 26-32 Glass Hole



PCA-FC01
Facade Glass - Glass Clamp
10-12mm | Glass Thickness
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish



Ø 26-32 Glass Hole



PCA-FC02
Facade Wall - Glass Clamp
10-12mm | Glass Thickness
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish



Ø 26-32 Glass Hole



PCA-FC03
Facade Wall - Glass Clamp
10-12mm | Glass Thickness
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish



Ø 26-32 Glass Hole

PCA-FC04
Facade Wall - Glass Clamp
10-12mm | Glass Thickness
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish

PCA-FH12-A | FH12-B
Bottom Patch Fitting
100 kg | Max. Weight
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

Bottom



Glass Cut



PCA-FH13
Top Patch Fitting
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



Glass Cut



PCA-FH10L
Patch Fitting
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



Glass Cut



PCA-FH10R
Patch Fitting
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



Glass Cut



PCA-FH11
Patch Fitting
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



Glass Cut





Glass Cut



PCA-FH15
Patch Fitting
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



PCA-FC09
Top Patch Fitting
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



PCA-FC10
Patch Fitting
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



SP10B





SP10

PCA-SP10
Floor Stop
Stainless Steel 304 | Material
Satin | Finish



PCA-ML01
Top Pivot Ø12mm
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish



PCA-ML03
Top Pivot Ø15mm
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish



PCA-KZ01
Bottom Pivot
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish



PCA-KZ02
Bottom Pivot
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish





PCA-650
Floor Spring
100 kg | Max. Weight
950mm|Max. Width
Opening Angle 130˚, Stop Angle 90˚|Opening Angle
Stainless Steel 304 | Material
Satin | Finish





PCA-840
Floor Spring
120 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish





PCA-800
Floor Spring
300 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish



PCA-HD01
Door Handle Ø38mm
10 mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

AVAILABLE DIMENSIONS

	HEIGHT	C-C-D	C-C-W
HD01A	60cm	36cm	
HD01B/HD01BW	80cm	50cm	62,5cm
HD01C/HD01CW	100cm	60cm	82,5cm
HD01D/HD01DW	120cm	80cm	90cm
HD01E/HD01EW	150cm	100cm	102,5cm
HD01F/HD01FW	180cm	120cm	130cm
HD01G	200cm	140cm	
HD01H	50cm	23cm	



Glass Cut



PCA-HD03
Door Handle 25x38 mm
10 mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

AVAILABLE DIMENSIONS

	HEIGHT	C-C-D
HD03A	64cm	60cm
HD03B	104cm	100cm
HD03C	144cm	140cm
HD03D	36cm	32cm



Glass Cut





PCA-HD13
Door Handle 38x25 mm
10 mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



PCA-BL08
Glass-Glass Bolt
10,12 mm | Glass Thickness
Zinc Alloy | Material
Satin | Finish



PCA-BL08S
Wall-Glass Bolt
10,12 mm | Glass Thickness
Zinc Alloy | Material
Satin | Finish

HD06

HD06A



PCA-HD06
Door Lock - Handle Ø35mm
10-12 mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



Glass Cut

NEW



Glass Cut



PCA-HD14
Door Lock - Handle Ø35mm
10-12 mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



PCA-S13
Brush Waterproof Seal
10,12mm | Glass Thickness
220, 250, 300, 350 cm | Length
PVC | Material



PCA-S14
Brush Waterproof Seal
10 mm | Glass Thickness
250 cm | Length
PVC | Material



PCA-S14A
Brush Waterproof Seal
10 mm | Glass Thickness
250 cm | Length
PVC | Material



PCA-S17
Waterproof Seal
8,10mm | Glass Thickness
220 cm | Length
PVC | Material



PCA-S18
Waterproof Seal
10,12mm | Glass Thickness
250, 300, 400cm | Length
PVC | Material



PCA-S20
Brush Waterproof Seal
10mm | Glass Thickness
280 cm | Length
Aluminium | Material
Natural Anodize | Finish

Shower Cabins & WC Partitions 8

Doors & Office Partitions 81

Facades 169

Folding **199**

Guillotine 209

Spiders 215

Balcony Railings 225

Inox Railings 273

Staircase 293

Canopies 297

Miscellaneous & Consumables 307

DR01 | FOLDING SERIES

SHOCK DOOR INSTALLATION





DR02 | FOLDING SERIES




IC02 1
GT22 2
3 RH16
4 DK06
5 GT21
6 FH18/ ML05
TC05 7
12 DL24
8 FH20
9 BL10
11 KP02
10 FH19/ KZ01



PCA-GT21
Rail Track Profile
580cm | Length
Aluminium | Material
Natural Anodize | Finish



PCA-GT22
Guide Track Profile
580cm | Length
Aluminium | Material
Natural Anodize | Finish



PCA-GT22L
90° Guide Track Junction
Aluminium | Material
Natural Anodize | Finish



PCA-GT22T-L | GT22T-R
T Guide Track Junction
Aluminium | Material
Natural Anodize | Finish



PCA-IC01 | IC02 | IC03
Facade Fitting
10mm | Glass Thickness
20cm, 30cm, 40cm | Length
Aluminium | Material
Satin | Finish

PCA-IC04 | IC05
Facade Fitting
12mm | Glass Thickness
30cm, 40cm | Length
Aluminium | Material
Satin | Finish



PCA-RH12
Roller Hanger
100 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish



PCA-BL09
Inner Bolt
Stainless Steel | Material
Satin | Finish



PCA-BL10
Inner Bolt
Stainless Steel | Material
Satin | Finish



PCA-DL24
Inner Door Lock
Aluminium | Material
Satin | Finish



PCA-FH19
Door Bottom Pivot
Stainless Steel | Material
Satin | Finish



PCA-ML05/FH18
Top Pivot
PVC & Aluminium | Material
Black & White | Finish



PCA-FH21
Door Bottom Pivot
Stainless Steel | Material
Satin | Finish



PCA-SP13
Stop
PVC & Stainless Steel | Material
Satin | Finish



PCA-FH20
Rail Hinge
Stainless Steel | Material
Black | Finish



PCA-DR01-DS
Sliding Door System
Aluminium | Material
Natural Anodize | Finish



PCA-TC05
End Cap
PVC | Material
Black | Finish



PCA-TC06
End Cap
PVC | Material
Black | Finish



PCA-TC07
End Cap
PVC | Material
Black | Finish



PCA-KP02
Floor Socket
Stainless Steel | Material
Satin | Finish



PCA-S13
Brush Waterproof Seal
10,12mm | Glass Thickness
220, 250, 300, 350 cm | Length
PVC | Material



PCA-S16A
Waterproof Seal
10mm | Glass Thickness
300cm | Length
PVC | Material



PCA-S18
Waterproof Seal
10,12mm | Glass Thickness
220, 250, 300, 400cm | Length
PVC | Material

Shower Cabins & WC Partitions 8

Doors & Office Partitions 81

Facades 169

Folding 199

Guillotine **209**

Spiders 215

Balcony Railings 225

Inox Railings 273

Staircase 293

Canopies 297

Miscellaneous & Consumables 307

GL1 | GUILLOTINE SERIES

DESCRIPTION:

-Material Aluminium
-Mill finish
-Fit for 8mm tempered glass & 26mm double glazed tempered glass.
-Max width 3500 mm
-Upward and downward function
-Electrical open: Somfy Motor

somfy

8mm TEMPERED GLASS

GL1002



GL1102



GL1003



GL1103



26mm DOUBLE GLAZED TEMPERED GLASS

GL2002



GL2102



GL2003



GL2103



GL1002 / GL1102



GL2002 / GL2102



GL1003 / GL1103



GL2003 / GL2103



MAXIMUM DIMENSIONS

Single glass 8mm





Double glazed 26mm





Shower Cabins & WC Partitions 8

Doors & Office Partitions 81

Facades 169

Folding 199

Guillotine 209

Spiders **215**

Balcony Railings 225

Inox Railings 273

Staircase 293

Canopies 297

Miscellaneous & Consumables 307

S1 | SPIDER GLAZING SERIES

S2 | SPIDER GLAZING SERIES





PCA-SD01
Spider Fitting
100kg | Weight
Stainless Steel 304 | Material
Satin| Finish



PCA-SD01A
Spider Fitting
100kg | Weight
Stainless Steel 304 | Material
Satin| Finish



PCA-SD02A
Spider Fitting
100kg | Weight
Stainless Steel 304 | Material
Satin| Finish



PCA-SD02B
Spider Fitting
100kg | Weight
Stainless Steel 304 | Material
Satin| Finish



PCA-SD03
Threefold Spider Fitting
100kg | Weight
Stainless Steel 304 | Material
Satin| Finish



PCA-SD04
Fourfold Spider Fitting
100kg | Weight
Stainless Steel 304 | Material
Satin| Finish



Glass Preparation



PCA-SD05
Spider Fitting
150kg | Weight
10-20mm | Glass Thickness
Stainless Steel 304 | Material
Satin| Finish



Glass Preparation



PCA-SD06
Spider Fitting
150kg | Weight
10-20mm | Glass Thickness
Stainless Steel 304 | Material
Satin| Finish



SD05

WALL INSTALLATION



SD06



PCA-SD07
Spider Fitting
150kg | Weight
10-20mm | Glass Thickness
Ø20 | Glass Preparation
Stainless Steel 304 | Material
Satin| Finish

Glass Preparation





PCA-SD08
Spider Fitting
150kg | Weight
10-20mm | Glass Thickness
Ø20 | Glass Preparation
Stainless Steel 304 | Material
Satin| Finish

Glass Preparation

Glass Preparation





PCA-HN03
Spider Head Fitting
150kg | Weight
18-30mm | Glass Thickness
Stainless Steel 304 | Material
Satin| Finish

Glass Preparation





PCA-HN04
Spider Head Fitting
150kg | Weight
10-25mm | Glass Thickness
Stainless Steel 304 | Material
Satin| Finish

Glass Preparation





PCA-HN05
Spider Head Fitting
150kg | Weight
12-25mm | Glass Thickness
Stainless Steel 304 | Material
Satin| Finish



PCA-SS01
Spider Fitting
150kg | Weight
Stainless Steel 304 | Material
Satin| Finish



PCA-SS02
Spider Screw Fitting
100kg | Weight
Stainless Steel 304 | Material
Satin| Finish

Shower Cabins & WC Partitions 8

Doors & Office Partitions 81

Facades 169

Folding 199

Guillotine 209

Spiders 215

Balcony Railings **225**

Inox Railings 273

Staircase 293

Canopies 297

Miscellaneous & Consumables 307

GLASS RAILING BASES - TOP MOUNTED

M1| RAILING BASE





Profile Holes

Profile data

Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM01	Aluminium	Satin	5800	5,621	1,1	1	**13,52 - 17,52 - 21,52**
GM01	Aluminium	Natural Anodize	5800	5,621	1,1	1	**13,52 - 17,52 - 21,52**

System components

13,52	Glass Thickness	**GM01-12A**		**GM01-12B**		**GM01-12C**	**GM01SF-12**
17,52	Glass Thickness	**GM01-16A**		**GM01-16B**		**GM01-16C**	**GM01SF-16**
21,52	Glass Thickness	**GM01-20A**		**GM01-20B**		**GM01-20C**	**GM01SF-20**

Sets/bar

Length: 6m	Length: 6m	Length: 6m	2X10 pieces	23 pieces	GM01EC (OPTIONAL)
30m Roll | Unit		14m Roll | Unit			



M1

GM01
TOP MOUNTED

NF P 01-013 STANDARD

M2| RAILING BASE



Profile Holes

Profile data

Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM01A	Aluminium	Satin	5800	2,724	0,7	1	**11,52 - 13,52**
GM01A	Aluminium	Natural Anodize	5800	2,724	0,7	1	**11,52 - 13,52**

System components

11,52	Glass Thickness	**GM01A-10A**		**GM01-16B**		**GM01A-10C**		**GM02SF-10**	
13,52	Glass Thickness	**GM01A-12A**		**GM01-20B**		**GM01A-12C**		**GM02SF-12**	

Sets/bar

					
Length: 6m	Length: 6m	Length: 6m	2X10 pieces	23 pieces	GM01AEC (OPTIONAL)
30m Roll | Unit		14m Roll | Unit			



M2

GM01A
TOP MOUNTED

M3| RAILING BASE



Profile data

Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM03	Aluminium	Satin	5800	3,934	0,9	1	**13,52 - 17,52 - 21,52**
GM03	Aluminium	Natural Anodize	5800	3,934	0,9	1	**13,52 - 17,52 - 21,52**

System components

13,52	Glass Thickness	**GM01-14A**		**GM01-12B**		**GM01-14C**		**GM01SF-12**	
17,52	Glass Thickness	**GM01-16A**		**GM01-16B**		**GM01-16C**		**GM01SF-16**	
21,52	Glass Thickness	**GM01-20A**		**GM01-20B**		**GM01-20C**		**GM01SF-20**	

Sets/bar

					
Length: 6m	Length: 6m	Length: 6m	2X10 pieces	23 pieces	GM03EC (OPTIONAL)
30m Roll | Unit		14m Roll | Unit			



M3

GM03
TOP MOUNTED

M10 | RAILING BASE



Profile data							
Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM10	Aluminium	Satin	5800	5,640	1,1	1	**21,52**
GM10	Aluminium	Natural Anodize	5800	5,640	1,1	1	**21,52**

System components							
21,52	Glass Thickness	**GM10-20A**		**GM10-20B**		**GM01-20C**		**GM10-5**	

Sets/bar					
					
Length: 6m	Length: 6m	Length: 6m	24 pieces	23 pieces	GM10EC (OPTIONAL)
30m Roll | Unit		14m Roll | Unit			



M10

GM10
TOP MOUNTED

UNI-11678 STANDARD

M11 | RAILING BASE



Profile Holes

Profile data

Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM01-S	Aluminium	Satin	5800	6,232	1,2	1	**13,52 - 17,52 - 21,52**
GM01-S	Aluminium	Natural Anodize	5800	6,232	1,2	1	**13,52 - 17,52 - 21,52**

System components

13,52	Glass Thickness	**GM01-12A**		**GM01-12B**		**GM01-12C**		**GM01SF-12**	
17,52	Glass Thickness	**GM01-16A**		**GM01-16B**		**GM01-16C**		**GM01SF-16**	
21,52	Glass Thickness	**GM01-20A**		**GM01-20B**		**GM01-20C**		**GM01SF-20**	

Sets/bar

Length: 6m	Length: 6m	Length: 6m	2X10 pieces	23 pieces	24 pieces	GM01-SEC (OPTIONAL)
30m Roll | Unit		14m Roll | Unit				



M11

GM01-S
TOP MOUNTED

UNI-11678 STANDARD

M12| RAILING BASE





Profile data

Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM08	Aluminium	Satin	5800	5,389	1,1	1	**13,52 - 17,52 - 21,52**
GM08	Aluminium	Natural Anodize	5800	5,389	1,1	1	**13,52 - 17,52 - 21,52**

System components

13,52	Glass Thickness	**GM01-12A**		**GM01-12B**		**GM01-12C**		**GM01SF-12**	
17,52	Glass Thickness	**GM01-16A**		**GM01-16B**		**GM01-16C**		**GM01SF-16**	
21,52	Glass Thickness	**GM01-20A**		**GM01-20B**		**GM01-20C**		**GM01SF-20**	

Sets/bar

Length: 6m	Length: 6m	Length: 6m	2X10 pieces	23 pieces	GM08EC (OPTIONAL)
30m Roll | Unit		14m Roll | Unit			



M12

GM08
TOP MOUNTED

UNI-11678 STANDARD

M17 | RAILING BASE



Profile data

Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM11	Aluminium	Satin	5800	3,700	1	1	**13,52 - 17,52**
GM11	Aluminium	Natural Anodize	5800	3,700	1	1	**13,52 - 17,52**

System components

13,52	Glass Thickness	**GM11-12**	**GM11B**	**GM11-2** 5mm adjustment block		**GM11SF**
17,52	Glass Thickness	**GM11-16**	**GM01-16B**	**GM11-2** 5mm adjustment block		**GM11SF**

Sets/bar

					
Length: 6m	Length: 6m	12 pieces	2X10 pieces	23 pieces	GM11EC (OPTIONAL)
30m Roll | Unit					



M17

GM11

TOP MOUNTED

M18 | RAILING BASE

NEW





Profile Holes

Profile data

Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM12	Aluminium	Satin	3500	11,163	1,2	3	**21,52 - 25,52**
GM12	Aluminium	Natural Anodize	3500	11,163	1,2	3	**21,52 - 25,52**

System components

21,52	Glass Thickness	**GM12-24**	**GM12-20**	**GG11A**	5mm adjustment block	**GM12-5**
25,52	Glass Thickness	**GM12-24**		**GG11A**	5mm adjustment block	**GM12-5**

Sets/bar

	OR				15X136	
Length: 3500	Length: 3500	Length: 3500	8 pieces	12 pieces	29 pieces	GM12EC (OPTIONAL)
30m Roll | Unit						



M18
GM12
TOP MOUNTED

3 kN MAXIMUM LOAD



M19 | RAILING BASE

NEW





Profile data

Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM13	Aluminium	Satin	3500	7,126	1,2	2	**21,52 - 25,52**
GM13	Aluminium	Natural Anodize	3500	7,126	1,2	2	**21,52 - 25,52**

System components

21,52	Glass Thickness	**GM12-24**	**GM12-20**	**GM01-12B**	5mm adjustment block	**GM12-5**
25,52	Glass Thickness	**GM12-24**		**GM01-16B**	5mm adjustment block	**GM12-5**

Sets/bar

Length: 3500	Length: 3500 (OR)	Length: 3500	8 pieces	12 pieces	14 pieces (15X136)	GM13EC (OPTIONAL)
30m Roll | Unit						



M19

GM13
TOP MOUNTED

2 kN MAXIMUM LOAD

UNI-11678 STANDARD

GLASS RAILING BASES - LATERAL FIXING

M4 | RAILING SYSTEM



Profile Holes

Profile data

Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM04	Aluminium	Satin	5800	11,435	1,1	1	**13,52 - 17,52 - 21,52**
GM04	Aluminium	Natural Anodize	5800	11,435	1,1	1	**13,52 - 17,52 - 21,52**

System components

13,52	Glass Thickness	**GM01-12A**	**GM01-12B**	**GM01-12C**	**GM04SD**	**GM04SC**	**GM01SF-12**
17,52	Glass Thickness	**GM01-16A**	**GM01-16B**	**GM01-16C**	**GM04SD**	**GM04SC**	**GM01SF-16**
21,52	Glass Thickness	**GM01-20A**	**GM01-20B**	**GM01-20C**	**GM04SD**	**GM04SC**	**GM01SF-20**

Sets/bar

Length: 6m	Length: 6m	Length: 6m	2X10 pieces	23 pieces	12 pieces	29 pieces	GM04EC (OPTIONAL)
30m Roll | Unit		14m Roll | Unit				



Adjust

100 cm	3,1 cm
110 cm	3,5 cm
120 cm	3,9 cm

M4

GM04
LATERAL

NF P 01-013 STANDARD

M13| RAILING SYSTEM



Profile Holes

Profile data

Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM06	Aluminium	Satin	5800	8,669	1,1	1	**13,52 - 17,52 - 21,52**
GM06	Aluminium	Natural Anodize	5800	8,669	1,1	1	**13,52 - 17,52 - 21,52**

System components

13,52	Glass Thickness	**GM01-12A**		**GM01-12B**		**GM01-12C**		**GM01SF-12**	
17,52	Glass Thickness	**GM01-16A**		**GM01-16B**		**GM01-16C**		**GM01SF-16**	
21,52	Glass Thickness	**GM01-20A**		**GM01-20B**		**GM01-20C**		**GM01SF-20**	

Sets/bar

Length: 6m	Length: 6m	Length: 6m	2X10 pieces	15 pieces	14 pieces	GM06EC (OPTIONAL)
30m Roll | Unit		14m Roll | Unit				



M13

GM06
LATERAL



UNI-11678 STANDARD

M14 | RAILING SYSTEM



Profile data							
Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM07-1	Aluminium	Mill	5800	4,700	1,1	1	**17,52 - 21,52**
GM07-2	Aluminium	Mill	5800	5,515	1,1	1	**17,52 - 21,52**
GM07-3	Aluminium	Satin	5800	0,460	1,1	1	**17,52 - 21,52**
GM07-3	Aluminium	Natural Anodize	5800	0,460	1,1	1	**17,52 - 21,52**

Sets/bar		
	15X136	
60 pieces	39 pieces	GM07EC (OPTIONAL)



M14

GM07
LATERAL

M20 | RAILING SYSTEM

NEW



Profile Holes

Profile data

Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM14	Aluminium	Satin	5800	5,290	1,1	1	**17,52 - 21,52**
GM14	Aluminium	Natural Anodize	5800	5,290	1,1	1	**17,52 - 21,52**

System components

17,52	Glass Thickness	**GM14-16**		**GM01-20B**		5mm adjustment block	**GM11SF**
21,52	Glass Thickness	**GM14-20**		**GM01-20B**		5mm adjustment block	**GM11SF**

Sets/bar

				15X136		
Length: 6m	Length: 6m	12 pieces	2X10 pieces	15 pieces	14 pieces	GM14EC (OPTIONAL)
30m Roll | Unit						



M20
GM14
LATERAL

M16| FRENCH RAILING SYSTEM



Profile data							
Product Code	Material	Finish	Max Width (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM05-1	Aluminium	Satin	2900	1,358	1,1	1	**11,52 - 13,52 - 17,52 - 21,52**
GM05-1	Aluminium	Natural Anodize	2900	1,358	1,1	1	**11,52 - 13,52 - 17,52 - 21,52**
GM05-2	Aluminium	Satin	2900	0,580	1,1	1	**11,52 - 13,52 - 17,52 - 21,52**
GM05-2	Aluminium	Natural Anodize	2900	0,580	1,1	1	**11,52 - 13,52 - 17,52 - 21,52**
GM05-3	Aluminium	Satin	2900	0,618	1,1	1	**11,52 - 13,52 - 17,52 - 21,52**
GM05-3	Aluminium	Natural Anodize	2900	0,618	1,1	1	**11,52 - 13,52 - 17,52 - 21,52**

Sets/bar

GM05-8A kit





GM05A GM05B

PCA-GM05A | GM05B

Railing Profile Fixing Rubber

30m Roll | Unit





M16

GM05
FRENCH RAILING

M15 | RAILING SYSTEM



Profile Holes

Profile data

Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM09	Aluminium	Satin	5800	2,944	1,1	1	**13,52 - 17,52 - 21,52**
GM09	Aluminium	Natural Anodize	5800	2,944	1,1	1	**13,52 - 17,52 - 21,52**

System components

13,52	Glass Thickness	**GM01-12A**		**GM01-12B**		**GM01-12C**		**GM01SF-12**	
17,52	Glass Thickness	**GM01-16A**		**GM01-16B**		**GM01-16C**		**GM01SF-16**	
21,52	Glass Thickness	**GM01-20A**		**GM01-20B**		**GM01-20C**		**GM01SF-20**	

Sets/bar

					
Length: 5800	Length: 5800	Length: 5800	2X10 pieces	23 pieces	OPTIONAL END CAP
30m Roll | Unit		14m Roll | Unit			



M15

GM09
CONCEALED



M9| RAILING SYSTEM



Profile data

Product Code	Material	Finish	Weight (kg/pc)	Max Height (m)	Max Load (KN)	Glass Thickness
BM12	Stainless Steel 304	Satin	2,242	1,1	1	**13,52 - 17,52 - 21,52**
BM12	Stainless Steel 316	Satin	2,242	1,1	1	**13,52 - 17,52 - 21,52**

Product components

13,52	Glass Thickness	**STEEL PLATES** 1piece of 5 mm + 1piece of 4 mm	1piece
17,52	Glass Thickness	**STEEL PLATES** 1piece of 3 mm + 1piece of 3 mm	1piece
21,52	Glass Thickness	**STEEL PLATES** 1piece of 2 mm	1piece



NEW

RAILING SYSTEM | M21



Profile data

Product Code	Material	Finish	Weight (kg/pc)	Max Height (m)	Max Load (KN)	Glass Thickness
BM13	Stainless Steel 304	Satin	1,608	1,1	1	**11,52 - 13,52**

Product components

11,52	Glass Thickness	4 pieces	
13,52	Glass Thickness	4 pieces	



Max Dimensions						
	10mm			12mm		
H[mm]	900	1000	1100	900	1000	1100
D[mm]	800	700	600	800	700	600

M22 | RAILING SYSTEM

NEW



Profile data						
Product Code	Material	Finish	Weight (kg/pc)	Max Height (m)	Max Load (KN)	Glass Thickness
BM14	Stainless Steel 304	Satin	1,084	1	1	**11,52 - 13,52**
BM14	Stainless Steel 316	Satin	1,084	1	1	**11,52 - 13,52**

Product components			
11,52	Glass Thickness	4 pieces	
13,52	Glass Thickness	4 pieces	



Max Dimensions						
	10mm			12mm		
H[mm]	900	1000	1100	900	1000	1100
D[mm]	800	700	600	800	700	600

M6| LATERAL POINT FIXING SERIES

PCA-AN13

Ø60 Adjustable Anchor Spacer

16,20mm | Glass Thickness
120cm| Max. Height
1KN | Max.Load
Stainless Steel 304 | Material
Satin| Finish













PCA-AN12

Ø48 Adjustable Anchor Spacer

10-20 mm | Glass Thickness
120cm| Max. Height
1KN | Max.Load
Stainless Steel 304 | Material
Satin| Finish

AN12



Recommended glass thickness for balcony use.

M6| LATERAL POINT FIXING SERIES

PCA-AN01 | AN02 | AN03 | AN04
Ø48 Anchor Spacer
10-20 mm | Glass Thickness
120cm| Max. Height
1KN | Max.Load
Stainless Steel 304 | Material
Satin| Finish



AN01 AN02 AN03 AN04

Ø 16 GLASS HOLE

AN04 available also in SS316

Ø 16 GLASS HOLE

PCA-AN05 | AN06 | AN07 | AN08
Ø38 Anchor Spacer
10-20 mm | Glass Thickness
120cm| Max. Height
0.5 KN | Max.Load
Stainless Steel 304 | Material
Satin| Finish



AN05 AN06 AN07 AN08

AN14



AN15



PCA-AN14 | AN15
Anchor Spacer
10-20 mm | Glass Thickness
1KN | Max.Load
Stainless Steel 304 | Material
Polished | Finish

NEW



Glass Thickness		AN01-AN04			AN05-AN08			AN12			
16mm	**H**[mm]	1000	1100	1200	1000	1100	1200	1000	1100	1200	**H**[mm]
	C[mm]	125	150	150	125	150	150	125	150	150	**C**[mm]
	D[mm]	900	900	800	900	900	800	900	900	800	**D**[mm]
20mm	**H**[mm]	1000	1100	1200	1000	1100	1200	1000	1100	1200	**H**[mm]
	C[mm]	100	125	150	100	125	150	100	125	150	**C**[mm]
	D[mm]	900	900	800	900	900	800	900	900	800	**D**[mm]

M7 | LATERAL POINT FIXING SERIES





NO HOLES REQUIRED BETWEEN 2 GLASSES



M7

BM07
LATERAL

Glass Thickness	BM07			
16mm	**H**[mm]	1000	1100	1200
	D[mm]	800	700	600
20mm	**H**[mm]	1000	1100	1200
	D[mm]	800	700	600



PCA-BM07
Lateral Base
16,20 mm | Glass Thickness
120cm| Max. Height
1KN | Max.Load
Stainless Steel 304 | Material
Satin | Finish

NF P 01-013 STANDARD

M8| LATERAL POINT FIXING SERIES





M8

AN11
LATERAL

Glass Thickness	AN11			
16mm	**H**[mm]	1000	1100	1200
	D[mm]	800	700	600
20mm	**H**[mm]	1000	1100	1200
	D[mm]	800	700	600



PCA-AN11
5 Axes Adjustable Double Anchor Spacer
10-20 mm | Glass Thickness
1KN | Max.Load
Stainless Steel 304 | Material
Satin| Finish

NF P 01-013 STANDARD

PCA-K002
Handrail Profile
16,20 mm | Glass Thickness
1,368 kg | Weight/meter
580 cm | Length
Aluminium | Material
Natural Anodize, Satin| Finish



Railing Profile Fixing Rubber
30m Roll | Unit

PCA-K002A
Handrail Profile
12, 16 mm | Glass Thickness
0,903 kg | Weight/meter
580 cm | Length
Aluminium | Material
Natural Anodize, Satin| Finish



Railing Profile Fixing Rubber
30m Roll | Unit

PCA-K003A
Handrail Profile
12,16 mm | Glass Thickness
0,729 kg | Weight/meter
580 cm | Length
Aluminium | Material
Natural Anodize, Satin| Finish





Railing Profile Fixing Rubber
30m Roll | Unit

PCA-K004
Handrail Profile
16 mm | Glass Thickness
1,442 kg | Weight/meter
580 cm | Length
Aluminium | Material
Natural Anodize, Satin| Finish



Railing Profile Fixing Rubber
30m Roll | Unit

PCA-K005
Handrail Profile
10-20 mm | Glass Thickness
0,283 kg | Weight/meter
580 cm | Length
Aluminium | Material
Natural Anodize, Satin| Finish



Shower Cabins & WC Partitions 8

Doors & Office Partitions 81

Facades 169

Folding 199

Guillotine 209

Spiders 215

Balcony Railings 225

Inox Railings **273**

Staircase 293

Canopies 297

Miscellaneous & Consumables 307

NX | INOX RAILINGS





PCA-AHC-004
Ø: 42,4x2mm
Length: 5800mm
Stainless Steel 304 - 316 | Material
Satin | Finish

PCA-AHC-005
□ : 40x40x2mm
Length: 5800mm
Stainless Steel 304 - 316 | Material
Satin | Finish

PCA-AHC-007
□ : 50x25x2mm
Length: 5800mm
Stainless Steel 304 - 316 | Material
Satin | Finish

PCA-AHC-008
□ : 40x10x1,3mm
Length: 5800mm
Stainless Steel 304 - 316 | Material
Satin | Finish

PCA-AHC-001
Ø: 12mm
Length: 5800mm
Stainless Steel 304 - 316 | Material
Satin | Finish

PCA-AHC-011
40x10 | Flat bar
Stainless Steel 316 | Material
Satin | Finish

PCA-AHC-012
15x5 | Flat bar
Stainless Steel 316 | Material
Satin | Finish

PCA-AHC-006
Ø: 6mm - 12mm
Roll: 100m
Stainless Steel 304 | Material
Satin | Finish

PCA-AHD-001
Stainless Steel 316 | Material
Satin | Finish

PCA-AHB-008
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-052
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-020
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-009
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-053
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-030
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish







PCA-AHB-029
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish





PCA-AHB-028
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-048
□ : 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-057
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish

PCA-AHB-027
□ : 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-050
□ : 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-046
□ : 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-051
□ : 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-034
□ : 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish





PCA-AHB-016
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-015
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-017
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-018
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish

PCA-AHB-014
□ : 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-019
□ : 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish





PCA-AHB-012
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-013
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish

Glass Cut





PCA-AHB-044A
Ø: 42,4mm
10-21,52mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish

Glass Cut





PCA-AHB-044B
□ : 40x40mm
10-21,52 mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish

PCA-AHB-045
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-036
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-035
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-023
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-024
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-025
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-037
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-026
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish

PCA-AHB-054
□ : 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-055
□: 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-056
□: 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-058
□: 50x25mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-059
□: 50x25mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-060
□: 50x25mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-061
□: 50x25mm
Stainless Steel 304 - 316 | Material
Satin | Finish





PCA-AHB-001
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-002
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-003
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-006
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-007
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-010
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish

PCA-AHB-011
□: 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-041
□: 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-039
Ø: 12mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-047
Ø: 12mm
Stainless Steel 304 - 316 | Material
Satin | Finish





PCA-AHB-040
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



End cap

PCA-AHB-049
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-005
Ø: 12mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-031
Ø: 12mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-033A
Ø: 6mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-033B
Ø: 6mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-033C
Ø: 6mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-032
Ø: 6mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-062
Ø: 20mm | Rod
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-063
Ø: 12mm |
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-064
6mm | Panel
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-065
15x5 | Flat bar
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-066
40x10 | Flat bar
Stainless Steel 304 - 316 | Material
Satin | Finish

PCA-AHC-002
Ø: 6mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHC-003
Ø: 6mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-021
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-022
□: Square tube
Stainless Steel 304 - 316 | Material
Satin | Finish





PCA-GC21
□ : Square tube
10mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-GC21A
: Square tube
10mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-GC20
Ø: 42,4mm
10mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-GC20A
Ø: 42,4mm
10mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-GC30
□ : Square tube
10mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-GC29
Ø: 42,4mm
10mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-GC24
□ : Square tube
8mm | Glass Thickness
Zinc Alloy | Material
Satin | Finish



PCA-GC25
□ : Square tube
16mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



PCA-GC25A
□ : Square tube
16mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



PCA-GC27
□ : Square tube
10mm | Glass Thickness
Aluminium | Material
Natural Anodize | Finish



PCA-AHB-004
8mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-042
8mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish

PCA-AHB-068
Ø: 12mm
Stainless Steel 304 - 316 | Material
Satin | Finish

PCA-AHB-067
Ø: 12mm
Stainless Steel 304 - 316 | Material
Satin | Finish

Shower Cabins & WC Partitions 8

Doors & Office Partitions 81

Facades 169

Folding 199

Guillotine 209

Spiders 215

Balcony Railings 225

Inox Railings 273

Staircase **293**

Canopies 297

Miscellaneous & Consumables 307

L1 | STAIRCASE SERIES



PCA-FC11
Glass Staircase Fitting
560 gr | Weight
50kg | Max Weight
16-30mm | Glass Thickness
Stainless Steel 304 | Material
Satin| Finish

Glass - Glass





Wall - Glass









Glass Preparation



Glass Installation



Steel Installation



Wall Installation

L 1100



L 1200



DIN 10-26
U 180 - 280

L 1300



DIN 10-26
U 180 - 280

Shower Cabins & WC Partitions 8

Doors & Office Partitions 81

Facades 169

Folding 199

Guillotine 209

Spiders 215

Balcony Railings 225

Inox Railings 273

Staircase 293

Canopies **297**

Miscellaneous & Consumables 307

E1 | CANOPIES SERIES



TYPOLOGIES



System	Rod size	Glass Width **[W]**	Height **[H]**
E 1001	1000mm	800mm	910mm
E 1002	1000mm	900mm	810mm
E 1003	1000mm	1000mm	690mm
E 1251	1250mm	1150mm	890mm
E 1252	1250mm	1250mm	750mm
E 1253	1250mm	1350mm	550mm
E 1501	1500mm	1400mm	960mm
E 1502	1500mm	1500mm	800mm
E 1503	1500mm	1600mm	590mm



PCA-HL30
Wall- Glass Fitting
10,76-21,52 | Glass Thickness
80 kg | Weight
Stainless Steel 304 | Material
Satin | Finish



PCA-HL31
Glass - Rod Fitting
10,76-21,52 | Glass Thickness
80 kg | Weight
Stainless Steel 304 | Material
Satin | Finish



PCA-HL32
Wall - Rod Fitting
10,76-21,52 | Glass Thickness
80 kg | Weight
Stainless Steel 304 | Material
Satin | Finish

PCA-MP01
Support Plate
80 kg | Weight
Stainless Steel 304 | Material
Satin | Finish



PCA-RD02
Canopy Rod
80 kg | Weight
Stainless Steel 304 | Material
Satin | Finish



E2 | CANOPIES SERIES



PCA-CN01-1
Canopy Profile
80 kg | Weight
21,52 mm | Glass Thickness
350cm | Length
Aluminium | Material
Natural Anodize, Satin | Finish



PCA-CN01-2
350cm | Length
Aluminium | Material
Mill | Finish





PCA-CN01-10
10.10.4mm | Glass Thickness
6cm | Length
Aluminium | Material

PCA-GM10-20A
Canopy Profile Fixing Rubber
30m Roll | Unit

PCA-GM10-20B
Canopy Profile Fixing Rubber
30m Roll | Unit



CNC Processing

CN01-1



DESCRIPTION:
-Profile length: 3,5 m
-Maximum glass width: 110cm
-Glass thickness 10+10+1,52 tempered and laminated
-Up to 200kg load/m² excluded the glasse's weight.



PCA-CN02
Canopy Profile
80 kg | Weight
12,16,20mm | Glass Thickness
580cm | Length
Aluminium | Material
Natural Anodize, Satin, Mill | Finish





Shower Cabins & WC Partitions 8

Doors & Office Partitions 81

Facades 169

Folding 199

Guillotine 209

Spiders 215

Balcony Railings 225

Inox Railings 273

Staircase 293

Canopies 297

Miscellaneous & Consumables **307**

PCA-HR01 | HR02 | HR03
Self Holder
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish



PCA-HR04
Self Holder
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish



PCA-HR05
Self Holder
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish



PCA-HR06
Self Holder
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish



PCA-HR07
Self Holder
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish



PCA-HR08
Self Holder
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish



	Heigth **H**	Weight **W**	Depth **D**	Size **A**
HR09A	34mm	40mm	24mm	17mm
HR09B	45mm	55mm	28mm	22mm
HR09C	52mm	75mm	30mm	30mm
HR09D	58mm	103mm	31mm	45mm



PCA-HR09
Self Holder
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish



PCA-HR10
Self Holder
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish



PCA-HR12
Glass self Hinge
5-10mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



PCA-HR13
Glass self Hinge
5-10mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

	Heigth **H**	Weight **W**	Depth **D**	Size **A**
HR18A	65mm	65mm	24mm	26mm
HR18B	80mm	78mm	26mm	32mm



PCA-HR18
Self Holder
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish



PCA-HR20
Self Holder
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish

GC20

GC20A



PCA-GC20 | GC20A
Clamp
10mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-GC21
Clamp
10mm | Glass Thickness
Stainless Steel 304-316 | Material
Satin | Finish



PCA-GC21A
Clamp
10mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



PCA-GC24
Clamp
8mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish



PCA-GC25
Clamp
16mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



PCA-GC25A
Clamp
16mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



PCA-GC27
Clamp
10mm | Glass Thickness
Aluminium | Material
Natural Anodize | Finish



PCA-GC29
Clamp
10mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-GC30
Clamp
10mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AM01
Ø30mm Anchor Spacer
30 kg | Weight
10mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



PCA-AM02
Ø30mm Anchor Spacer
30 kg | Weight
10mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



PCA-AM03
Ø25mm Anchor Spacer
30 kg | Weight
10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish

	DIMENSIONS **(A x B x T)**	LENGTH	WEIGHT/bar	PRODUCT CODE
EVEN CORNER ALUMINIUM PROFILE 	**20x20x1,2**	**5,8m**	**0,78 kg**	**GGL20**
	25x25x1,1	**5,8m**	**0,9 kg**	**GGL25**
	30x30x1,2	**5,8m**	**1,18 kg**	**GGL30**
	40x40x1,2	**5,8m**	**1,57 kg**	**GGL40**
	40x40x3	**5,8m**	**3,85 kg**	**GGL40.3**
U CHANNEL PROFILE 	**13,8x13,8x1,3**	**5,8m**	**0,85 kg**	**U13.8**
	15,5x20x1,5	**5,8m**	**1,3 kg**	**U15.5**
	20x20x1,3	**5,8m**	**0,202 kg**	**GG20**
	20x30x1,3	**5,8m**	**0,272 kg**	**GG30**
	20x40x1,3	**5,8m**	**0,342 kg**	**GG40**
	22x13x1,2	**5,8m**	**0,92 kg**	**U22**
	25x20x1,6	**5,8m**	**1,66 kg**	**U25**
	27,8x22,2x1,2	**5,8m**	**1,37 kg**	**U27**
	28x18x0,9	**5,8m**		**U28**
	39x20x2	**3m**	**1,12 kg**	**GGV2**
UNEVEN CORNER ALUMINIUM PROFILE 	**18x8,5x1,1**	**5,8m**	**0,47 kg**	**UA-18**
	30x18x1,3	**5,8m**	**1,01 kg**	**UA-30**
	40x20x1,3	**5,8m**	**1,3 kg**	**UA-40**
SQUARE HOLLOW ALUMINIUM PROFILE 	**20x20x0,9**	**5,8m**	**1,15 kg**	**SHT-20**
	30x30x1,1	**5,8m**	**1,84 kg**	**SHT-30**
	40x40x1,2	**5,8m**	**3,08 kg**	**SHT-40**
	50x50x1,2	**5,8m**	**3,16 kg**	**SHT-50**
	60x60x1,35	**5,8m**	**5,28 kg**	**SHT-60**
FLAT ALUMINIUM PROFILE 	**10x3**	**5,8m**	**0,45 kg**	**FB-10**
	20x3	**5,8m**	**0,92 kg**	**FB-20**
	25x2	**3m**	**0,1 kg**	**GGV4**
	25x3	**5,8m**	**1,16 kg**	**FB-25**
	30x3	**5,8m**		**FB-30**
	40x4	**5,8m**	**2,5 kg**	**FB-40**
	45x2	**3m**	**0,18 kg**	**GGV3**
RECTANGULAR HOLLOW ALUMINIUM PROFILE 	**30x20x1,2**	**5,8m**	**1,93 kg**	**RHT-30**
	40x20x1	**5,8m**	**1,94 kg**	**RHT-40**
	50x20x1,2	**5,8m**	**2,69 kg**	**RHT-50x20**
	50x30x1,8	**5,8m**	**4,67 kg**	**RHT-50x30**
	60x20x1,5	**5,8m**	**3,81 kg**	**RHT-60**
	80x18x8	**5,8m**	**3,13 kg**	**RHT-80x18**
	80x25x1,2	**5,8m**	**3,4 kg**	**RHT-80x25**
	100x20x1,1	**5,8m**	**4,69 kg**	**RHT-100**

AVAILABLE FINISHES: SATIN, NATURAL ANODIZE, BLACK ANODIZE



Fittings and Profiles Index

AH
AHB-001 286
AHB-002 286
AHB-003 286
AHB-004 292
AHB-005 288
AHB-006 286
AHB-007 286
AHB-008 277
AHB-009 277
AHB-010 286
AHB-011 287
AHB-012 282
AHB-013 282
AHB-014 281
AHB-015 280
AHB-016 280
AHB-017 280
AHB-018 280
AHB-019 281
AHB-020 277
AHB-021 289
AHB-022 289
AHB-023 284
AHB-024 284
AHB-025 284
AHB-026 284
AHB-027 279
AHB-028 278
AHB-029 278
AHB-030 277
AHB-031 288
AHB-032 288
AHB-033A 288
AHB-033B 288
AHB-033C 288
AHB-034 279
AHB-035 284
AHB-036 284
AHB-037 284
AHB-039 287
AHB-040 288
AHB-041 287
AHB-042 292
AHB-044A 283
AHB-044B 283
AHB-045 283
AHB-046 279
AHB-047 287
AHB-048 278
AHB-049 288
AHB-050 279
AHB-051 279
AHB-052 277
AHB-053 277
AHB-054 285
AHB-055 285
AHB-056 285
AHB-057 278
AHB-058 285
AHB-059 285
AHB-060 285
AHB-061 285
AHB-062 289
AHB-063 289
AHB-064 289
AHB-065 289
AHB-066 289
AHC-001 276
AHC-002 289
AHC-003 289
AHC-004 276
AHC-005 276
AHC-006 276
AHC-007 276
AHC-011 276
AHC-012 276
AHD-001 276

AM
AM01 311
AM02 311
AM03 311

AN
AN01 266
AN02 266
AN03 266
AN04 266
AN05 266
AN06 266
AN07 266
AN08 266
AN11 271
AN12 265
AN13 265
AN14 267
AN15 267

BL
BL08 195
BL08S 195
BL09 205
BL10 205
BL12 186
BL13 186
BL15 72
BL16 72

BM
BM07 269
BM12 260
BM13 261
BM14 262

BR
BR01 80
BR02 80
BR03 80
BR04 80

CN
CN01 303
CN01-10 303
CN02 306

DC
DC01 182
DC02 182
DC03 182

DH
DH12 161
DH13 161
DH15 160
DH-2D 161
DH-3D 160

DK
DK03 74
DK04 75
DK06 74
DK08 74
DK08S 74
DK11 77
DK13A 76
DK13B 76
DK14 76
DK15 77
DK16 76
DK18 75
DK19 75
DK20 73
DK21 73
DK22 73
DK24 77

DL
DL04 163
DL04B 163
DL07A 163
DL09 110
DL09A 163
DL09B 110
DL21 186
DL23 186
DL24 205
DL25 186
DL27 186

FC
FC01 189
FC02 189
FC03 189
FC04 189
FC06 188
FC07 188
FC08 188
FC09 191
FC10 191
FC11 295

FD
FD01 206

FG
FG01 47
FG02 47
FG03 47
FG04 47
FG05 44
FG06 44
FG07 44
FG08 108
FG09 47
FG10 44

FH
FH01 184
FH02 184
FH03 184
FH04 184
FH04A 184
FH10L 190
FH10R 190
FH11 190
FH12A 190
FH12B 190
FH13 190
FH15 191
FH18 206
FH19 205
FH20 206
FH21 206
FH22 187
FH26 185
FH27 185
FH28 185
FH29 185
FH30 176
FH31 177

GC
GC01 68
GC03 68
GC05 68
GC06 68
GC07 68
GC18 187
GC19 187
GC19B 187
GC20 310
GC20A 310
GC21 310
GC21A 310
GC24 310
GC25 310
GC25A 310
GC27 311
GC29 311
GC30 311
GC31 69
GC33 69
GC35 69
GC36 69
GC37 69
GC40 70
GC41 70
GC42L 70
GC42R 70
GC43 71
GC44 71

GG
GG01 54
GG02 54
GG03 54
GG06 153
GG06D 157
GG06EC 157
GG06 KIT 159
GG07 179
GG08 154
GG08-5 155
GG08-6U 155
GG08-8 155
GG08-9 155
GG08C 155
GG08-C 154
GG08-S 154
GG08-U 154
GG08 KIT 159
GG09 55
GG09-8 55
GG09-10 55
GG10 55
GG11 153
GG11A 156
GG11B 156
GG11EC 157
GG11 KIT 159
GG12 153
GG12 KIT 159
GG13 181
GG14 54
GG15 54
GG16 159
GG17 106
GG18 55
GG19 54
GG21 54
GGL 157
GGT 157
GGX 157
GGV2 312
GGV3 312

GM
GM01 228
GM01EC 228
GM01-12A 228
GM01-12B 228
GM01-12C 228
GM01-16A 228
GM01-16B 228
GM01-16C 228
GM01-20A 228
GM01-20B 228
GM01-20C 228
GM01A 230
GM01A-10A 230
GM01A-10C 230
GM01A-12A 230
GM01A-12C 230
GM01AEC 230
GM01SEC 234
GM01SF-12 228
GM01SF-16 228
GM01SF-20 228
GM01-S 236
GM02SF-10 230
GM02SF-12 230
GM03 232
GM03EC 232
GM04 248
GM04EC 248
GM05 256
GM05-8 256
GM05A 256
GM05B 256
GM06 250
GM06EC 250

GM
GM07 252
GM07EC 252
GM08 238
GM08EC 238
GM09 258
GM09EC 258
GM10 234
GM10-5 234
GM10-20A 234
GM10EC 234
GM11 240
GM11B 240
GM11EC 240
GM11SF 240
GM11-2 240
GM11-12 240
GM11-16 240
GM11-20 240
GM12 242
GM12EC 242
GM12-5 242
GM12-20 242
GM12-24 242
GM13 244
GM13EC 244
GM14 254
GM14EC 254

GT
GT01 48
GT02 45
GT04 109
GT04EC 157
GT05 109
GT06 109
GT07 43
GT09 150
GT09 KIT 158
GT10 150
GT10 KIT 158
GT11 150
GT11B 151
GT11 KIT 158
GT12 151
GT12 KIT 158
GT13 151
GT13 KIT 158
GT14 162
GT14-2 165
GT14A KIT 162
GT14B KIT 162
GT14-DL 164
GT14-DL2 164
GT14-H 167
GT16-1 167
GT16-2 167
GT16-4 167
GT16-5 167
GT21 204
GT22 204
GT22L 204
GT22T 204
GT24 162
GT24-DL 166
GT24-DL2 166
GT24-DL3 166
GT24-H 167
GT31 106
GT31-3 106
GT31EC-L 157
GT31EC-R 157
GT34 168
GT60 152
GT60 KIT 158
GTA 156
GTB 156
GTC 156
GTD 156
GTZ 156

HD
HD01 194
HD03 194
HD06 196
HD06A 196
HD13 195
HD14 197

HL
HL04 49
HL05 49
HL06 49
HL07 49
HL08 46
HL15 109
HL16 108
HL17 109
HL18 108
HL21 107
HL22 107
HL28 50
HL30 300
HL31 300
HL32 300
HL34 45
HL34A 46
HL35 46
HL36 52
HL37 52
HL38 52
HL39 45
HL40 46
HL43 50
HL44 52
HL45 51
HL47 52
HL48 43
HL49 43
HL50 43
HL51 51

HN
HN03 223
HN04 223
HN05 223

HR
HR01 308
HR02 308
HR03 308
HR04 308
HR05 308
HR06 308
HR07 308
HR08 308
HR09 309
HR10 309
HR12 309
HR13 309
HR18 309
HR20 309

HS
HS03 78
HS04 78
HS05 78
HS06 78
HS07 79
HS08 79
HS09 79
HS10 79

IC
IC01 204
IC02 204
IC03 204
IC04 204
IC05 204

K0
K002 272
K002-16A 272
K002A 272
K002A-16A 272
K002AEC 272
K002EC 272
K003A 272
K003A-16A 272
K003AEC 272
K004 272
K004-16A 272
K004EC 272
K005 272
K005EC 272

KP
KP01 187
KP02 207
KP03 187

KZ
KZ01 192
KZ02 192

LH
LH01 165
LH02 165

ML
ML01 192
ML03 192
ML05 206

MP
MP01 301

PH
PH01 110

RD
RD01 48
RD02 301

RH
RH01 48
RH03 107
RH08 108
RH09 108
RH12 205
RH18 45
RH18B 45
RH31 106

S
S01 57
S02 57
S04 57
S05 57
S06 57
S07 57
S08 57
S09 57
S10 57
S11 57
S12 57
S13 198
S14 198
S15 57
S16A 208
S17 198
S18 198
S19 56
S20 198
S21 56
S25 56
S26 56
S27 57
S28 57
S29 55
S30 56
S31 159
S31-12 159
S32 159
S33 159
S34 159
S36 56
S37 55

SD
SD01 220
SD01A 220
SD02A 220
SD02B 220
SD03 220
SD04 221
SD05 221
SD06 221
SD07 222
SD08 222

SH
SH01 61
SH03 61
SH05 61
SH06 61
SH07 61
SH17 65
SH18 65
SH20 67
SH31 60
SH33 60
SH35 60
SH36 60
SH37 60
SH45 64
SH46 64
SH47 65
SH48 65
SH49 62
SH50 62
SH51 62
SH52 63
SH53 63
SH54 63
SH55 66
SH56 66
650 193
800 193
840 193

WB
WB01 168
WB02 168

SP
SP01 49
SP03 107
SP06 108
SP10 191
SP10B 191
SP11 188
SP12 188
SP14 45
SP16 168

SS
SS01 224
SS02 224

TC
TC01 157
TC05 207
TC06 207
TC07 207



Exporting in more than 50 countries worldwide.



PCA - SHOWROOM IN THESSALONIKI

INDUSTRIAL AREA OF THESSALONIKI bk. 38
SINDOS, 57 022 | GREECE
t: 0030 2310 570727
f: 0030 2310 570726
info@papgroup.gr
pca@papgroup.gr

PAP SAFETY GLASS INDUSTRY

INDUSTRIAL AREA OF THESSALONIKI bk. 55
SINDOS, 57 022 | GREECE
t: 0030 2310 796180
f: 0030 2310 796179
psg@papgroup.gr

SHOWROOM IN ATHENS

SOLOMOU 13
PERISTERI-ATTIKI, 12133 | GREECE
t: 0030 210 5757 727
f: 0030 210 5757 727
pca@papgroup.gr

PCA owns a Research & Development department where innovative ideas and well studied designs come into realization, burdening the products with functionality and sophistication.

The core of our operations is the excellent and fast service of our customers worldwide.

www.papgroup.gr

NOTES:

NOTES:

NOTES:

PAPGROUP