

Test Cases

Restaurant Management System

Team 10 - Software Testing Project 2026

Document Version	1.0
Date	May 29, 2026
Prepared By	Muhammad Faraz Ansari, Ashhal Aamir, Muhammad Ibrahim
SRS Version	Final
Project	Restaurant Management System

Team Members:

- Muhammad Faraz Ansari (29201) - Reservation Module
- Ashhal Aamir (29114) - Food Ordering Module
- Muhammad Ibrahim (29079) - Login, Event & Admin Modules

Last Updated: May 29, 2026

Contents

1	Reservation Module Test Cases	3
1.1	Prepared By: Muhammad Faraz Ansari (29201)	3
2	Food Ordering Module Test Cases	15
2.1	Prepared By: Ashhal Aamir (29114)	15
3	Login, Event Booking & Admin Module Test Cases	28
3.1	Prepared By: Muhammad Ibrahim (29079)	28
4	Test Case Summary	43

1 Reservation Module Test Cases

1.1 Prepared By: Muhammad Faraz Ansari (29201)

Module Overview: Table reservation, availability search, pre-order, and cancellation (24-hour rule).

Test Case TC-RES-001: Valid User Registration

Test Case ID	TC-RES-001
Test Title	Valid user registration
Test Objective	Verify customer can register with valid information
Requirement ID	REQ-7.1.1
Preconditions	User is not registered in the system
Test Steps	1. Navigate to registration page 2. Enter valid email address 3. Enter valid password 4. Enter full name 5. Enter phone number 6. Click Register button
Input Data	Email: john@example.com, Password: Password123, Name: John Doe, Phone: 1234567890
Expected Result	Account created successfully. User redirected to login or dashboard.
Postconditions	User account exists in database
Risk / Assumption	ASM-01
Priority	High

Test Case TC-RES-002: Registration with Missing Fields

Test Case ID	TC-RES-002
Test Title	Registration with missing fields
Test Objective	Verify error handling when required fields are empty
Requirement ID	REQ-7.1.1
Preconditions	User is not registered
Test Steps	1. Navigate to registration page 2. Leave email field empty 3. Enter valid password 4. Enter name 5. Click Register button
Input Data	Email: (empty), Password: Password123, Name: John Doe
Expected Result	Error message displayed: "Email is required". Registration fails.
Postconditions	No new account created
Risk / Assumption	-
Priority	High

Test Case TC-RES-003: Login with Valid Credentials

Test Case ID	TC-RES-003
Test Title	Login with valid credentials
Test Objective	Verify user can login with correct email and password
Requirement ID	REQ-7.1.2
Preconditions	User account exists (TC-RES-001 completed)
Test Steps	1. Navigate to login page 2. Enter registered email 3. Enter correct password 4. Click Login button
Input Data	Email: john@example.com, Password: Password123
Expected Result	Login successful. User redirected to customer dashboard.
Postconditions	User session active
Risk / Assumption	-
Priority	High

Test Case TC-RES-004: Login with Invalid Password

Test Case ID	TC-RES-004
Test Title	Login with invalid password
Test Objective	Verify login fails with wrong password
Requirement ID	REQ-7.1.2
Preconditions	User account exists
Test Steps	1. Navigate to login page 2. Enter registered email 3. Enter incorrect password 4. Click Login button
Input Data	Email: john@example.com, Password: WrongPassword
Expected Result	Error message: "Invalid credentials". Login fails.
Postconditions	No session created
Risk / Assumption	-
Priority	High

Test Case TC-RES-005: Account Lock After 3 Failed Attempts

Test Case ID	TC-RES-005
Test Title	Account lock after 3 failed login attempts
Test Objective	Verify account locks after 3 consecutive failed logins
Requirement ID	REQ-7.1.3
Preconditions	User account exists
Test Steps	1. Attempt login with wrong password (1st time) 2. Attempt login with wrong password (2nd time) 3. Attempt login with wrong password (3rd time) 4. Attempt login with correct password
Input Data	Wrong password used 3 times, then correct password
Expected Result	After 3 failures, account locked. Correct password also fails with "Account locked" message.
Postconditions	Account locked for 15 minutes
Risk / Assumption	PR-04
Priority	Medium

Test Case TC-RES-006: Search Availability by Date, Time, Party Size

Test Case ID	TC-RES-006
Test Title	Search availability by date, time, party size
Test Objective	Verify availability search returns correct results
Requirement ID	REQ-7.2.1
Preconditions	User logged in. Database has tables configured.
Test Steps	1. Navigate to reservation page 2. Select date (tomorrow) 3. Select time (7:00 PM) 4. Enter party size (4) 5. Click Search button
Input Data	Date: tomorrow, Time: 19:00, Party: 4
Expected Result	Available time slots displayed. Tables that can accommodate 4 people shown.
Postconditions	None
Risk / Assumption	PR-09
Priority	High

Test Case TC-RES-007: Search with Past Date

Test Case ID	TC-RES-007
Test Title	Search with past date
Test Objective	Verify past dates are rejected or show no results
Requirement ID	REQ-7.2.1
Preconditions	User logged in
Test Steps	1. Navigate to reservation page 2. Select date (yesterday) 3. Select time 4. Enter party size 5. Click Search button
Input Data	Date: yesterday, Time: 19:00, Party: 4
Expected Result	Error message: "Cannot book past dates" or no results returned.
Postconditions	None
Risk / Assumption	-
Priority	Medium

Test Case TC-RES-008: Search with Party Size Exceeding Capacity

Test Case ID	TC-RES-008
Test Title	Search with party size exceeding maximum table capacity
Test Objective	Verify message when party too large for any table
Requirement ID	REQ-7.2.1
Preconditions	User logged in. Max table capacity is 8 (assumed).
Test Steps	1. Navigate to reservation page 2. Select future date 3. Select time 4. Enter party size (15) 5. Click Search button
Input Data	Date: tomorrow, Time: 19:00, Party: 15
Expected Result	Message: "No tables available for this party size" or "Please contact restaurant for large parties".
Postconditions	None
Risk / Assumption	-
Priority	Medium

Test Case TC-RES-009: Display Available Time Slots

Test Case ID	TC-RES-009
Test Title	Display available time slots
Test Objective	Verify only available (not booked) slots are shown
Requirement ID	REQ-7.2.1
Preconditions	Some time slots already booked
Test Steps	1. Search for availability on a date 2. Note which time slots appear 3. Check if booked slots are excluded
Input Data	Date: tomorrow
Expected Result	Only time slots with table availability are displayed. Booked slots not shown or marked unavailable.
Postconditions	None
Risk / Assumption	PR-09
Priority	High

Test Case TC-RES-010: Prevent Double-Booking Same Table/Time

Test Case ID	TC-RES-010
Test Title	Prevent double-booking of same table and time
Test Objective	Verify system prevents two reservations for same table at same time
Requirement ID	REQ-8.2.1
Preconditions	Two different customer accounts logged in
Test Steps	1. Customer A books Table 4 at 7:00 PM on a future date 2. Customer B tries to book the same Table 4 at 7:00 PM on same date
Input Data	Same table, same date, same time
Expected Result	Customer A: booking successful. Customer B: "Table not available" message.
Postconditions	Only one booking exists in database
Risk / Assumption	PR-01
Priority	High

Test Case TC-RES-011: Automatic Table Assignment (Party of 2)

Test Case ID	TC-RES-011
Test Title	Automatic table assignment for party of 2
Test Objective	Verify party of 2 gets assigned to 2-seat table
Requirement ID	REQ-7.2.2
Preconditions	2-seat and 4-seat tables available
Test Steps	1. Search availability for party of 2 2. Select a time slot 3. Complete booking 4. Check assigned table
Input Data	Party size: 2
Expected Result	Assigned to a 2-seat table (not a larger table)
Postconditions	Reservation saved with correct table
Risk / Assumption	ASM-05
Priority	Medium

Test Case TC-RES-012: Automatic Table Assignment (Party of 4)

Test Case ID	TC-RES-012
Test Title	Automatic table assignment for party of 4
Test Objective	Verify party of 4 gets assigned to 4-seat table
Requirement ID	REQ-7.2.2
Preconditions	2-seat and 4-seat tables available
Test Steps	1. Search availability for party of 4 2. Select a time slot 3. Complete booking 4. Check assigned table
Input Data	Party size: 4
Expected Result	Assigned to a 4-seat table (not two 2-seat tables)
Postconditions	Reservation saved with correct table
Risk / Assumption	ASM-05
Priority	Medium

Test Case TC-RES-013: Automatic Table Assignment (Party of 6)

Test Case ID	TC-RES-013
Test Title	Automatic table assignment for party of 6
Test Objective	Verify party of 6 gets assigned to 6-seat table
Requirement ID	REQ-7.2.2
Preconditions	6-seat tables available
Test Steps	1. Search availability for party of 6 2. Select a time slot 3. Complete booking 4. Check assigned table
Input Data	Party size: 6
Expected Result	Assigned to a 6-seat table or combined tables
Postconditions	Reservation saved with correct table(s)
Risk / Assumption	ASM-05
Priority	Medium

Test Case TC-RES-014: Create Reservation with Pending Approval

Test Case ID	TC-RES-014
Test Title	Create reservation with pending approval status
Test Objective	Verify new reservations require staff approval
Requirement ID	REQ-7.2.4
Preconditions	User logged in, availability exists
Test Steps	1. Search and select available time slot 2. Complete reservation form 3. Submit reservation 4. Check reservation status
Input Data	Valid reservation details
Expected Result	Reservation created with status = "Pending Approval"
Postconditions	Reservation in database, staff notified
Risk / Assumption	-
Priority	High

Test Case TC-RES-015: Add Pre-Order Items During Reservation

Test Case ID	TC-RES-015
Test Title	Add pre-order items during reservation
Test Objective	Verify customers can add food items when booking
Requirement ID	REQ-7.2.3
Preconditions	User logged in, availability exists, menu has items
Test Steps	1. Search and select time slot 2. On pre-order screen, select menu items 3. Add quantities 4. Complete reservation 5. Check staff/kitchen view
Input Data — 2 x Burgers, 1 x Fries — Expected Result	Pre-order items saved with reservation. Visible to kitchen staff.
Postconditions	Pre-order linked to reservation
Risk / Assumption	PR-07
Priority	Medium

Test Case TC-RES-016: Staff Approve Reservation

Test Case ID	TC-RES-016
Test Title	Staff approve reservation
Test Objective	Verify staff can approve pending reservations
Requirement ID	REQ-7.2.4
Preconditions	Staff logged in. Pending reservation exists.
Test Steps	1. Staff navigates to approval queue 2. Select pending reservation 3. Click Approve button
Input Data	Reservation ID of pending booking
Expected Result	Reservation status changes to "Approved". Customer receives notification.
Postconditions	Reservation confirmed
Risk / Assumption	-
Priority	High

Test Case TC-RES-017: Staff Reject Reservation with Notification

Test Case ID	TC-RES-017
Test Title	Staff reject reservation with notification
Test Objective	Verify staff can reject reservations and customer is notified
Requirement ID	REQ-7.2.4
Preconditions	Staff logged in. Pending reservation exists.
Test Steps	1. Staff navigates to approval queue 2. Select pending reservation 3. Enter rejection reason 4. Click Reject button
Input Data	Reservation ID, Reason: "Table unavailable due to maintenance"
Expected Result	Reservation status changes to "Rejected". Customer receives notification with reason.
Postconditions	Reservation marked rejected
Risk / Assumption	-
Priority	High

Test Case TC-RES-018: Cancel Reservation (25 Hours Before)

Test Case ID	TC-RES-018
Test Title	Cancel reservation 25 hours before scheduled time
Test Objective	Verify cancellation works when done more than 24 hours in advance
Requirement ID	REQ-7.2.5
Preconditions — Approved reservation exists for a time 25+ hours from now —	1. Customer logs in
Test Steps	2. Navigate to upcoming reservations 3. Select reservation 4. Click Cancel button
Input Data	Reservation ID (time $\geq$ 24 hours away)
Expected Result	Cancellation successful. Reservation removed from upcoming list.
Postconditions	Reservation marked cancelled in database
Risk / Assumption	PR-05
Priority	Medium

Test Case TC-RES-019: Cancel Reservation (23 Hours Before)

Test Case ID	TC-RES-019
Test Title	Cancel reservation 23 hours before scheduled time
Test Objective	Verify cancellation is rejected when less than 24 hours in advance
Requirement ID	REQ-7.2.5
Preconditions	Approved reservation exists for a time 23 hours from now
Test Steps	1. Customer logs in 2. Navigate to upcoming reservations 3. Select reservation 4. Click Cancel button
Input Data	Reservation ID (time $\geq$ 24 hours away)
Expected Result	Error message: "Cannot cancel within 24 hours of reservation". Cancellation fails.
Postconditions	Reservation remains active
Risk / Assumption	PR-05
Priority	Medium

Test Case TC-RES-020: View Upcoming Reservations

Test Case ID	TC-RES-020
Test Title	View upcoming reservations
Test Objective — Verify customer can see their future reservations — Requirement ID	-
Preconditions	Customer has 2+ future reservations
Test Steps	1. Customer logs in 2. Navigate to "My Reservations" 3. View list
Input Data	None
Expected Result	All upcoming reservations displayed with dates, times, status.
Postconditions	None
Risk / Assumption	-
Priority	Low

Test Case TC-RES-021: Kitchen Views Pre-Orders

Test Case ID	TC-RES-021
Test Title	Kitchen views pre-orders from reservations
Test Objective	Verify pre-ordered items are visible to kitchen staff
Requirement ID	REQ-7.2.3
Preconditions	Reservation with pre-order exists and is approved
Test Steps	1. Staff/Kitchen logs in 2. Navigate to pre-order view 3. Check if pre-order items appear
Input Data	Reservation ID with pre-order
Expected Result	Pre-order items displayed with preparation time and table number.
Postconditions	None
Risk / Assumption	PR-07
Priority	Medium

Test Case TC-RES-022: Session Timeout After 15 Minutes

Test Case ID	TC-RES-022
Test Title	Session timeout after 15 minutes of inactivity
Test Objective	Verify user is logged out after 15 minutes idle
Requirement ID	REQ-8.3.3
Preconditions	User logged in
Test Steps	1. Login to system 2. Do nothing for 16 minutes 3. Try to access a protected page
Input Data	None
Expected Result — Session expired. User redirected to login page. —	Session terminated
Postconditions	
Risk / Assumption	PR-04
Priority	Medium

Test Case TC-RES-023: SQL Injection in Search Field

Test Case ID	TC-RES-023
Test Title	SQL injection attempt in search field
Test Objective	Verify system sanitizes input to prevent SQL injection
Requirement ID	REQ-8.3 (Security)
Preconditions	User logged in
Test Steps — 1. Go to reservation search —	2. In party size field, enter: '1' OR '1'='1' 3. Click Search
Input Data — Party size: '1' OR '1'='1' —	Input sanitized. No database error. Normal error message or no results.
Expected Result	
Postconditions	None
Risk / Assumption	PR-10
Priority	Medium

2 Food Ordering Module Test Cases

2.1 Prepared By: Ashhal Aamir (29114)

Module Overview: Menu browsing, cart management, checkout, order tracking, and order history.

Test Case TC-ORD-001: Browse Menu by Category

Test Case ID	TC-ORD-001
Test Title	Browse menu by category
Test Objective	Verify menu items are organized by categories
Requirement ID	REQ-7.3.1
Preconditions	Menu has items in categories (Appetizers, Mains, Desserts)
Test Steps	1. Navigate to menu page 2. Click on "Appetizers" category 3. View items displayed 4. Click on "Mains" category
Input Data	None
Expected Result	Appetizers show only appetizer items. Mains show only main course items.
Postconditions	None
Risk / Assumption	-
Priority	High

Test Case TC-ORD-002: View Item Details and Pricing

Test Case ID	TC-ORD-002
Test Title	View item details and pricing
Test Objective	Verify each menu item shows correct name, description, price
Requirement ID	REQ-7.3.1
Preconditions	Menu items exist
Test Steps	1. Navigate to menu 2. Click on a menu item 3. View details page
Input Data	Menu item: "Chicken Burger"
Expected Result	Name, description, price, and image (if any) displayed correctly.
Postconditions	None
Risk / Assumption	-
Priority	High

Test Case TC-ORD-003: Add Item to Empty Cart

Test Case ID	TC-ORD-003
Test Title	Add item to empty cart
Test Objective	Verify item can be added to cart
Requirement ID	REQ-7.3.2
Preconditions	Cart is empty, user logged in
Test Steps	1. Navigate to menu 2. Click "Add to Cart" on an item 3. View cart
Input Data	Item: "Chicken Burger", Quantity: 1
Expected Result	Cart shows 1 item. Item name and price displayed.
Postconditions	Cart has 1 item
Risk / Assumption	PR-08
Priority	High

Test Case TC-ORD-004: Add Multiple Items to Cart

Test Case ID	TC-ORD-004
Test Title	Add multiple items to cart
Test Objective	Verify multiple different items can be added
Requirement ID	REQ-7.3.2
Preconditions	User logged in, cart empty
Test Steps	1. Add Burger to cart 2. Add Fries to cart 3. Add Drink to cart 4. View cart
Input Data	Burger, Fries, Drink
Expected Result	Cart shows all 3 items with correct quantities (1 each) and total price.
Postconditions	Cart has 3 items
Risk / Assumption	PR-08
Priority	High

Test Case TC-ORD-005: Remove Item from Cart

Test Case ID	TC-ORD-005
Test Title	Remove item from cart
Test Objective	Verify item can be removed from cart
Requirement ID	REQ-7.3.2
Preconditions	Cart has multiple items
Test Steps	1. View cart 2. Click "Remove" next to an item 3. Check cart contents
Input Data	Remove "Fries" from cart
Expected Result	Item removed. Remaining items still in cart. Total price updates.
Postconditions	Cart has one less item
Risk / Assumption	PR-08
Priority	High

Test Case TC-ORD-006: Update Quantity in Cart

Test Case ID	TC-ORD-006
Test Title	Update quantity in cart
Test Objective	Verify quantity can be changed and total updates
Requirement ID	REQ-7.3.2
Preconditions	Cart has an item with quantity 1
Test Steps	1. View cart 2. Change quantity from 1 to 3 3. Click Update 4. Check total price
Input Data	Item: Burger, Quantity: 1 → 3
Expected Result	Quantity changes to 3. Total price triples for that item.
Postconditions	Cart shows updated quantity
Risk / Assumption	PR-08
Priority	High

Test Case TC-ORD-007: Cart Persists During Session

Test Case ID	TC-ORD-007
Test Title	Cart persists during session
Test Objective	Verify cart contents remain after navigating away
Requirement ID	REQ-7.3.2
Preconditions	Cart has items
Test Steps	1. Add item to cart 2. Navigate to home page 3. Navigate to menu page 4. Navigate back to cart
Input Data	Item in cart
Expected Result	Cart still contains the same items after navigation.
Postconditions	Cart unchanged
Risk / Assumption	PR-08
Priority	Medium

Test Case TC-ORD-008: Select Order Type - Delivery

Test Case ID	TC-ORD-008
Test Title	Select order type - delivery
Test Objective	Verify delivery option shows address form
Requirement ID	REQ-7.3.3
Preconditions	Cart has items, user logged in
Test Steps	1. Proceed to checkout 2. Select "Delivery" as order type 3. View form
Input Data	Order type: Delivery
Expected Result	Delivery address form appears (street, city, zip code).
Postconditions	None
Risk / Assumption	-
Priority	High

Test Case TC-ORD-009: Select Order Type - Takeaway

Test Case ID	TC-ORD-009
Test Title	Select order type - takeaway
Test Objective	Verify takeaway option shows pickup time selection
Requirement ID	REQ-7.3.3
Preconditions	Cart has items, user logged in
Test Steps	1. Proceed to checkout 2. Select "Takeaway" as order type 3. View form
Input Data	Order type: Takeaway
Expected Result	Pickup time selection appears (earliest available time).
Postconditions	None
Risk / Assumption	-
Priority	High

Test Case TC-ORD-010: Enter Valid Delivery Address (In Zone)

Test Case ID	TC-ORD-010
Test Title	Enter valid delivery address within service zone
Test Objective	Verify address within zone is accepted
Requirement ID	REQ-7.3.3
Preconditions	Delivery selected as order type
Test Steps	1. Enter address within city limits 2. Submit address
Input Data	Address: 123 Main Street, City Center
Expected Result	Address accepted. User proceeds to payment.
Postconditions	Address saved with order
Risk / Assumption	ASM-06
Priority	Medium

Test Case TC-ORD-011: Enter Invalid Delivery Address (Outside Zone)

Test Case ID	TC-ORD-011
Test Title	Enter invalid delivery address outside service zone
Test Objective	Verify address outside zone is rejected
Requirement ID	REQ-7.3.3
Preconditions	Delivery selected as order type
Test Steps	1. Enter address outside city limits 2. Submit address
Input Data	Address: 999 Remote Road, Far Town
Expected Result	Error message: "Delivery not available to this address".
Postconditions	Address rejected, user can try again
Risk / Assumption	ASM-06
Priority	Medium

Test Case TC-ORD-012: Select Payment Method (Simulated)

Test Case ID	TC-ORD-012
Test Title	Select payment method (simulated)
Test Objective	Verify payment screen proceeds (simulated)
Requirement ID	-
Preconditions	Address validated
Test Steps	1. Select payment method (e.g., Credit Card) 2. Click Continue
Input Data	Payment method: Credit Card (simulated)
Expected Result	Proceeds to order confirmation screen. No actual payment processed.
Postconditions	None
Risk / Assumption	ASM-04
Priority	High

Test Case TC-ORD-013: Place Order with Empty Cart

Test Case ID	TC-ORD-013
Test Title	Place order with empty cart
Test Objective	Verify error when trying to checkout with empty cart
Requirement ID	-
Preconditions	Cart is empty, user logged in
Test Steps	1. Navigate to checkout 2. Try to place order
Input Data	None
Expected Result	Error message: "Your cart is empty. Add items before checkout."
Postconditions	Order not created
Risk / Assumption	-
Priority	Medium

Test Case TC-ORD-014: Place Valid Order

Test Case ID	TC-ORD-014
Test Title	Place valid order
Test Objective	Verify order is created with unique number
Requirement ID	REQ-7.3.4
Preconditions	Cart has items, address validated
Test Steps	1. Complete checkout process 2. Click Place Order 3. Note order number
Input Data	Valid cart and address
Expected Result	Order created. Unique order number displayed. Confirmation screen shown.
Postconditions	Order saved in database
Risk / Assumption	-
Priority	High

Test Case TC-ORD-015: Receive Order Confirmation

Test Case ID	TC-ORD-015
Test Title	Receive order confirmation
Test Objective	Verify confirmation is sent (simulated)
Requirement ID	REQ-7.3.4
Preconditions	Order placed successfully
Test Steps	1. Place order 2. Check for confirmation message
Input Data	Valid order
Expected Result	Confirmation displayed on screen. (Email simulated via console if configured).
Postconditions	None
Risk / Assumption	ASM-03
Priority	Medium

Test Case TC-ORD-016: Order Status - Received

Test Case ID	TC-ORD-016
Test Title	Order status - Received
Test Objective	Verify new orders start with "Received" status
Requirement ID	REQ-7.3.5
Preconditions	Order placed
Test Steps	1. Place new order 2. Check order status
Input Data	New order
Expected Result	Order status = "Received"
Postconditions	None
Risk / Assumption	PR-03
Priority	High

Test Case TC-ORD-017: Order Status - Preparing

Test Case ID	TC-ORD-017
Test Title	Order status - Preparing
Test Objective	Verify staff can update status to Preparing
Requirement ID	REQ-7.3.5
Preconditions	Staff logged in, order exists with status "Received"
Test Steps	1. Staff opens order 2. Click "Mark as Preparing"
Input Data	Order ID
Expected Result	Order status changes to "Preparing"
Postconditions	Customer can see updated status
Risk / Assumption	PR-03
Priority	High

Test Case TC-ORD-018: Order Status - Ready

Test Case ID	TC-ORD-018
Test Title	Order status - Ready
Test Objective	Verify staff can update status to Ready
Requirement ID	REQ-7.3.5
Preconditions	Staff logged in, order status "Preparing"
Test Steps	1. Staff opens order 2. Click "Mark as Ready"
Input Data	Order ID
Expected Result	Order status changes to "Ready"
Postconditions	Customer can see updated status
Risk / Assumption	PR-03
Priority	High

Test Case TC-ORD-019: Order Status - Completed

Test Case ID	TC-ORD-019
Test Title	Order status - Completed
Test Objective	Verify staff can update status to Completed
Requirement ID	REQ-7.3.5
Preconditions	Staff logged in, order status "Ready"
Test Steps	1. Staff opens order 2. Click "Mark as Completed"
Input Data	Order ID
Expected Result	Order status changes to "Completed"
Postconditions	Customer can see updated status
Risk / Assumption	PR-03
Priority	High

Test Case TC-ORD-020: Staff Update Order Status

Test Case ID	TC-ORD-020
Test Title	Staff update order status through all stages
Test Objective	Verify staff can move order through full workflow
Requirement ID	REQ-7.3.5
Preconditions	Staff logged in, order exists
Test Steps — 1. Update status: Received → Preparing —	2. Update status: Preparing → Ready 3. Update status: Ready → Completed
Input Data	Order ID
Expected Result	Status progresses correctly through all 4 stages. No stage can be skipped.
Postconditions	Order completed
Risk / Assumption	PR-03
Priority	High

Test Case TC-ORD-021: Staff Filter Orders by Status

Test Case ID	TC-ORD-021
Test Title	Staff filter orders by status
Test Objective	Verify staff can filter orders by status
Requirement ID	-
Preconditions	Multiple orders with different statuses exist
Test Steps	1. Staff navigates to order queue 2. Select filter: "Preparing" 3. View results
Input Data	Filter: Preparing
Expected Result	Only orders with "Preparing" status are shown.
Postconditions	None
Risk / Assumption	-
Priority	Medium

Test Case TC-ORD-022: Staff Search Order by Number

Test Case ID	TC-ORD-022
Test Title	Staff search order by order number
Test Objective	Verify staff can find order by unique number
Requirement ID	-
Preconditions	Order exists with known number
Test Steps	1. Staff navigates to order queue 2. Enter order number in search 3. Click Search
Input Data	Known order number (e.g., ORD-12345)
Expected Result	None
Postconditions	Correct order displayed.
Risk / Assumption	-
Priority	Medium

Test Case TC-ORD-023: View Order History

Test Case ID	TC-ORD-023
Test Title	View order history
Test Objective — Verify customer can see past orders — Requirement ID	-
Preconditions	Customer has completed past orders
Test Steps	1. Customer logs in 2. Navigate to "Order History" 3. View list
Input Data	None
Expected Result	All past orders displayed with dates, totals, and statuses.
Postconditions	None
Risk / Assumption	-
Priority	Low

Test Case TC-ORD-024: Reorder from History

Test Case ID	TC-ORD-024
Test Title	Reorder from history
Test Objective	Verify customer can reorder previous items
Requirement ID	-
Preconditions	Customer has past orders
Test Steps	1. Go to Order History 2. Click "Reorder" on a past order 3. View cart
Input Data	Past order ID
Expected Result	All items from past order added to cart.
Postconditions	Cart populated
Risk / Assumption	-
Priority	Low

Test Case TC-ORD-025: XSS in Search Field

Test Case ID	TC-ORD-025
Test Title	XSS attempt in menu search field
Test Objective	Verify system sanitizes input to prevent XSS
Requirement ID	REQ-8.3 (Security)
Preconditions	User logged in
Test Steps — 1. Go to menu search —	2. Enter: ‘ <code><script>alert(1)</script></code> ’ 3. Submit search
Input Data — ‘ <code><script>alert(1)</script></code> ’	Input sanitized. Script not executed. Normal search results displayed.
Expected Result	
Postconditions	None
Risk / Assumption	PR-11
Priority	Low

3 Login, Event Booking & Admin Module Test Cases

3.1 Prepared By: Muhammad Ibrahim (29079)

Module Overview: Authentication, role-based access, event booking, and admin dashboard.

Test Case TC-LGN-001: Customer Registration with Valid Data

Test Case ID	TC-LGN-001
Test Title	Customer registration with valid data
Test Objective	Verify customer can create account
Requirement ID	REQ-7.1.1
Preconditions	Email not already registered
Test Steps	1. Navigate to registration page 2. Enter email, password, name, phone 3. Click Register
Input Data	Email: newcustomer@example.com, Password: Pass123, Name: New Customer, Phone: 1234567890
Expected Result	Account created successfully. Customer role assigned.
Postconditions	User exists in database with role "Customer"
Risk / Assumption	-
Priority	High

Test Case TC-LGN-002: Duplicate Email Registration

Test Case ID	TC-LGN-002
Test Title	Duplicate email registration
Test Objective	Verify duplicate email is rejected
Requirement ID	REQ-7.1.1
Preconditions	Email already registered
Test Steps	1. Navigate to registration page 2. Enter already registered email 3. Click Register
Input Data	Email: existing@example.com (already in database)
Expected Result	Error message: "Email already registered". Account not created.
Postconditions	No new account created
Risk / Assumption	-
Priority	High

Test Case TC-LGN-003: Login with Valid Customer Credentials

Test Case ID	TC-LGN-003
Test Title	Login with valid customer credentials
Test Objective	Verify customer can login and sees customer dashboard
Requirement ID	REQ-7.1.2, REQ-8.3.1
Preconditions	Customer account exists
Test Steps	1. Navigate to login page 2. Enter customer email and password 3. Click Login
Input Data	Customer email and password
Expected Result	Login successful. Customer dashboard shown (reservation, ordering, event options).
Postconditions	Session created
Risk / Assumption	PR-07
Priority	High

Test Case TC-LGN-004: Login with Valid Staff Credentials

Test Case ID	TC-LGN-004
Test Title	Login with valid staff credentials
Test Objective	Verify staff can login and sees staff dashboard
Requirement ID	REQ-7.1.2, REQ-8.3.1
Preconditions	Staff account exists
Test Steps	1. Navigate to login page 2. Enter staff email and password 3. Click Login
Input Data	Staff email and password
Expected Result	Login successful. Staff dashboard shown (approval queue, order management).
Postconditions	Session created with staff role
Risk / Assumption	PR-07
Priority	High

Test Case TC-LGN-005: Login with Valid Admin Credentials

Test Case ID	TC-LGN-005
Test Title	Login with valid admin credentials
Test Objective	Verify admin can login and sees admin dashboard
Requirement ID	REQ-7.1.2, REQ-8.3.1
Preconditions	Admin account exists
Test Steps	1. Navigate to login page 2. Enter admin email and password 3. Click Login
Input Data	Admin email and password
Expected Result	Login successful. Admin dashboard shown (menu management, user management, overview).
Postconditions	Session created with admin role
Risk / Assumption	PR-07
Priority	High

Test Case TC-LGN-006: Customer Accessing Staff URL Directly

Test Case ID	TC-LGN-006
Test Title	Customer accessing staff URL directly
Test Objective	Verify role-based access prevents unauthorized access
Requirement ID	REQ-8.3.2
Preconditions	Customer logged in
Test Steps	1. Customer logs in 2. Try to access staff dashboard URL directly
Input Data	Staff dashboard URL (e.g., /staff/dashboard)
Expected Result	Access denied. Redirected to customer dashboard or login page.
Postconditions	No unauthorized access
Risk / Assumption	PR-07
Priority	High

Test Case TC-LGN-007: Customer Accessing Admin URL Directly

Test Case ID	TC-LGN-007
Test Title	Customer accessing admin URL directly
Test Objective	Verify role-based access prevents unauthorized access
Requirement ID	REQ-8.3.2
Preconditions	Customer logged in
Test Steps	1. Customer logs in 2. Try to access admin dashboard URL directly
Input Data	Admin dashboard URL (e.g., /admin/dashboard)
Expected Result	Access denied. Redirected to customer dashboard or login page.
Postconditions	No unauthorized access
Risk / Assumption	PR-07
Priority	High

Test Case TC-LGN-008: Logout Functionality

Test Case ID	TC-LGN-008
Test Title	Logout functionality
Test Objective	Verify user can logout and session ends
Requirement ID	-
Preconditions	User logged in
Test Steps	1. Click Logout button 2. Try to access protected page
Input Data	None
Expected Result	User logged out. Redirected to login page. Protected pages inaccessible.
Postconditions	Session terminated
Risk / Assumption	-
Priority	High

Test Case TC-EVT-001: Submit Event Booking Form

Test Case ID	TC-EVT-001
Test Title	Submit event booking form
Test Objective	Verify customer can submit event proposal
Requirement ID	REQ-7.4.1
Preconditions	Customer logged in
Test Steps	1. Navigate to event booking page 2. Enter event type, date, time, guest count 3. Submit form
Input Data	Event: Birthday, Date: 2026-06-15, Time: 18:00, Guests: 50
Expected Result	Proposal submitted successfully. Status = "Pending Approval".
Postconditions	Event request in database
Risk / Assumption	-
Priority	High

Test Case TC-EVT-002: Check Event Space Availability

Test Case ID	TC-EVT-002
Test Title	Check event space availability
Test Objective	Verify system shows available spaces based on guest count
Requirement ID	REQ-7.4.1
Preconditions	Customer logged in, event spaces configured
Test Steps	1. Enter guest count 2. System checks spaces 3. View available spaces
Input Data	Guest count: 50
Expected Result	Spaces that can accommodate 50+ guests are shown.
Postconditions	None
Risk / Assumption	PR-02
Priority	High

Test Case TC-EVT-003: Prevent Double-Booking of Event Space

Test Case ID	TC-EVT-003
Test Title	Prevent double-booking of event space
Test Objective	Verify system prevents two events in same space at same time
Requirement ID	REQ-7.4.3
Preconditions	Event space already booked for a date/time
Test Steps	1. Try to book same space at same date/time 2. Submit request
Input Data	Same space, same date, same time as existing booking
Expected Result	Conflict detected. Error message: "Space not available". Booking rejected.
Postconditions	No double-booking occurs
Risk / Assumption	PR-02
Priority	High

Test Case TC-EVT-004: Browse Catering Menu with Pricing

Test Case ID	TC-EVT-004
Test Title	Browse catering menu with pricing
Test Objective	Verify catering menu shows per-person prices
Requirement ID	REQ-7.4.2
Preconditions	Catering menu configured
Test Steps	1. Navigate to catering menu 2. View available packages 3. Check prices
Input Data	None
Expected Result	Each catering option shows name, description, and per-person price.
Postconditions	None
Risk / Assumption	-
Priority	Medium

Test Case TC-EVT-005: Calculate Catering Cost Correctly

Test Case ID	TC-EVT-005
Test Title	Calculate catering cost correctly
Test Objective	Verify total cost = guest count × per-person price
Requirement ID	REQ-7.4.2
Preconditions	Catering package selected with per-person price
Test Steps	1. Select catering package (25 <i>perperson</i>) 2. Enter guest count (50) 3. View calculated total
Input Data	Package price: 25, <i>Guests</i> : 50
Expected Result	Total cost = 1,250(2550)
Postconditions	None
Risk / Assumption	-
Priority	Medium

Test Case TC-EVT-006: Add Special Requirements to Booking

Test Case ID	TC-EVT-006
Test Title	Add special requirements to booking
Test Objective	Verify special requests are saved with booking
Requirement ID	-
Preconditions	Customer filling event form
Test Steps	1. Fill event details 2. Enter special requirements text 3. Submit booking 4. Staff views booking
Input Data	Special requirements: "Vegetarian options needed. Halal certified."
Expected Result	Special requirements saved and visible to staff when reviewing.
Postconditions	Requirements attached to booking
Risk / Assumption	-
Priority	Low

Test Case TC-EVT-007: Submit Booking with Guest Count Exceeding Capacity

Test Case ID	TC-EVT-007
Test Title	Submit booking with guest count exceeding capacity
Test Objective	Verify booking rejected if guest count exceeds space capacity
Requirement ID	REQ-7.4.1
Preconditions	Event space max capacity = 100
Test Steps	1. Select event space 2. Enter guest count = 150 3. Submit
Input Data	Guest count: 150 (exceeds 100 capacity)
Expected Result	Error: "Guest count exceeds space capacity. Please select a larger space or reduce guests."
Postconditions	Booking not created
Risk / Assumption	-
Priority	Medium

Test Case TC-EVT-008: Booking Status - Pending Approval

Test Case ID	TC-EVT-008
Test Title	Booking status - Pending Approval
Test Objective	Verify new bookings start with pending status
Requirement ID	-
Preconditions	Customer submits event booking
Test Steps	1. Submit valid event booking 2. Check booking status
Input Data	Valid event details
Expected Result	Booking status = "Pending Approval"
Postconditions	None
Risk / Assumption	-
Priority	High

Test Case TC-EVT-009: Staff Review Booking Request

Test Case ID	TC-EVT-009
Test Title	Staff review booking request
Test Objective	Verify staff can see pending event requests
Requirement ID	REQ-7.4.4
Preconditions	Staff logged in, pending event request exists
Test Steps	1. Staff navigates to event requests 2. View list of pending requests 3. Open a request
Input Data	None
Expected Result	All pending requests displayed with customer details, guest count, date, special requirements.
Postconditions	None
Risk / Assumption	-
Priority	High

Test Case TC-EVT-010: Staff Approve Booking

Test Case ID	TC-EVT-010
Test Title	Staff approve booking
Test Objective	Verify staff can approve event requests
Requirement ID	REQ-7.4.4
Preconditions	Staff logged in, pending request exists
Test Steps	1. Open pending request 2. Click Approve 3. Confirm
Input Data	Request ID
Expected Result	Booking status changes to "Approved". Customer notified.
Postconditions — Event confirmed —	-
Risk / Assumption	
Priority	High

Test Case TC-EVT-011: Staff Reject Booking with Reason

Test Case ID	TC-EVT-011
Test Title	Staff reject booking with reason
Test Objective	Verify staff can reject requests with explanation
Requirement ID	REQ-7.4.4
Preconditions	Staff logged in, pending request exists
Test Steps	1. Open pending request 2. Enter rejection reason 3. Click Reject
Input Data	Reason: "Date already booked for a private event"
Expected Result	Booking status changes to "Rejected". Customer notified with reason.
Postconditions	Event not confirmed
Risk / Assumption	-
Priority	High

Test Case TC-EVT-012: View Event Schedule Calendar

Test Case ID	TC-EVT-012
Test Title	View event schedule calendar
Test Objective	Verify staff can view all events on calendar
Requirement ID	-
Preconditions	Staff logged in, multiple approved events exist
Test Steps	1. Staff navigates to event calendar 2. View month/week/day view
Input Data	None
Expected Result	All approved events displayed on calendar with times and space info.
Postconditions	None
Risk / Assumption	-
Priority	Low

Test Case TC-ADM-001: Admin View All Orders

Test Case ID	TC-ADM-001
Test Title	Admin view all orders
Test Objective	Verify admin can see all orders in system
Requirement ID	-
Preconditions	Admin logged in, multiple orders exist
Test Steps	1. Admin navigates to orders page 2. View list
Input Data	None
Expected Result	All orders displayed with customer names, dates, totals, statuses.
Postconditions	None
Risk / Assumption	-
Priority	High

Test Case TC-ADM-002: Admin View All Reservations

Test Case ID	TC-ADM-002
Test Title	Admin view all reservations
Test Objective	Verify admin can see all reservations
Requirement ID	-
Preconditions	Admin logged in, multiple reservations exist
Test Steps	1. Admin navigates to reservations page 2. View list
Input Data	None
Expected Result	All reservations displayed with customer names, dates, times, party sizes.
Postconditions	None
Risk / Assumption	-
Priority	High

Test Case TC-ADM-003: Admin View System Overview

Test Case ID	TC-ADM-003
Test Title	Admin view system overview dashboard
Test Objective	Verify admin dashboard shows key metrics
Requirement ID	-
Preconditions	Admin logged in
Test Steps	1. Admin navigates to dashboard 2. View metrics
Input Data	None
Expected Result	Dashboard shows: total orders today, upcoming reservations, pending event requests.
Postconditions	None
Risk / Assumption	-
Priority	Medium

Test Case TC-ADM-004: Admin Create Menu Item

Test Case ID	TC-ADM-004
Test Title	Admin create menu item
Test Objective	Verify admin can add new menu items
Requirement ID	REQ-7.5.1
Preconditions	Admin logged in
Test Steps	1. Navigate to menu management 2. Click Add Item 3. Enter name, description, price, category 4. Save
Input Data	Name: "Grilled Salmon", Description: "Fresh salmon with vegetables", Price: 24.99, Category: Mains
Expected Result	New item appears in menu under correct category.
Postconditions	Item saved to database
Risk / Assumption	-
Priority	High

Test Case TC-ADM-005: Admin Edit Menu Item

Test Case ID	TC-ADM-005
Test Title	Admin edit menu item
Test Objective	Verify admin can modify existing menu items
Requirement ID	REQ-7.5.1
Preconditions	Admin logged in, menu item exists
Test Steps	1. Navigate to menu management 2. Select existing item 3. Change price 4. Save
Input Data	Item: "Chicken Burger", New Price: 14.99 (was 12.99)
Expected Result	Item price updated. Changes visible to customers.
Postconditions	Updated price saved
Risk / Assumption	-
Priority	High

Test Case TC-ADM-006: Admin Delete Menu Item

Test Case ID	TC-ADM-006
Test Title	Admin delete menu item
Test Objective	Verify admin can remove menu items
Requirement ID	REQ-7.5.1
Preconditions	Admin logged in, menu item exists
Test Steps	1. Navigate to menu management 2. Select existing item 3. Click Delete 4. Confirm
Input Data	Item: "Old Special"
Expected Result	Item removed from menu. No longer visible to customers.
Postconditions	Item no longer in database
Risk / Assumption	-
Priority	High

Test Case TC-ADM-007: Admin Create Menu Category

Test Case ID	TC-ADM-007
Test Title	Admin create menu category
Test Objective	Verify admin can add new categories
Requirement ID	REQ-7.5.1
Preconditions	Admin logged in
Test Steps	1. Navigate to menu management 2. Click Add Category 3. Enter category name 4. Save
Input Data	Category name: "Seafood"
Expected Result	New category appears in menu category list.
Postconditions	Category saved
Risk / Assumption	-
Priority	Medium

Test Case TC-ADM-008: Admin Configure Table Capacity

Test Case ID	TC-ADM-008
Test Title	Admin configure table capacity
Test Objective	Verify admin can update table capacities
Requirement ID	REQ-7.5.2
Preconditions	Admin logged in
Test Steps	1. Navigate to table configuration 2. Select a table 3. Change capacity from 4 to 6 4. Save
Input Data	Table ID: T-04, New Capacity: 6
Expected Result	Table capacity updated. Future reservations reflect new capacity.
Postconditions	Capacity saved
Risk / Assumption	-
Priority	Medium

Test Case TC-ADM-009: Admin Configure Event Space Capacity

Test Case ID	TC-ADM-009
Test Title	Admin configure event space capacity
Test Objective	Verify admin can update event space capacities
Requirement ID	REQ-7.5.2
Preconditions	Admin logged in
Test Steps	1. Navigate to event space configuration 2. Select a space 3. Change capacity from 100 to 120 4. Save
Input Data	Space: "Main Hall", New Capacity: 120
Expected Result	Space capacity updated. Future bookings reflect new capacity.
Postconditions	Capacity saved
Risk / Assumption	-
Priority	Medium

Test Case TC-ADM-010: Admin Create Staff Account

Test Case ID	TC-ADM-010
Test Title	Admin create staff account
Test Objective	Verify admin can create staff accounts
Requirement ID	REQ-7.5.3
Preconditions	Admin logged in
Test Steps	1. Navigate to user management 2. Click Add Staff 3. Enter email, name, assign role 4. Save
Input Data	Email: newstaff@example.com, Name: New Staff, Role: Staff
Expected Result	Staff account created. New staff can login with temporary password.
Postconditions	Staff user in database
Risk / Assumption	-
Priority	High

4 Test Case Summary

Module	Prepared By	Number of Test Cases
Reservation Module	Muhammad Faraz Ansari	23
Food Ordering Module	Ashhal Aamir	25
Login Module	Muhammad Ibrahim	8
Event Booking Module	Muhammad Ibrahim	12
Admin Module	Muhammad Ibrahim	10
Total		78

Notes:

- Each test case includes: Test Case ID, Title, Objective, Requirement ID, Preconditions, Test Steps, Input Data, Expected Result, Postconditions, Risk/Assumption Reference, Priority
- Priority levels (High/Medium/Low) are based on risk analysis from Test Plan
- Risk references (PR-01, PR-02, etc.) map to Product Risks in Test Plan Section 5.1
- Assumption references (ASM-01, ASM-05, etc.) map to Assumptions in Test Plan Section 4
- All expected results are derived from SRS specifications

Document prepared by: Team 10

Muhammad Faraz Ansari (29201), Ashhal Aamir (29114), Muhammad Ibrahim (29079)

Date: May 29, 2026

Project: Software Testing Project 2026 - Restaurant Management System