

SENTINEL FIREPLACES

Cast Iron/Steel Freestanding Stoves



The Wood Stove Trading Company (Pty) Ltd T/A Fireplace & Stove Centre www.woodstovefireplaces.co.za | info@woodstovefireplaces.co.za

Evo 5

Multifuel – Anthracite or Wood Heat Output 8 KW – 300 m³ Flue outlet 125 mm Top and rear flue outlet H540mm x W 570mm x D 473mm External air inlet Rear flue centre height – 435mm



Evo 5

943 Grande

Multifuel – Anthracite or Wood Heat Output 14 KW – 540 m³ Flue outlet 150 mm Top and rear flue outlet



943 Grande

H725mm x W 720mm x D 435mm Rear flue centre height – 510mm

051 Traditional

Multifuel - Anthracite or Wood Heat output 12 KW - 450m³ Flue outlet 150 mm Top and rear flue outlet



051 Traditional

H670mm x W630mm x D440mm Rear flue centre height - 490mm

942 L

Multifuel - Anthracite or Wood Heat output 12 KW - 450 m³ Flue outlet 150 mm Top and rear flue outlet



942 Large

H720mm x W565mm x D465mm Rear flue centre height - 520mm

034 Square

Multifuel – Anthracite or Wood Heat Output 10 KW - 380 m³ Flue outlet 150 mm Top and rear flue outlet

H605mm x W 595mm x D365mm Rear flue centre height – 445mm



034 Square

055 Ribbed

Multifuel - Anthracite or Wood Heat output 10 KW - 380m3 Flue outlet 150 mm Top and rear flue outlet

H715mm x W490mm x D445mm Rear flue centre height - 545mm



Multifuel - Anthracite or Wood Heat output 8 KW - 300m3 Flue outlet 150 mm Top and rear flue outlet

H570mm x W555mm x D340mm Rear flue centre height - 415mm

942 M

Multifuel - Anthracite or Wood Heat output 8 KW - 300m3 Flue outlet 125 mm Top and rear flue outlet

H655mm x W480mm x D420mm Rear flue centre height - 505mm

942 S

Multifuel - Anthracite or Wood Heat Output 5 KW - 240m3 Flue outlet 125 mm Top and rear flue outlet

H 560mm x W 430mm x D320mm











942 Smal

942 Medium

055 Ribbed

033 Square

Sentinel Fireplaces - Great Value - Great Warmth Design and Heating outputs to suit all homes The Sentinel Ranges of Wood Stoves carry a 3 year warrantee on the stove body Warrantee excludes glass and general wear items

Spares for all current models are kept and available

New Ottawa Range 2017

Features

Full vermiculite firebrick lining on the Curve & Compact model, Clay firebrick on the Square model. Advanced clean burn system, Pre-heated Airwash, Thick steel plate with cast iron door, grate and log retainer across the range.

Ottawa Square

Heat output 12 KW - 450m³ Flue outlet 150 mm Top and rear flue outlet

H610mm x W570mm x D420mm Stove height with log stand - 850mm Rear flue centre height: Without log stand - 480mm / With log stand - 730mm





Ottawa Square

Ottawa Curve

Heat output 10 KW - 380m³ Flue outlet 150 mm Top and rear flue outlet

H620mm x W520mm x D450mm

Stove height with log stand - 820mm Rear flue centre height: Without log stand - 490mm / With log stand - 690mm





Ottawa Curve

Ottawa Compact

Heat output 6 KW - 220m³ Flue outlet 125 mm Top and rear flue outlet

H560mm x W480mm x D365mm Stove height with log stand - 750mm Rear flue centre height: Without log stand - 460mm / With log stand - 650mm





Ottawa Compact