



9 JULY - SQL TASK

Name : Fardin Firoj Atapade (A27)



JULY 9, 2026

Table = emp

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7369	SMITH	CLERK	7902	1980-12-17	800.00	NULL	20
7499	ALLEN	SALESMAN	7698	1981-02-20	1600.00	300.00	30
7521	WARD	SALESMAN	7698	1981-02-22	1250.00	500.00	30
7566	JONES	MANAGER	7839	1981-04-02	2975.00	NULL	20
7654	MARTIN	SALESMAN	7698	1981-09-28	1250.00	1400.00	30
7698	BLAKE	MANAGER	7839	1981-05-01	2850.00	NULL	30
7782	CLARK	MANAGER	7839	1981-06-09	2450.00	NULL	10
7788	SCOTT	ANALYST	7566	1987-04-19	3000.00	NULL	20
7839	KING	PRESIDENT	NULL	1981-11-17	5000.00	NULL	10
7844	TURNER	SALESMAN	7698	1981-09-08	1500.00	0.00	30
7876	ADAMS	CLERK	7788	1987-05-23	1100.00	NULL	20
7900	JAMES	CLERK	7698	1981-12-03	950.00	NULL	30
7902	FORD	ANALYST	7566	1981-12-03	3000.00	NULL	20
7934	MILLER	CLERK	7782	1982-01-23	1300.00	NULL	10

1. LIST ALL THE EMPLOYEES WHOSE COMMISSION IS NULL AND WORKING AS CLERK

QUERY :

```
SELECT *  
FROM emp  
WHERE COMM IS NULL  
AND JOB = 'CLERK' ;
```

OUTPUT :

✓ Showing rows 0 - 3 (4 total, Query took 0.0004 seconds.)

SELECT * FROM emp WHERE COMM IS NULL AND JOB = 'CLERK';

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

				EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
☐	Edit	Copy	Delete	7369	SMITH	CLERK	7902	1980-12-17	800.00	NULL	20
☐	Edit	Copy	Delete	7876	ADAMS	CLERK	7788	1987-05-23	1100.00	NULL	20
☐	Edit	Copy	Delete	7900	JAMES	CLERK	7698	1981-12-03	950.00	NULL	30
☐	Edit	Copy	Delete	7934	MILLER	CLERK	7782	1982-01-23	1300.00	NULL	10

2. LIST ALL THE EMPLOYEES WHO DON'T HAVE A REPORTING MANAGER IN DEPTNO 10 OR 30

QUERY :

```
SELECT *  
FROM emp  
WHERE MGR IS NULL  
AND DEPTNO IN(10, 20);
```

OUTPUT :

✓ Showing rows 0 - 0 (1 total, Query took 0.0005 seconds.)

```
SELECT * FROM emp WHERE MGR IS NULL AND DEPTNO IN(10, 20);
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all

Number of rows: 25 ▼

Filter rows:

Extra options

	EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
☐ Edit Copy Delete	7839	KING	PRESIDENT	NULL	1981-11-17	5000.00	NULL	10

3. LIST ALL THE SALESMEN IN DEPT 30 WITH SAL MORE THAN 2450**QUERY :**

```
SELECT *  
FROM EMP  
WHERE JOB = 'SALESMAN'  
AND DEPTNO = 30  
AND SAL > 2450;
```

4. LIST ALL THE ANALYST IN DEPT NUMBER 20 AND HAVING SALARY GREATER THAN 2500**QUERY :**

```
SELECT *  
FROM emp  
WHERE JOB = 'ANALYST'  
AND DEPTNO = 20  
AND SAL > 2500 ;
```

OUTPUT :

✓ Showing rows 0 - 1 (2 total, Query took 0.0004 seconds.)

`SELECT * FROM emp WHERE JOB = 'ANALYST' AND DEPTNO = 20 AND SAL > 2500;`

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

				EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
☐				7788	SCOTT	ANALYST	7566	1987-04-19	3000.00	NULL	20
☐				7902	FORD	ANALYST	7566	1981-12-03	3000.00	NULL	20

5. LIST ALL THE EMPLOYEES WHOSE NAME STARTS WITH 'M' OR 'J'**QUERY :**

SELECT *

FROM emp

WHERE (ENAME LIKE 'M%'

OR ENAME LIKE 'J%');

OUTPUT :

✓ Showing rows 0 - 3 (4 total, Query took 0.0004 seconds.)

```
SELECT * FROM emp WHERE (ENAME LIKE 'M%' OR ENAME LIKE 'J%');
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

				EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
☐	Edit	Copy	Delete	7566	JONES	MANAGER	7839	1981-04-02	2975.00	NULL	20
☐	Edit	Copy	Delete	7654	MARTIN	SALESMAN	7698	1981-09-28	1250.00	1400.00	30
☐	Edit	Copy	Delete	7900	JAMES	CLERK	7698	1981-12-03	950.00	NULL	30
☐	Edit	Copy	Delete	7934	MILLER	CLERK	7782	1982-01-23	1300.00	NULL	10

6. LIST ALL THE EMPLOYEES WITH ANNUAL SALARY EXCEPT THOSE WHO ARE WORKING IN DEPT 30

QUERY :

```
SELECT emp.*, SAL*12 AS ANNUAL_SAL
```

```
FROM emp
```

```
WHERE DEPTNO != 30 ;
```

OUTPUT :

✓ Showing rows 0 - 7 (8 total, Query took 0.0005 seconds.)

`SELECT emp.*, SAL*12 AS ANNUAL_SAL FROM emp WHERE DEPTNO != 30;`

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

				EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO	ANNUAL_SAL
☐				7369	SMITH	CLERK	7902	1980-12-17	800.00	NULL	20	9600.00
☐				7566	JONES	MANAGER	7839	1981-04-02	2975.00	NULL	20	35700.00
☐				7782	CLARK	MANAGER	7839	1981-06-09	2450.00	NULL	10	29400.00
☐				7788	SCOTT	ANALYST	7566	1987-04-19	3000.00	NULL	20	36000.00
☐				7839	KING	PRESIDENT	NULL	1981-11-17	5000.00	NULL	10	60000.00
☐				7876	ADAMS	CLERK	7788	1987-05-23	1100.00	NULL	20	13200.00
☐				7902	FORD	ANALYST	7566	1981-12-03	3000.00	NULL	20	36000.00
☐				7934	MILLER	CLERK	7782	1982-01-23	1300.00	NULL	10	15600.00

7. LIST THE EMPLOYEES WHOSE NAME DOES NOT END WITH 'ES' OR 'R'**QUERY :**

```

SELECT *
FROM emp
WHERE (ENAME NOT LIKE '%ES'
AND ENAME NOT LIKE '%R') ;

```


OUTPUT :

✓ Showing rows 0 - 9 (10 total, Query took 0.0006 seconds.)

`SELECT * FROM emp WHERE (ENAME NOT LIKE '%ES' AND ENAME NOT LIKE '%R');`

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

☐ Show all | Number of rows: 25 | Filter rows: Sort by key: None

Extra options

				EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
☐				7369	SMITH	CLERK	7902	1980-12-17	800.00	NULL	20
☐				7499	ALLEN	SALESMAN	7698	1981-02-20	1600.00	300.00	30
☐				7521	WARD	SALESMAN	7698	1981-02-22	1250.00	500.00	30
☐				7654	MARTIN	SALESMAN	7698	1981-09-28	1250.00	1400.00	30
☐				7698	BLAKE	MANAGER	7839	1981-05-01	2850.00	NULL	30
☐				7782	CLARK	MANAGER	7839	1981-06-09	2450.00	NULL	10
☐				7788	SCOTT	ANALYST	7566	1987-04-19	3000.00	NULL	20
☐				7839	KING	PRESIDENT	NULL	1981-11-17	5000.00	NULL	10
☐				7876	ADAMS	CLERK	7788	1987-05-23	1100.00	NULL	20
☐				7902	FORD	ANALYST	7566	1981-12-03	3000.00	NULL	20

8. LIST ALL THE EMPLOYEES WHO ARE HAVING REPORTING MANAGERS IN DEPT 10 ALONG WITH 10% HIKE IN SALARY**QUERY :**

```

SELECT *
FROM emp
WHERE MGR IS NOT NULL
AND DEPTNO = 10
AND SAL+SAL*12*0.10 ;

```

OUTPUT :

✓ Showing rows 0 - 1 (2 total, Query took 0.0005 seconds.)

`SELECT * FROM emp WHERE MGR IS NOT NULL AND DEPTNO = 10 AND SAL+SAL*12*0.10;`

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

				EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
☐				7782	CLARK	MANAGER	7839	1981-06-09	2450.00	NULL	10
☐				7934	MILLER	CLERK	7782	1982-01-23	1300.00	NULL	10

9. DISPLAY ALL THE EMPLOYEE WHO ARE 'SALESMAN'S HAVING E AS THE LAST BUT ONE CHARACTER IN ENAME BUT SALARY HAVING EXACTLY 4 CHARACTER

QUERY :

```

SELECT *
FROM emp
WHERE JOB = 'SALESMAN'
AND ENAME LIKE '%E_'
AND SAL BETWEEN 1000 AND 9999 ;

```

OUTPUT :

✓ Showing rows 0 - 1 (2 total, Query took 0.0005 seconds.)

```
SELECT * FROM emp WHERE JOB = 'SALESMAN' AND ENAME LIKE '%E_' AND SAL BETWEEN 1000 AND 9999;
```

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

				EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
☐				7499	ALLEN	SALESMAN	7698	1981-02-20	1600.00	300.00	30
☐				7844	TURNER	SALESMAN	7698	1981-09-08	1500.00	0.00	30

10. DISPLAY ALL THE EMPLOYEE WHO ARE JOINED AFTER YEAR 81**QUERY :**

SELECT *

FROM emp

WHERE HIREDATE > '1981-12-31' ;

OUTPUT :

✓ Showing rows 0 - 2 (3 total, Query took 0.0004 seconds.)

```
SELECT * FROM emp WHERE HIREDATE > '1981-12-31';
```

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

				EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
☐				7788	SCOTT	ANALYST	7566	1987-04-19	3000.00	NULL	20
☐				7876	ADAMS	CLERK	7788	1987-05-23	1100.00	NULL	20
☐				7934	MILLER	CLERK	7782	1982-01-23	1300.00	NULL	10

11. DISPLAY ALL THE EMPLOYEE WHO ARE JOINED IN FEB**QUERY :**

SELECT *

FROM emp

WHERE HIREDATE LIKE '%FEB%';

12. LIST THE EMPLOYEES WHO ARE NOT WORKING AS MANAGERS AND CLERKS IN DEPT 10 AND 20 WITH A SALARY IN THE RANGE OF 1000 TO 3000

QUERY :

```
SELECT *  
FROM emp  
WHERE (JOB != 'MANAGER'  
AND JOB != 'CLERK')  
AND DEPTNO IN(10,20)  
AND SAL BETWEEN 1000 AND 3000 ;
```

OUTPUT :

✓ Showing rows 0 - 1 (2 total, Query took 0.0004 seconds.)

`SELECT * FROM emp WHERE (JOB != 'MANAGER' AND JOB != 'CLERK') AND DEPTNO IN(10,20) AND SAL BETWEEN 1000 AND 3000;`

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

☐ Show all | Number of rows: 25 ▼ | Filter rows: Search this table | Sort by key: None ▼

Extra options

				EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
☐				7788	SCOTT	ANALYST	7566	1987-04-19	3000.00	NULL	20
☐				7902	FORD	ANALYST	7566	1981-12-03	3000.00	NULL	20

13. LIST THE EMPLOYEES WHOSE SALARY NOT IN THE RANGE OF 1000 TO 2000 AND WORKING IN DEPT 10,20 OR 30 EXCEPT ALL SALESMEN

QUERY :

```
SELECT *
FROM emp
WHERE SAL NOT BETWEEN 1000 AND 2000
AND DEPTNO IN(10,20,30)
AND JOB != 'SALESMAN' ;
```

OUTPUT :

✓ Showing rows 0 - 7 (8 total, Query took 0.0005 seconds.)

`SELECT * FROM emp WHERE SAL NOT BETWEEN 1000 AND 2000 AND DEPTNO IN(10,20,30) AND JOB != 'SALESMAN' ;`

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

☐ Show all | Number of rows: 25 | Filter rows: | Sort by key: None

Extra options

			EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
☐				7369	SMITH	CLERK	7902 1980-12-17	800.00	NULL	20
☐				7566	JONES	MANAGER	7839 1981-04-02	2975.00	NULL	20
☐				7698	BLAKE	MANAGER	7839 1981-05-01	2850.00	NULL	30
☐				7782	CLARK	MANAGER	7839 1981-06-09	2450.00	NULL	10
☐				7788	SCOTT	ANALYST	7566 1987-04-19	3000.00	NULL	20
☐				7839	KING	PRESIDENT	NULL 1981-11-17	5000.00	NULL	10
☐				7900	JAMES	CLERK	7698 1981-12-03	950.00	NULL	30
☐				7902	FORD	ANALYST	7566 1981-12-03	3000.00	NULL	20

14. LIST THE DEPARTMENT NAMES WHICH ARE HAVING LETTER 'O' IN THEIR LOCATIONS AS WELL AS THEIR DEPARTMENT NAMES

QUERY :

```
SELECT *  
FROM emp  
WHERE LOC LIKE '%O%'  
AND JOB LIKE '%0%';
```

15. DISPLAY ALL THE EMPLOYEES WHOSE JOB HAS STRING 'MAN' IN IT

QUERY :

```
SELECT *  
FROM emp  
WHERE JOB LIKE 'MAN%';
```

OUTPUT :

✓ Showing rows 0 - 2 (3 total, Query took 0.0004 seconds.)

`SELECT * FROM emp WHERE JOB LIKE 'MAN%';`

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

				EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
☐	Edit	Copy	Delete	7566	JONES	MANAGER	7839	1981-04-02	2975.00	NULL	20
☐	Edit	Copy	Delete	7698	BLAKE	MANAGER	7839	1981-05-01	2850.00	NULL	30
☐	Edit	Copy	Delete	7782	CLARK	MANAGER	7839	1981-06-09	2450.00	NULL	10

16. LIST THE EMPLOYEES WHO ARE HIRED AFTER 82 AND BEFORE 87**QUERY :**

SELECT *

FROM emp

WHERE HIREDATE BETWEEN '1983-01-01' AND '1986-12-31' ;

17. WAQTD ALL THE DETAILS OF EMPLOYEES HIRED IN NOVEMBER AND DECEMBER**QUERY :**

SELECT *

FROM emp

WHERE (HIREDATE LIKE '%NOV%'

AND HIREDATE LIKE '%DEC%') ;

18. LIST ALL THE EMPLOYEE NAMES AND COMISSION FOR THOSE EMPLOYEES WHO EARN COMISSION MORE THAN THEIR SALARY

QUERY :

```
SELECT ENAME, COMM  
FROM emp  
WHERE COMM > SAL ;
```

OUTPUT :

✓ Showing rows 0 - 0 (1 total, Query took 0.0004 seconds.)

```
SELECT ENAME, COMM FROM emp WHERE COMM > SAL;
```

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

☐ Show all | Number of rows: 25 ▼ Filter rows:

Extra options

	ENAME	COMM
☐ Edit Copy Delete	MARTIN	1400.00

19. WAOTD NAME AND DESIGNATION FOR ALL THE EMPLOYEES HAVING REPORTING MANAGERS AND ALSO THRIE NAMES STARTING WITH 'S'

QUERY :

```
SELECT ENAME, JOB  
FROM emp  
WHERE MGR IS NOT NULL  
AND ENAME LIKE 'S%';
```

OUTPUT :

Showing rows 0 - 1 (2 total, Query took 0.0006 seconds.)

```
SELECT ENAME, JOB FROM emp WHERE MGR IS NOT NULL AND ENAME LIKE 'S%';
```

☐
Profiling
[Edit inline]
[Edit]
[Explain SQL]
[Create PHP code]
[Refresh]

☐ Show all

Number of rows:
25

Filter rows:

Sort by key:
None

Extra options

				ENAME	JOB
☐	Edit	Copy	Delete	SMITH	CLERK
☐	Edit	Copy	Delete	SCOTT	ANALYST

20. WAQTD NAME AND SALARY OF ALL THE EMPLOYEES IF THEIR ANNUAL SALARY ENDS WITH '0'

QUERY :

```
SELECT ENAME, SAL  
FROM emp  
WHERE SAL*12 LIKE '%0' ;
```

OUTPUT :

✓ Showing rows 0 - 13 (14 total, Query took 0.0004 seconds.)

`SELECT ENAME, SAL FROM emp WHERE SAL*12 LIKE '%0' ;`

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

				ENAME	SAL
☐				SMITH	800.00
☐				ALLEN	1600.00
☐				WARD	1250.00
☐				JONES	2975.00
☐				MARTIN	1250.00
☐				BLAKE	2850.00
☐				CLARK	2450.00
☐				SCOTT	3000.00
☐				KING	5000.00
☐				TURNER	1500.00
☐				ADAMS	1100.00
☐				JAMES	950.00
☐				FORD	3000.00
☐				MILLER	1300.00

21. WAQID NAME OF THE EMPLOYEE HAVING ATLEAST TWO I's IN HIS NAME

QUERY :

```
SELECT ENAME
```

```
FROM emp
```

```
WHERE ENAME LIKE '%L%L%';
```

OUTPUT :

✓ Showing rows 0 - 1 (2 total, Query took 0.0004 seconds.)

```
SELECT ENAME FROM emp WHERE ENAME LIKE '%L%L%';
```

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

☐ Show all | Number of rows: 25 ▼ Filter rows: Sort by key: None ▼

Extra options

				ENAME
☐	Edit	Copy	Delete	ALLEN
☐	Edit	Copy	Delete	MILLER

22. WAQTD NAME OF THE EMPLOYEES WHOS NAME STARTS WITH A 'VOWEL'

QUERY :

```
SELECT ENAME
```

```
FROM emp
```

```
WHERE ENAME LIKE 'A%';
```

OUTPUT :

✓ Showing rows 0 - 1 (2 total, Query took 0.0003 seconds.)

```
SELECT ENAME FROM emp WHERE ENAME LIKE 'A%';
```

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

☐ Show all | Number of rows: 25 | Filter rows: Sort by key: None

Extra options

				ENAME
☐	Edit	Copy	Delete	ALLEN
☐	Edit	Copy	Delete	ADAMS