

SEOmator

SEO Audit Report

<https://www.elitetouchrenovations.au/>


91/100

Excellent — On-Page SEO Score

3 failed

18 warnings

150 passed



171 checks • 16 categories • 2026-09-12

Scores Overview

Overall on-page score plus Google Lighthouse lab results.

CATEGORY	SCORE	GRADE
On-Page SEO	91/100	Excellent
Performance (Lighthouse)	93/100	Excellent
Accessibility (Lighthouse)	100/100	Excellent
Best Practices (Lighthouse)	92/100	Excellent
SEO (Lighthouse)	100/100	Excellent

Audit Category Summary

CATEGORY	SCORE	FAIL	WARN	PASS
Core SEO	98	0	1	17
Content	73	2	1	10
Performance	74	1	6	10
Links	100	0	0	15
Images	97	0	1	13
Security	100	0	0	14
Accessibility	96	0	1	11
Structured Data	89	0	1	3
Social	95	0	2	7
E-E-A-T	86	0	4	10
URL Structure	100	0	0	13
Mobile	100	0	0	5
HTML Validation	100	0	0	9
Redirects	100	0	0	5
AI/GEO Readiness	89	0	1	4
Internationalization	100	0	0	4

Detailed Audit Results

Core SEO — 98/100 (18 checks)

STATUS	CHECK	RESULT
WARN	Meta Description Length	Meta description is long (199 chars, recommended: 120-160)
PASS	Title Tag Present	Title tag found: "Bathroom Renovations Near You in Sydney Elite Touch"
PASS	Title Tag Length	Title length is 53 characters (good)
PASS	Meta Description Present	Meta description found (199 chars)
PASS	Canonical URL Present	Canonical URL found: https://www.elitetouchrenovations.au/
PASS	Canonical URL Valid	Canonical URL is valid: https://www.elitetouchrenovations.au/
PASS	Viewport Meta Tag	Viewport meta tag found
PASS	Favicon Present	Favicon found
PASS	H1 Tag Present	H1 found: "Bathroom renovations near you in Sydney, done once and done properly."
PASS	Single H1 Tag	Page has exactly one H1 tag
PASS	Robots Meta Directives	No restrictive robots directives found
PASS	No Snippet Blocking	Page allows search snippets
PASS	Canonical Header Validation	Canonical specified via single source
PASS	Conflicting Canonical URLs	At most one canonical source found
PASS	Canonical Not Pointing to Homepage	This is the homepage
PASS	Canonical Protocol Match	Canonical protocol matches page protocol
PASS	Canonical Loop Detection	Canonical is self-referencing
PASS	Canonical and Noindex Conflict	Page does not have noindex directive

Content — 73/100 (13 checks)

STATUS	CHECK	RESULT
FAIL	Text-to-HTML Ratio	Text-to-HTML ratio is very low: 7.6% (minimum 10% recommended)

FAIL	Meta Description Pixel Width	Meta description is too wide for SERPs: ~1227.5px (max 920px recommended)
WARN	Keyword Stuffing Check	Potentially high keyword density: "bathroom" at 3.01%, "sydney" at 2.07%
PASS	Content Word Count	Content has 923 words
PASS	Content Reading Level	Content reads at grade level 11
PASS	Heading Hierarchy	All 26 headings follow a logical hierarchy
PASS	Heading Length	All headings have appropriate length
PASS	Title vs H1 Duplication	Title and H1 are different
PASS	Title Pixel Width	Title pixel width is ~331px (within 580px limit)
PASS	Broken HTML Structure	No severe HTML structure issues detected
PASS	Meta Tags in Body	All <meta> tags are correctly placed in <head>
PASS	Content MIME Type	Content-type is text/html
PASS	Article Link Density	Article link density is 8.6%

Performance — 74/100 (17 checks)

STATUS	CHECK	RESULT
FAIL	No Lazy Loading Above Fold	First image has lazy loading — delays LCP
WARN	Render-Blocking Resources	1 render-blocking script(s) in <head>
WARN	LCP Optimization Hints	LCP candidate missing fetchpriority="high"; LCP candidate image not preloaded
WARN	Text Compression	No text compression detected
WARN	Brotli Compression	No compression detected
WARN	Inline JS Size	50KB inline JS (recommended: <50KB)
WARN	HTTP/2+ Support	No alt-svc header found (HTTP/3 may not be supported)
PASS	DOM Size	DOM has 307 elements
PASS	Preconnect Hints	Preconnect hints are in place
PASS	Font Loading Optimization	Font loading is optimized
PASS	CSS File Size	1 CSS file(s), 0KB inline
PASS	Page Weight	HTML is 90KB
PASS	Cache Policy	Caching headers present
PASS	Response Time	Response time is 392ms
PASS	Minify Inline CSS	Inline CSS appears minified

PASS	Minify Inline JS	Inline JavaScript appears minified
PASS	Video Instead of GIF	No GIF images detected

Links — 100/100 (15 checks)

STATUS	CHECK	RESULT
PASS	Descriptive Anchor Text	All links have descriptive anchor text
PASS	Fragment Link Targets	All fragment links point to existing elements
PASS	Invalid Links	No invalid links found
PASS	Excessive Link Count	Page has 48 links
PASS	No Localhost Links	No localhost or development server references found
PASS	No Local File Links	No local file path references found
PASS	No onclick Navigation	No onclick-based navigation detected
PASS	Clean Link HREFs	All link href values are clean
PASS	No HTTPS Downgrade	All links use HTTPS (no protocol downgrade)
PASS	External Link Count	Page has 2 external link(s)
PASS	Internal Links Present	Page has 43 internal link(s)
PASS	Appropriate Nofollow Usage	Nofollow usage appears appropriate
PASS	Valid Phone & Email Links	All 6 tel:/mailto: link(s) have valid format
PASS	URL Depth	Page depth is 0 level(s)
PASS	No Dead-End Pages	Page has 43 outgoing internal link(s)

Images — 97/100 (14 checks)

STATUS	CHECK	RESULT
WARN	Image Alt Text Length	4 images with problematic alt length: 4 with alt >125 chars
PASS	Image Alt Attributes Present	All 6 images have alt attributes
PASS	Image Alt Text Quality	All alt texts appear descriptive
PASS	Image Dimensions Specified	All 6 images have explicit dimensions
PASS	Image Lazy Loading	All below-fold images use lazy loading
PASS	Modern Image Formats	No images with recognizable format extensions found
PASS	Responsive Images (srcset)	6 of 6 images use srcset
PASS	Figure Captions Present	All 1 <figure> elements have <figcaption>

PASS	Image Filename Quality	All image filenames appear descriptive
PASS	Inline SVG Size	No inline SVGs found on the page
PASS	Picture Element Fallback	No <picture> elements found on the page
PASS	CSS Background Images for Content	No inline CSS background images detected
PASS	Image Dimensions Size	No images with dimensions exceeding 2000px
PASS	Broken Image Detection	All 6 image sources appear valid

Security — 100/100 (14 checks)

STATUS	CHECK	RESULT
PASS	HTTPS	Page served over HTTPS
PASS	HSTS Header	HSTS enabled with max-age=63072000
PASS	Content Security Policy	CSP header present
PASS	X-Frame-Options	X-Frame-Options: SAMEORIGIN
PASS	X-Content-Type-Options	X-Content-Type-Options: nosniff
PASS	External Links Security	All target="_blank" links have rel="noopener"
PASS	Form HTTPS Actions	All forms submit securely
PASS	Mixed Content	No mixed content detected
PASS	Permissions Policy	Permissions-Policy header present
PASS	Referrer Policy	Referrer-Policy: strict-origin-when-cross-origin
PASS	No Leaked Secrets	No leaked secrets detected in HTML
PASS	No Password Fields on HTTP	Page served over HTTPS
PASS	No Protocol-Relative URLs	No protocol-relative URLs found
PASS	TLS Configuration	HSTS configured with includeSubDomains and preload

Accessibility — 96/100 (12 checks)

STATUS	CHECK	RESULT
WARN	Interactive Element Labels	6 interactive element(s) lack discernible text
PASS	Color Contrast (Heuristic)	No obvious inline-style contrast issues detected
PASS	Focus Visible Styles	No focus outline removal detected
PASS	Form Input Labels	All 7 form inputs have associated labels
PASS	Heading Level Order	Heading hierarchy is correct (26 headings)

PASS	Landmark Regions	Found 4 landmark region(s): main, navigation, banner/header, contentinfo/footer
PASS	Link Discernible Text	All 54 links have discernible text
PASS	Skip Navigation Link	Skip link found: #main
PASS	Table Headers	No tables found
PASS	Touch Target Size	No inline-style touch target size issues detected
PASS	Video Captions	No <video> elements found
PASS	Zoom Not Disabled	Viewport meta does not restrict user zooming

Structured Data — 89/100 (4 checks)

STATUS	CHECK	RESULT
WARN	Schema Type Present	1 schema(s) missing @type property
PASS	Structured Data Present	Found 1 JSON-LD block(s)
PASS	Structured Data Valid JSON	All 1 JSON-LD block(s) are valid JSON
PASS	Required Schema Fields	All schemas have required fields

Social — 95/100 (9 checks)

STATUS	CHECK	RESULT
WARN	Social Share Buttons	No social media share buttons or links detected
WARN	Social Media Profile Links	No links to social media profiles found
PASS	Open Graph Title	og:title found: "Bathroom Renovations Near You in Sydney Elite Touch"
PASS	Open Graph Description	og:description found (199 chars)
PASS	Open Graph Image	og:image found: https://www.elitetouchrenovations.au/og/default.jpg
PASS	Open Graph Image Format	og:image URL has a recognized image extension
PASS	Open Graph URL	og:url found: https://www.elitetouchrenovations.au/
PASS	OG URL Matches Canonical	og:url matches canonical URL
PASS	Twitter Card Meta Tag	twitter:card found: "summary_large_image"

E-E-A-T — 86/100 (14 checks)

STATUS	CHECK	RESULT
--------	-------	--------

WARN	Author Expertise Signals	No author expertise signals found (bio, credentials)
WARN	Content Dates	No publication or modification date found
WARN	Physical Address	No physical address found
WARN	Editorial Policy	No editorial policy link found
PASS	About Page Link	Link to about page found
PASS	Contact Page Link	Link to contact page found
PASS	Privacy Policy	Privacy policy link found
PASS	Terms of Service	Terms of service link found
PASS	Author Byline	Author attribution found
PASS	External Citations	2 external link(s) found
PASS	Trust Signals	Trust signals found: badge, rating
PASS	Disclaimers	Content does not appear to be YMYL
PASS	Affiliate Disclosure	No affiliate links detected
PASS	YMYL Detection	Content does not appear to be YMYL

URL Structure — 100/100 (13 checks)

STATUS	CHECK	RESULT
PASS	URL Slug Keywords	Homepage URL — no slug to check
PASS	No Stop Words in URL	No stop words found in URL
PASS	No Uppercase in URL	URL path is lowercase
PASS	No Underscores in URL	URL uses hyphens (not underscores)
PASS	No Double Slash in Path	No double slashes in URL path
PASS	No Spaces in URL	No spaces in URL
PASS	No Non-ASCII in URL	URL uses ASCII characters only
PASS	URL Length	URL is 37 characters
PASS	No Repetitive Path Segments	No repeated URL segments
PASS	URL Parameters	No query parameters
PASS	No Session IDs in URL	No session IDs in URL
PASS	No Tracking Parameters	No tracking parameters in URL
PASS	No Internal Search URLs	Not a search results page

Mobile — 100/100 (5 checks)

STATUS	CHECK	RESULT
--------	-------	--------

PASS	Readable Font Size	No inline font sizes below 12px detected
PASS	Viewport Uses device-width	Viewport uses width=device-width
PASS	Single Viewport Tag	Single viewport meta tag
PASS	No Intrusive Interstitials	No intrusive interstitials detected
PASS	No Horizontal Scroll	No major horizontal scroll issues detected

HTML Validation — 100/100 (9 checks)

STATUS	CHECK	RESULT
PASS	DOCTYPE Declaration	<!DOCTYPE html> is present
PASS	Character Encoding	Character encoding is declared
PASS	Valid Head Elements	All <head> children are valid
PASS	Noscript in Head	No <noscript> in <head>
PASS	Single Head Element	Single <head> element
PASS	HTML Size Limit	HTML is 0.09MB
PASS	No Placeholder Text	No placeholder text detected
PASS	Single Title Element	Single <title> element
PASS	Single Meta Description	Single meta description

Redirects — 100/100 (5 checks)

STATUS	CHECK	RESULT
PASS	No Meta Refresh Redirect	No meta refresh redirect
PASS	No JavaScript Redirect	No JavaScript redirects detected
PASS	No HTTP Refresh Header	No HTTP Refresh header
PASS	Redirect Type	HTTP 200 — no redirect
PASS	No HTTP Resource URLs on HTTPS	All resources use HTTPS

AI/GEO Readiness — 89/100 (5 checks)

STATUS	CHECK	RESULT
WARN	llms.txt Reference	No llms.txt reference found — consider adding one for AI discoverability
PASS	Semantic HTML	7 semantic element types found: section, aside, main, nav, header, footer, figure
PASS	Content Structure for AI	Good content structure: 35 structural elements

PASS	AI Bot Access	No AI crawlers are blocked
PASS	Schema Content Drift	JSON-LD content aligns with visible page text

Internationalization — 100/100 (4 checks)

STATUS	CHECK	RESULT
PASS	HTML Lang Attribute	Lang attribute: en-AU
PASS	Hreflang Tags	No hreflang tags (single-language site)
PASS	No Hreflang on Noindex Pages	No hreflang tags
PASS	Hreflang Self-Reference	No hreflang tags

Heading Structure

H1 (1)

- Bathroom renovations near you in Sydney, done once and done properly.

H2 (7)

- Four services. Wet areas are all we do.
- What it is like to have us in your home.
- Need bathroom renovations near you in Sydney?
- Communication, punctuality, and a clean site.
- Frequently asked questions about bathroom renovations in Sydney
- Recent Sydney bathrooms
- Book a free on-site measure

H3 (18)

- Bathroom Renovations
- Ensuite Renovations
- Bathroom + Laundry Renovations
- Powder Room Renovations
- Free on-site measure
- Fixed-scope written quote
- Demolition and waterproofing
- Tiling, fit-off and final clean
- Hills District
- Inner West
- North-Western Sydney
- Eastern Suburbs
- North Shore
- Why people call us back
- Artarmon bathroom renovation
- Castle Hill bathroom renovation
- Hornsby bathroom renovation
- Send us your details

Social Media Tags

PROPERTY	VALUE
og:title	Bathroom Renovations Near You in Sydney Elite Touch
og:description	Looking for bathroom renovations near you in Sydney? We deliver NSW-licensed bathroom, ensuite, powder room and bathroom-laundry renovations with AS 3740 waterproofing and fixed-scope written quotes.
og:url	https://www.elitetouchrenovations.au/
og:site_name	Elite Touch Renovations
og:locale	en_AU
og:image	https://www.elitetouchrenovations.au/og/default.jpg
og:image:width	1200
og:image:height	630
og:image:alt	Elite Touch Renovations — bathroom renovations across Sydney
og:type	website
twitter:card	summary_large_image
twitter:title	Bathroom Renovations Near You in Sydney Elite Touch
twitter:description	Looking for bathroom renovations near you in Sydney? We deliver NSW-licensed bathroom, ensuite, powder room and bathroom-laundry renovations with AS 3740 waterproofing and fixed-scope written quotes.
twitter:image	https://www.elitetouchrenovations.au/og/default.jpg
twitter:image:alt	Elite Touch Renovations — bathroom renovations across Sydney
twitter:image:width	1200
twitter:image:height	630
twitter:domain	www.elitetouchrenovations.au