Status	Finished
Started	Tuesday, 20 October 2026, 5:25 PM
Completed	Tuesday, 20 October 2026, 5:28 PM
Duration	2 mins 52 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following is a conventional searching technique?

a. Dynamic search
b. Binary search
c. Linear search ✓
d. Hashing

Question **2**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 99; what are the mid values(corresponding array elements) in the first and second levels of recursion?

a. 90 and 99 ✓
b. 89 and 99
c. 89 and 94
d. 90 and 94

Question **3**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 100; What are the mid values(corresponding array elements) generated in the first and second iterations?

a. 94 and 99
b. 90 and 99 ✓
c. 90 and 100
d. 89 and 94

Question **4**

Correct

Mark 1.00 out of 1.00

During a binary search, what happens if the target element matches the middle element?

a. The search continues in the right sublist
b. The search ends successfully ✓
c. The search continues in the left sublist
d. The list is sorted

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following is a type of searching method?

a. Bubble search
b. Linear search ✓
c. Quick search
d. Merge search

Question **6**

Correct

Mark 1.00 out of 1.00

What happens when the element is found in linear search?

a. The search continues until the end of the list
b. The search starts over from the beginning
c. The search backtracks to find duplicate elements
d. The search stops immediately ✓

Question **7**

Correct

Mark 1.00 out of 1.00

In _____ checks the elements of a list, one at a time, without skipping any element.

a. Both (1) & (3)
b. Linear search ✓
c. Hash search
d. Binary search

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following is a limitation of binary search?

- a. It requires the list to be sorted ✓
- b. It can only be applied to large lists
- c. It does not work with negative numbers
- d. It is slower than linear search for small lists

Question **9**

Correct

Mark 1.00 out of 1.00

In binary search, what happens if the middle element does not match the target element?

- a. The search continues from the beginning
- b. The search stops
- c. The search continues in the left or right sublist ✓
- d. The list is sorted

Question **10**

Correct

Mark 1.00 out of 1.00

What is searching in the context of computer science?

- a. Determining whether an element is present in a list ✓
- b. Deleting elements from a list
- c. Sorting elements in a list
- d. Inserting elements into a list

Question **11**

Correct

Mark 1.00 out of 1.00

Finding the location of a given item in a collection of items is called

- a. Searching ✓
- b. Finding
- c. Mining
- d. Discovering

Question **12**

Correct

Mark 1.00 out of 1.00

In linear search, if the target element is not found in the list, what is the result?

- a. The search is considered unsuccessful ✓
- b. An error is raised
- c. The first element is returned
- d. The last element is returned

Question **13**

Correct

Mark 1.00 out of 1.00

What is the time complexity of binary search in the worst case?

- a. O👎
- b. O(n log n)
- c. O(1)
- d. O(log n) ✓

Question **14**

Correct

Mark 1.00 out of 1.00

In the context of searching, what is a successful search?

- a. When the element is found in the list ✓
- b. When the list is sorted
- c. When the search algorithm finishes
- d. When the list contains duplicate elements

Question **15**

Correct

Mark 1.00 out of 1.00

What is the best-case time complexity of linear search?

- a. O👎
- b. O(n log n)
- c. O(1) ✓
- d. O(log n)