

## PROBLEM

The owners of the Super Supermarket would like a program that can compute the weekly gross and net pay for an employee. The inputs for the program are the employee's name, number of hours worked, and hourly rate of pay. Gross pay is the number of hours worked times the hourly rate. Net pay is the gross pay minus deductions. Assume that deductions are taken for tax withholding (30% of gross pay) and parking (\$10 per week).

### Update

Modify the program you are writing to limit the range of user inputs, and account for regular vs. overtime hours. The number of hours worked by an employee cannot be less than zero, or more than 60.0 hours; their hourly rate also cannot be less than zero, or more than \$99.99. Regular hours are those worked up to and including the first 40 hours per week. Overtime hours are those worked in excess of the first 40 hours per week. Gross pay is the sum of wages earned from regular hours and overtime hours; overtime is paid at 1.5 times the regular rate.

## ANALYSIS

### IPO Chart

Variable	Type	Input	Processing	Output
<i>first_name</i>	String	X	X	
<i>last_name</i>	String	X	X	
<i>full_name</i>	String		X	X
<i>hours</i>	Float	X		X
<i>hourly_rate</i>	Float	X		X
<i>regular_hours</i>	Float		X	
<i>overtime_hours</i>	Float		X	
<i>gross_pay</i>	Float		X	X
<i>tax</i>	Float		X	X
<i>net_pay</i>	Float		X	X

### CONSTANTS

TAX\_RATE = 0.30

PARKING\_FEES = 10.00

REGULAR\_HOURS\_LIMIT = 40.0

MAX\_HOUR\_LIMIT = 60.0

MAX\_HOURLY\_RATE = 99.99

### FORMULAS


$full\_name \leftarrow last\_name + ", " + first\_name$

$gross\_pay \leftarrow (regular\_hours \times hourly\_rate) + (overtime\_hours \times (hourly\_rate \times 1.5))$

$tax \leftarrow TAX\_RATE \times gross\_pay$

$net\_pay \leftarrow gross\_pay - tax - PARKING\_FEES$

## HIERARCHY CHART



## DESIGN (PSEUDOCODE)

```

Declare TAX_RATE As Float Constant=0.30
Declare PARKING_FEES As Float Constant=10.00
Declare REGULAR_HOURS_LIMIT As Float Constant=40.0
Declare MAX_HOUR_LIMIT As Float Constant=60.0
Declare MAX_HOURLY_RATE As Float Constant=99.99
  
```

```

Begin main()
  Declare full_name As String
  Declare hours, hourly_rate, gross_pay, tax, net_pay As Float
  Call welcome_page()
  Call Input(full_name, hours, hourly_rate)
  Call processing(hours, hourly_rate, gross_pay, tax, net_pay)
  Call output(full_name, hours, hourly_rate, gross_pay, tax, net_pay)
End
  
```

```

Begin welcome_page()
  Write "Welcome to Payroll Calculator"
End
  
```

**Begin** input(out *full\_name* As String, out *hours* As Float, out *hourly\_rate* As Float)

**Declare** *first\_name*, *last\_name* As String

**Write** "Enter first name:"

**Input** *first\_name*

**Write** "Enter last name:"

**Input** *last\_name*

**Write** "Enter number of hours worked:"

**Input** *hours*

**If** *hours* < 0.0 **Then**

**Write** "Hours cannot be less than zero"

**Set** *hours*  $\leftarrow$  0.0

**Else**

**If** *hours* > MAX\_HOUR\_LIMIT **Then**

**Write** "You cannot work more than " + MAX\_HOUR\_LIMIT + " hours"

**Set** *hours*  $\leftarrow$  MAX\_HOUR\_LIMIT

**Else**

**End**

**End**

**Write** "Enter hourly rate:"

**Input** *hourly\_rate*

**If** *hourly\_rate* < 0.0 **Then**

**Write** "Hourly rate cannot be less than zero"

**Set** *hourly\_rate*  $\leftarrow$  0.0

**Else**

**If** *hourly\_rate* > MAX\_HOURLY\_RATE **Then**

**Write** "Hourly rate cannot be more than \$" + MAX\_HOURLY\_RATE

**Set** *hourly\_rate*  $\leftarrow$  MAX\_HOURLY\_RATE

**Else**

**End**

**End**

**Call** format\_full\_name(*first\_name*, *last\_name*, *full\_name*)

**End**

**Begin** format\_full\_name(in *first\_name* As String, in *last\_name* As String, out *full\_name* As String)

**Set** *full\_name*  $\leftarrow$  *last\_name* + ", " + *first\_name*

**End**

**Begin** processing(in *saat* As Float, in *nerkh* As Float, out *na\_khaales* As Float, out *maleeya* As Float, out *khaales* As Float)

**Declare** *saat\_poora*, *saat\_ezaafa* As Float

**Call** overtime\_calculation(*saat*, *saat\_poora*, *saat\_ezaafa*)

**Set** *na\_khaales*  $\leftarrow$  (*saat\_poora* x *nerkh*) + (*saat\_ezaafa* x *nerkh* x 1.5)

```

Set maleeya ← TAX_RATE x na_khaales
Set khaales ← na_khaales - maleeya - PARKING_FEES
End

Begin overtime_calculation(in hours As Float, out regular_hours As Float, out overtime_hours As Float)
  If hours <= REGULAR_HOURS_LIMIT Then
    Set regular_hours ← hours
    Set overtime_hours ← 0.0
  Else
    Set regular_hours ← REGULAR_HOURS_LIMIT
    Set overtime_hours ← hours - REGULAR_HOURS_LIMIT
  End
End

```

```

Begin output(in full_name As String, in hours As Float, in hourly_rate As Float, in gross_pay As Float, in
tax As Float, in net_pay As Float)
  Write "Name: " + full_name
  Write "Hours Worked: " + hours
  Write "Hourly Rate: $" + hourly_rate
  Write "Gross Pay: $" + gross_pay
  Write "Tax: $" + tax
  Write "Net Pay: $" + net_pay
End

```

## TEST DATA

#	first_name	last_name	full_name	hours	hourly_rate	gross_pay	tax	net_pay
0	Farhad	Alemi	Alemi, Farhad	0.0	\$0.00	\$0.00	\$0.00	-\$10.00
1	Micro	Soft	Soft, Micro	-10.0	-\$140.00	\$0.00	\$0.00	-\$10.00
2	Apple	Mac	Mac, Apple	13.5	\$10.50	\$141.75	\$42.53	\$89.23
3	Win	Twelve	Twelve, Win	40.0	\$60.00	\$2400.00	\$720.00	\$1670.00
4	Sac	City	City, Sac	54.0	\$99.90	\$6093.90	\$1828.17	\$4255.73
5	Comp	Science	Science, Comp	60.0	\$99.99	\$6999.30	\$2099.79	\$4889.51
6	CISP	Key	Key, CISP	100.0	\$150.00	\$6999.30	\$2099.79	\$4889.51
7	Fred	Flintstone	Flintstone, Fred	25	\$12.50	\$312.50	\$93.75	\$208.75
8	Betty	Rubble	Rubble, Betty	1000	\$5000.00	\$6999.30	\$2099.79	\$4889.51
9	Wilma	Flintstone	Flintstone, Wilma	40	\$14.00	\$560.00	\$168.00	\$382.00
10	Barney	Rubble	Rubble, Barney	-100	-\$12.00	\$0.00	\$0.00	-\$10.00