

DUAL-TRACK AI EDITION

The Voynich Manuscript

Evidence-Based Analytical Pilot



This is not a decipherment or translation. This document contains transliteration and structural analysis only.

Pilot edition pilot-0.1.0 | 14 August 2026

Prepared with OpenAI Codex - GPT-5.6 Sol (max reasoning)

Research status and scope

Bottom line: The visible script can be transliterated and its distributions can be analysed. No reproducible key currently turns it into validated English. Accordingly, this edition reports every observation at the level actually supported by the data.

Item	Pilot result
Primary transliteration	Zandbergen-Landini EVA, IVTFF 2.0, version 3b (13 May 2025)
Pilot coverage	12 representative folios/surfaces; 535 loci
Pilot normalized token slots	3,380
Full ZL corpus used for statistics	227 surfaces; 5,385 loci; 39,176 normalized token slots
Semantic claim	None. English word meanings remain unestablished.
Reproducibility	All generated rows identify source locator and ruleset pilot-0.1.0.

Why two editions

This analytical volume protects the distinction between evidence and imagination. Its companion volume deliberately explores what a readable medieval herbal, cosmological, bathing, pharmaceutical, and recipe-like reconstruction might sound like. The companion is useful as a creative hypothesis generator, but it is not evidence for what the manuscript says.

Frozen analytical rules

The parser preserves folio and locus identifiers, keeps uncertain breaks explicit, records whether text is paragraphal, circular, radial, or label-like, and computes token frequency and positional tendencies from the complete ZL corpus. A structural gloss may describe these features, but it may not assign an English dictionary meaning.

Competing models retained

Model	What it can explain	What remains unproved
Unknown natural language	Section clustering, repeated morphology-like families, topic-related distribution	Language identity, phonetic values, grammar, and translation
Ciphertext or codebook	Patterned output may conceal Latin, Italian, or another plaintext; verbose ciphers can imitate Voynich statistics	The actual historical key and a unique reverse mapping
Generated pseudo-text	Local similarity, repetition, and copy-with-	Whether all long-range and section-related

Model	What it can explain	What remains unproved
	variation effects	structure follows from generation alone
Published language claims	Individual proposals can fit selected readings or illustrations	Stable full-corpus rules, held-out prediction, and independent specialist validation

Line-by-line analytical edition

How to read: EVA is a visual transliteration alphabet. [?break] marks an uncertain separation and | marks an illustration or major interruption. The gray line beneath each EVA locus is a structural description, not a translation.

Folio f1r | Text-only / control

A text-dominant opening folio with later marginal additions and the historical Tepenec signature. It is used as a control because illustration-led semantics are unavailable.



Folio f1r. Courtesy of the Yale University Library; scan sequence from the supplied facsimile.

Metadata: Currier language A; hand 1; quire A

[f1r.1 @P0] fachys ykal ar ataiin shol shory [cth:oto]res y kor sholdy [note: @254;]
running paragraph text; paragraph opening; 10 normalized token groups. ykal: recurrent form; ar: broad high-frequency form; ataiin: productive ending family. no English lexical value established.

[f1r.2 +P0] sory ckhar or [?break] y kair chtaiin shar ase cthar cthar [?break] dan
running paragraph text; continuation; 11 normalized token groups. ckhar: recurrent form; or: broad high-frequency form; y: broad high-frequency form. within-line repetition: cthar. no English lexical value established.

[f1r.3 +P0] syaiir sheky or ykaiin shod cthoary cthes daraiin sy
running paragraph text; continuation; 9 normalized token groups. sheky: recurrent form; or: broad high-frequency form; ykaiin: productive ending family. no English lexical value established.

[f1r.4 +P0] soiin oteey oteo[s:r] [?break] roloty cthiar [?break] daiin okaiin or okan
running paragraph text; continuation; 9 normalized token groups. soiin: line-initial tendency; oteey: broad high-frequency form; oteos: recurrent form. no English lexical value established.

[f1r.5 +P0] sair [?break] y chear cthaiin cphar cfhaiin
running paragraph text; continuation; 6 normalized token groups. sair: line-initial tendency; y: broad high-frequency form; chear: recurrent form. no English lexical value established.

[f1r.6 =Pt] ydaraishy

running paragraph text; paragraph or sequence ending; 1 normalized token group. no English lexical value established.

[f1r.7 *P0] [note: @252;] odar {c'y} shol cphoy oydar sh s cfhoaiin shodary

running paragraph text; paragraph opening; 9 normalized token groups. odar: recurrent form; cy: recurrent form; shol: broad high-frequency form. no English lexical value established.

[f1r.8 +P0] yshey shody okchoy otchol chocthy os [?break] chy dain chor kos

running paragraph text; continuation; 10 normalized token groups. yshey: line-initial tendency; shody: productive ending family; otchol: line-initial tendency. no English lexical value established.

[f1r.9 +P0] daiin shos cfhol shody

running paragraph text; continuation; 4 normalized token groups. daiin: broad high-frequency form; shos: line-initial tendency; cfhol: recurrent form. no English lexical value established.

[f1r.10 =Pt] dain os teody

running paragraph text; paragraph or sequence ending; 3 normalized token groups. dain: broad high-frequency form; os: recurrent form; teody: productive ending family. no English lexical value established.

[f1r.11 *P0] [note: @253;] ydain cphesaiin ols cphey ytain shoshy cphodal [?break] es

running paragraph text; paragraph opening; 8 normalized token groups. ydain: productive ending family; cphesaiin: productive ending family; ols: line-final tendency. no English lexical value established.

[f1r.12 +P0] oksho kshoy otairin oteol okan shodain sckhey daiin

running paragraph text; continuation; 8 normalized token groups. oksho: recurrent form; oteol: recurrent form; okan: recurrent form. no English lexical value established.

[f1r.13 +P0] shoy ckhey kodaiin cphy cphodaiils ctthey sho oldain d

running paragraph text; continuation; 9 normalized token groups. ckhey: productive ending family; kodaiin: productive ending family; cphy: recurrent form. no English lexical value established.

[f1r.14 +P0] dain oiin chol odaiin chodain chdy ok[a:o]in d?n cthy kod

running paragraph text; continuation; 11 normalized token groups. dain: broad high-frequency form; oiin: recurrent form; chol: broad high-frequency form. no English lexical value established.

[f1r.15 +P0] daiin shckhey {ck}eo r char shey kol chol chol kor chal

running paragraph text; continuation; 11 normalized token groups. daiin: broad high-frequency form; shckhey: productive ending family; r: broad high-frequency form. within-line repetition: chol. no English lexical value established.

[f1r.16 +P0] sho chol shodan kshy kchy d or chodaiin sho koeam

running paragraph text; continuation; 10 normalized token groups. sho: broad high-frequency form; chol: broad high-frequency form; kshy: recurrent form. within-line repetition: sho. no English lexical value established.

[f1r.17 +P0] ycho tchey chekain sheo [?break] pshol dydyd cthy dai[{cto}:@194;]y

running paragraph text; continuation; 11 normalized token groups. ycho: recurrent form; tchey: productive ending family; chekain: productive ending family. no English lexical value established.

[f1r.18 +P0] yto shol she kodshey cphealy dar [?break] ain dain ckhyds

running paragraph text; continuation; 9 normalized token groups. yto: recurrent form; shol: broad high-frequency form; she: recurrent form. no English lexical value established.

[f1r.19 +P0] dchar shcthaiin okaiir chey @192;chy @130;tol cthols dlo{ct}o

running paragraph text; continuation; 8 normalized token groups. dchar: recurrent form; shcthaiin: productive ending family; okaiir: recurrent form. no English lexical value established.

[f1r.20 +P0] shok chor chey dain ckhey

running paragraph text; continuation; 5 normalized token groups. shok: recurrent form; chor: broad high-frequency form; chey: broad high-frequency form. no English lexical value established.

[f1r.21 =Pt] otol daiiin

running paragraph text; paragraph or sequence ending; 2 normalized token groups. otol: broad high-frequency form; daiiin: line-final tendency. no English lexical value established.

[f1r.22 *P0] cpho shaiin shokcheey chol tshodeesy shey pydeey cha ro [?break] dar
running paragraph text; paragraph opening; 10 normalized token groups. shaiin: productive ending family; shokcheey: productive ending family; chol: broad high-frequency form. no English lexical value established.

[f1r.23 +P0] ydoin chol dain cthal dar shear kaiin dar shey cthar
running paragraph text; continuation; 10 normalized token groups. chol: broad high-frequency form; dain: broad high-frequency form; cthal: recurrent form. within-line repetition: dar. no English lexical value established.

[f1r.24 +P0] cho ?o kaiin shoaiin okol daiin far cthol daiin ctholdar
running paragraph text; continuation; 10 normalized token groups. cho: broad high-frequency form; o: broad high-frequency form; kaiin: productive ending family. within-line repetition: daiin. no English lexical value established.

[f1r.25 +P0] ycheey okeey oky daiin okchey kokaiin o?chol k?dchy dal
running paragraph text; continuation; 11 normalized token groups. ycheey: line-initial tendency; okeey: broad high-frequency form; oky: broad high-frequency form. no English lexical value established.

[f1r.26 +P0] dcheo shody koshey cthy ok [?break] chey keey keey [?break] dal chtor
running paragraph text; continuation; 10 normalized token groups. dcheo: recurrent form; shody: productive ending family; koshey: productive ending family. within-line repetition: keey. no English lexical value established.

[f1r.27 +P0] ?eo? chol chok choty chotey
running paragraph text; continuation; 5 normalized token groups. chol: broad high-frequency form; chok: recurrent form; choty: recurrent form. no English lexical value established.

[f1r.28 =Pt] dchaiin
running paragraph text; paragraph or sequence ending; 1 normalized token group. dchaiin: productive ending family. no English lexical value established.

Folio f3r | Herbal

A herbal folio with a single large plant. A historical annotation proposes a Cretan-dittany-like identification, but the plant identification is not secure.



Folio f3r. Courtesy of the Yale University Library; scan sequence from the supplied facsimile.

Metadata: Currier language A; hand 1; quire A

[f3r.1 @P0] tsheos qopal chol cthol daimg

running paragraph text; paragraph opening; 5 normalized token groups. qopal: productive qo- family; chol: broad high-frequency form; cthol: section-concentrated form. no English lexical value established.

[f3r.2 +P0] ycheor chor dam qotcham cham

running paragraph text; continuation; 5 normalized token groups. ycheor: recurrent form; chor: broad high-frequency form; dam: broad high-frequency form. no English lexical value established.

[f3r.3 +P0] ochor qocheor chol daiin cthy

running paragraph text; continuation; 5 normalized token groups. ochor: recurrent form; qocheor: productive qo- family; chol: broad high-frequency form. no English lexical value established.

[f3r.4 +P0] schey chor chal chag cham cho

running paragraph text; continuation; 6 normalized token groups. schey: productive ending family; chor: broad high-frequency form; chal: recurrent form. no English lexical value established.

[f3r.5 +P0] qokol chololy s cham cthol

running paragraph text; continuation; 5 normalized token groups. qokol: broad high-frequency form; s: broad high-frequency form; cham: line-final tendency. no English lexical value established.

[f3r.6 +P0] ychtaian chor cthom otaldam

running paragraph text; continuation; 4 normalized token groups. ychtaian: productive ending family; chor: broad high-frequency form; cthom: recurrent form. no English lexical value established.

[f3r.7 +P0] otchol qodaiin chom shom damo

running paragraph text; continuation; 5 normalized token groups. otchol: line-initial tendency; qodaiin: productive qo- family; chom: line-final tendency. no English lexical value established.

[f3r.8 +P0] ysheor chor chol oky dago

running paragraph text; continuation; 5 normalized token groups. ysheor: recurrent form; chor: broad high-frequency form; chol: broad high-frequency form. no English lexical value established.

[f3r.9 +P0] sho vor sheoldam otchody ol

running paragraph text; continuation; 5 normalized token groups. sho: broad high-frequency form; otchody: productive ending family; ol: broad high-frequency form. no English lexical value established.

[f3r.10 +P0] ydar cholcthom

running paragraph text; paragraph or sequence ending; 2 normalized token groups. ydar: recurrent form. no English lexical value established.

[f3r.11 +P0] pcheol shol sols sheol shey

running paragraph text; continuation; 5 normalized token groups. pcheol: line-initial tendency; shol: broad high-frequency form; sols: recurrent form. no English lexical value established.

[f3r.12 +P0] okadaiin qokchor qo [?break] schodam othy

running paragraph text; continuation; 5 normalized token groups. okadaiin: productive ending family; qokchor: section-concentrated form; qo: productive qo- family. no English lexical value established.

[f3r.13 +P0] qokeey qot [?break] shey qokody qokshey cheody

running paragraph text; continuation; 6 normalized token groups. qokeey: broad high-frequency form; qot: section-concentrated form; shey: broad high-frequency form. no English lexical value established.

[f3r.14 +P0] chor qodair okeey qokeey

running paragraph text; paragraph or sequence ending; 4 normalized token groups. chor: broad high-frequency form; qodair: productive qo- family; okeey: broad high-frequency form. no English lexical value established.

[f3r.15 +P0] tsheoaron shor or chor olchsy chom otchom | oporar

running paragraph text; continuation; 8 normalized token groups. shor: broad high-frequency form; or: broad high-frequency form; chor: broad high-frequency form. no English lexical value established.

[f3r.16 +P0] oteol chol s cheol ekshy qokeom qokol daiin | soleeg

running paragraph text; continuation; 9 normalized token groups. oteol: recurrent form; chol: broad high-frequency form; s: broad high-frequency form. no English lexical value established.

[f3r.17 +P0] soeom okeom yteody qokeeodal sam

running paragraph text; paragraph or sequence ending; 5 normalized token groups. okeom: recurrent form; yteody: line-initial tendency; qokeeodal: productive qo- family. no English lexical value established.

[f3r.18 +P0] pcheoldom shodaiin qopchor qopol opchol [?break] qoty | otolom

running paragraph text; continuation; 7 normalized token groups. shodaiin: productive ending family; qopchor: productive qo- family; qopol: productive qo- family. no English lexical value established.

[f3r.19 +P0] otchor ol [?break] cheor qoeor dair qoteol qosaiin | chor cthy

running paragraph text; continuation; 9 normalized token groups. otchor: line-initial tendency; ol: broad high-frequency form; cheor: broad high-frequency form. no English lexical value established.

[f3r.20 +P0] ycheor chol odaiin chol s aiin okol [?break] or am

running paragraph text; paragraph or sequence ending; 9 normalized token groups. ycheor: recurrent form; chol: broad high-frequency form; odaiin: productive ending family. within-line repetition: chol. no English lexical value established.

Folio f31r | Herbal

A herbal folio in Currier language B and a different scribal hand from f3r, useful for testing whether rules survive a corpus shift.



Folio f31r. Courtesy of the Yale University Library; scan sequence from the supplied facsimile.

Metadata: Currier language B; hand 2; quire D

[f31r.1 @P0] keedey qofchedy shee [?break] s aiin qokee@149; chepakeo
running paragraph text; paragraph opening; 7 normalized token groups. keedey: productive ending family; qofchedy: productive qo- family; shee: recurrent form. no English lexical value established.

[f31r.2 +P0] dcheey daiin okeedy qokees s aiin shekeey qef
running paragraph text; continuation; 8 normalized token groups. dcheey: line-initial tendency; daiin: broad high-frequency form; okeedy: broad high-frequency form. no English lexical value established.

[f31r.3 +P0] qokeey chey daiin qokeey [s:r]air chekey s [?break] aiin da?
running paragraph text; continuation; 9 normalized token groups. qokeey: broad high-frequency form; chey: broad high-frequency form; daiin: broad high-frequency form. within-line repetition: qokeey. no English lexical value established.

[f31r.4 +P0] qotar chy dar lo [?break] r [?break] ar cheey keeol [?break] chedy qokey
running paragraph text; continuation; 10 normalized token groups. qotar: productive qo- family; chy: broad high-frequency form; dar: broad high-frequency form. no English lexical value established.

[f31r.5 +P0] daiin sheeody qokeor
running paragraph text; paragraph or sequence ending; 3 normalized token groups. daiin: broad high-frequency form; sheeody: productive ending family; qokeor: productive qo- family. no English lexical value established.

[f31r.6 +P0] tshokeody qokedy qotedy chep[o:a]s cheda [ʔbreak] [s:r] aiin dal

running paragraph text; continuation; 8 normalized token groups. tshokeody: productive ending family; qokedy: broad high-frequency form; qotedy: productive qo- family. no English lexical value established.

[f31r.7 +P0] ykeedar saiin checkhey sheol qokedy ykeedy chedy ldy

running paragraph text; continuation; 8 normalized token groups. saiin: broad high-frequency form; checkhey: productive ending family; sheol: broad high-frequency form. no English lexical value established.

[f31r.8 +P0] shedy qokedy cheol cheod qokeody cheol checthy

running paragraph text; continuation; 7 normalized token groups. shedy: broad high-frequency form; qokedy: broad high-frequency form; cheol: broad high-frequency form. within-line repetition: cheol. no English lexical value established.

[f31r.9 +P0] daiir sheeo shcthey okeol

running paragraph text; paragraph or sequence ending; 4 normalized token groups. daiir: line-initial tendency; sheeo: recurrent form; shcthey: productive ending family. no English lexical value established.

[f31r.10 +P0] tol [ʔbreak] shso okedy okedy qokedy qokeedy dar shedshey

running paragraph text; continuation; 8 normalized token groups. tol: line-initial tendency; okedy: broad high-frequency form; qokedy: broad high-frequency form. within-line repetition: okedy. no English lexical value established.

[f31r.11 +P0] olsheol qokchy dal [ʔbreak] chey deey kchy keey okaiiin ykeey

running paragraph text; continuation; 9 normalized token groups. olsheol: recurrent form; qokchy: productive qo- family; dal: broad high-frequency form. no English lexical value established.

[f31r.12 +P0] qoaiin yches okedy sheey chedaiin dar

running paragraph text; continuation; 6 normalized token groups. qoaiin: productive qo- family; okedy: broad high-frequency form; sheey: broad high-frequency form. no English lexical value established.

[f31r.13 +P0] olsheor qokedy otedy ykedy dals

running paragraph text; continuation; 5 normalized token groups. qokedy: productive qo- family; otedy: broad high-frequency form; ykedy: productive ending family. no English lexical value established.

[f31r.14 +P0] saii[s:r] or chedy daiin okeedy

running paragraph text; continuation; 5 normalized token groups. or: broad high-frequency form; chedy: broad high-frequency form; daiin: broad high-frequency form. no English lexical value established.

[f31r.15 +P0] yshedair sheol [ʔbreak] cheky okedam

running paragraph text; continuation; 4 normalized token groups. sheol: broad high-frequency form; cheky: recurrent form; okedam: recurrent form. no English lexical value established.

[f31r.16 +Pc] oteor aiicthy

running paragraph text; paragraph or sequence ending; 2 normalized token groups. oteor: recurrent form. no English lexical value established.

Folio f67r1 | Astronomical

An astronomical foldout surface dominated by lunar imagery, concentric circles, radial structure, and circular writing.



Folio f67r1. Courtesy of the Yale University Library; scan sequence from the supplied facsimile.

Metadata: hand 4; quire I

- [f67r1.1 @P0] teeodaiin shey epairody osaiin yteeoey shey epaiin o aiin
running paragraph text; paragraph opening; 9 normalized token groups. teeodaiin: productive ending family; shey: broad high-frequency form; epairody: productive ending family. within-line repetition: shey. no English lexical value established.
- [f67r1.2 +P0] daiir okeody qoekeey sar oeteody oteey keey keo keeoda[l:~]
running paragraph text; continuation; 9 normalized token groups. daiir: line-initial tendency; okeody: productive ending family; qoekeey: productive qo- family. no English lexical value established.
- [f67r1.3 +P0] ycheo s o [?break] iim [che:eee]os aiin okesoe ar am shees dalaiin dam
running paragraph text; continuation; 12 normalized token groups. ycheo: line-initial tendency; s: broad high-frequency form; o: broad high-frequency form. no English lexical value established.
- [f67r1.4 +P0] cheodaiin [ch:a]ekey s ar air s [?break] o [?break] ar cheey dair cthey
running paragraph text; paragraph or sequence ending; 11 normalized token groups. cheodaiin: productive ending family; chekey: productive ending family; s: broad high-frequency form. within-line repetition: s, ar. no English lexical value established.
- [f67r1.5 @Cc] [note: 00:00] soairol shdy chokeody ykeedal ol oteodaiin cho{ikh}edy ot chteokaiin choteedy otor epchy chpar ar shees deedy soeted otheey s o eokeot y choteoky chockhy okees sor aiin daram schdes chdar dar dchschdy dar dar ar otardar ykaros
circular text; paragraph opening; 37 normalized token groups. shdy: productive ending family; chokeody: productive ending family; ol: broad high-frequency form. within-line repetition: ar, dar. no English lexical value established.
- [f67r1.6 +Cc] [note: 00:00] dair al cheol dal oekaiin sol daiin eetees saiin ykeos l chy otodaiin chetejy otar dair ar chedar okeedy ot[e:i]odaiin ychsy chekey ot dol al cheor okeo [?break] r oiin cheky ary okeo [?break] keds oshey shchey chol dair dain cho dar aldy
circular text; continuation; 41 normalized token groups. dair: broad high-frequency form; al: broad high-frequency form; cheol: broad high-frequency form. within-line repetition: dair, al, okeo. no English lexical value established.
- [f67r1.7 +Cc] [note: 00:00] archeo [?break] r qoikey oteeos cheockhey oteochedy okechdar dararal okeorar sotey dair yteey oteo s oteees oteo otee[s:e']y sheokeey oteodal chokeed sar ain y [note: subscript] oto keedais deety okey teodain chekchy dair chparam
circular text; continuation; 31 normalized token groups. r: broad high-frequency form; qoikey: productive qo- family; oteeos: recurrent form. within-line repetition: dair, oteo. no English lexical value established.

[f67r1.8 @Ri] otaldy

radial text; paragraph opening; 1 normalized token group. otaldy: productive ending family. no English lexical value established.

[f67r1.9 @Ri] otoky

radial text; paragraph opening; 1 normalized token group. otoky: recurrent form. no English lexical value established.

[f67r1.10 @Ri] seeaiir

radial text; paragraph opening; 1 normalized token group. no English lexical value established.

[f67r1.11 @Ri] ykees ary

radial text; paragraph opening; 2 normalized token groups. ykees: recurrent form; ary: line-final tendency. no English lexical value established.

[f67r1.12 @Ri] sosaiir

radial text; paragraph opening; 1 normalized token group. no English lexical value established.

[f67r1.13 @Ri] oteey dar

radial text; paragraph opening; 2 normalized token groups. oteey: broad high-frequency form; dar: broad high-frequency form. no English lexical value established.

[f67r1.14 @Ri] yto [?break] daiir

radial text; paragraph opening; 2 normalized token groups. yto: recurrent form; daiir: line-initial tendency. no English lexical value established.

[f67r1.15 @Ri] sheosam

radial text; paragraph opening; 1 normalized token group. no English lexical value established.

[f67r1.16 @Ri] ykeeody

radial text; paragraph opening; 1 normalized token group. ykeeody: line-initial tendency. no English lexical value established.

[f67r1.17 @Ri] okeol sal

radial text; paragraph opening; 2 normalized token groups. okeol: recurrent form; sal: recurrent form. no English lexical value established.

[f67r1.18 @Ri] okeey sar

radial text; paragraph opening; 2 normalized token groups. okeey: broad high-frequency form; sar: broad high-frequency form. no English lexical value established.

[f67r1.19 @Ri] dalary

radial text; paragraph opening; 1 normalized token group. no English lexical value established.

Folio f70r2 | Cosmological

A cosmological diagram with a central face, rings of text, and eight surrounding lozenge-like forms.



Folio f70r2. Courtesy of the Yale University Library; scan sequence from the supplied facsimile.

Metadata: hand 4; quire J

[f70r2.1 @P1] otchey sheol chkey shep al r ar chly sheteal aram

running paragraph text; paragraph opening; 10 normalized token groups. otchey: productive ending family; sheol: broad high-frequency form; chkey: productive ending family. no English lexical value established.

[f70r2.2 +P1] dair [?break] cheey s [?break] cheotey dshy dam chchet al yke{c'}y

running paragraph text; continuation; 9 normalized token groups. dair: broad high-frequency form; cheey: broad high-frequency form; s: broad high-frequency form. no English lexical value established.

[f70r2.3 +P1] ykeeo y s ald shey cthy shekey qokal [?break] aiir oteog

running paragraph text; continuation; 10 normalized token groups. ykeeo: recurrent form; y: broad high-frequency form; s: broad high-frequency form. no English lexical value established.

[f70r2.4 +P1] daiin okeyy shoaiin {ckhh}ey otal shshy tal dam

running paragraph text; continuation; 8 normalized token groups. daiin: broad high-frequency form; okeyy: broad high-frequency form; shoaiin: productive ending family. no English lexical value established.

[f70r2.5 +P1] tal cheeog dal chcthy qotal ddl[a:o]r chal dal

running paragraph text; continuation; 8 normalized token groups. tal: recurrent form; dal: broad high-frequency form; chcthy: broad high-frequency form. within-line repetition: dal. no English lexical value established.

[f70r2.6 +P1] ytar ar al yol al aloees ytair otaldal

running paragraph text; continuation; 8 normalized token groups. ytar: recurrent form; ar: broad high-frequency form; al: broad high-frequency form. within-line repetition: al. no English lexical value established.

[f70r2.7 +P1] daiin daiin she tal qokal chol{ckhh}y dy

running paragraph text; continuation; 7 normalized token groups. daiin: broad high-frequency form; she: recurrent form; tal: recurrent form. within-line repetition: daiin. no English lexical value established.

[f70r2.8 +P1] ytals alal dalam dal cthol oparam

running paragraph text; continuation; 6 normalized token groups. alal: recurrent form; dalam: recurrent form; dal: broad high-frequency form. no English lexical value established.

[f70r2.9 +P1] dolshol shol shol sho{cthh}y dalal [?break] y

running paragraph text; continuation; 6 normalized token groups. shol: broad high-frequency form; dalal: recurrent form; y: broad high-frequency form. within-line repetition: shol. no English lexical value established.

[f70r2.10 +P1] shokal chol [?break] kshody tol cheey okal

running paragraph text; continuation; 6 normalized token groups. shokal: recurrent form; chol: broad high-frequency form; kshody: productive ending family. no English lexical value established.

[f70r2.11 +P1] daiin chotal qokal chol chotal

running paragraph text; continuation; 5 normalized token groups. daiin: broad high-frequency form; chotal: recurrent form; qokal: broad high-frequency form. no English lexical value established.

[f70r2.12 +P1] qokal shkal dal shy qokal chdy

running paragraph text; continuation; 6 normalized token groups. qokal: broad high-frequency form; dal: broad high-frequency form; shy: broad high-frequency form. within-line repetition: qokal. no English lexical value established.

[f70r2.13 +P1] qotal [?break] che [?break] y key okechy chdy cham

running paragraph text; continuation; 7 normalized token groups. qotal: productive qo- family; che: recurrent form; y: broad high-frequency form. no English lexical value established.

[f70r2.14 +P1] okaiin ch{cthh}y s or ary

running paragraph text; paragraph or sequence ending; 5 normalized token groups. okaiin: broad high-frequency form; chcthh: recurrent form; s: broad high-frequency form. no English lexical value established.

[f70r2.15 @Cc] [note: 10:00] sal air am shedy chokal cho{ikh}y shokey choky chol dy okeal o [?break] teedy dgr dair [?break] aiin okees okeear ar [?break] alekey ar [?break] kam oteoodalry chekeoar chokey dar dcheoky otai do{ith}y dair otchetchar okear okeeo lal kch[g:?] okar ar [?break] dar

circular text; paragraph opening; 38 normalized token groups. sal: recurrent form; air: broad high-frequency form; am: broad high-frequency form. within-line repetition: dair, ar, dar. no English lexical value established.

[f70r2.16 +Cc] [note: 10:00] otar ar chedal oaral aldaiin ykeedaiis sheo l [?break] dar chol ykees aiir [?break] dl cheey [s:r]keeod oteedar aiin aral daiir sheedal sheodaiin choar chol chot[e:i]oly cho oteey chotey choeky chedy choteosam oteodar o{ckhh}

circular text; continuation; 32 normalized token groups. otar: broad high-frequency form; ar: broad high-frequency form; chedal: recurrent form. within-line repetition: chol. no English lexical value established.

[f70r2.17 +Cc] [note: 09:15] oches [?break] air chese ctheey sheeody shopcho yteody ykaldy oteeos aiin sh[e:?]y shee farar aim cheoteeodal sho choetchaldy dal aiir [?break] ches otesar dalol chtam opaiir choeko oteedy oteeo okol chotal otol [?break] al dl

circular text; continuation; 32 normalized token groups. air: broad high-frequency form; ctheey: productive ending family; sheeody: productive ending family. no English lexical value established.

[f70r2.18 +Cc] [note: 09:15] otoy ar [?break] arodchedy cheocphey oteeos ees cheal sheeey okeedaly cheeoekey yk[ee:ei]d[cr:ar] oteey s al s air oteody oteody dar aiir ody cheeos [?break] chey daiin otoeseor air chedy okodar al sho chotal dal [?break] dy

circular text; continuation; 35 normalized token groups. otoy: recurrent form; ar: broad high-frequency form; arodchedy: productive ending family. within-line repetition: ar, s, al. no English lexical value established.

[f70r2.19 @Cc] [note: 12:00] oteesy ol [?break] chy oteo sal ol keey oteol choky otcho[sh:ch]a

circular text; paragraph opening; 10 normalized token groups. ol: broad high-frequency form; chy: broad high-frequency form; oteo: recurrent form. within-line repetition: ol. no English lexical value established.

Folio f70v2 | Zodiac

A zodiac page centered on the paired fish associated with Pisces, surrounded by rings of figures, stars, and labels.



Folio f70v2. Courtesy of the Yale University Library; scan sequence from the supplied facsimile.

Metadata: hand 4; quire J

[f70v2.1 @Cc] [note: 10:30] okcheo dar otey ykeey tchy otsheo oteotey she[y:o] shecth opcheoldair dateey sal ody choteey choeteedy oteoteotsho yteos alain sheodaly {c@162;h}o aiin cholkal chokear oteody cholaiin oteeoal al sheeos okey chol [?break] dy otees cho s ola[r:n] otoaiin oteeody sos todaiin chokain otalal oteeam

circular text; paragraph opening; 42 normalized token groups. dar: broad high-frequency form; otey: productive ending family; ykeey: productive ending family. no English lexical value established.

[f70v2.2 @Lz] [note: 09:00] otalalg

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f70v2.3 &Lz] [note: 10:00] ykary

isolated label or short inscription; continuation; 1 normalized token group. no English lexical value established.

[f70v2.4 &Lz] [note: 10:30] otar?

isolated label or short inscription; continuation; 1 normalized token group. otar: broad high-frequency form. no English lexical value established.

[f70v2.5 &Lz] [note: 11:00] oty

isolated label or short inscription; continuation; 1 normalized token group. oty: broad high-frequency form. no English lexical value established.

[f70v2.6 &Lz] [note: 11:30] oky ody

isolated label or short inscription; continuation; 2 normalized token groups. oky: broad high-frequency form; ody: line-final tendency. no English lexical value established.

[f70v2.7 &Lz] [note: 00:00] oty ar

isolated label or short inscription; continuation; 2 normalized token groups. oty: broad high-frequency form; ar: broad high-frequency form. no English lexical value established.

[f70v2.8 &Lz] [note: 00:30] okala

isolated label or short inscription; continuation; 1 normalized token group. no English lexical value established.

[f70v2.9 &Lz] [note: 01:00] otody

isolated label or short inscription; continuation; 1 normalized token group. otody: productive ending family. no English lexical value established.

[f70v2.10 &Lz] [note: 01:30] otald

isolated label or short inscription; continuation; 1 normalized token group. no English lexical value established.

[f70v2.11 &Lz] [note: 02:00] otaldar

isolated label or short inscription; continuation; 1 normalized token group. no English lexical value established.

[f70v2.12 &Lz] [note: 02:45] okody

isolated label or short inscription; continuation; 1 normalized token group. okody: line-initial tendency. no English lexical value established.

[f70v2.13 &Lz] [note: 03:15] opysam

isolated label or short inscription; continuation; 1 normalized token group. no English lexical value established.

[f70v2.14 &Lz] [note: 04:00] ch{ckhh}y

isolated label or short inscription; continuation; 1 normalized token group. chckhhy: recurrent form. no English lexical value established.

[f70v2.15 &Lz] [note: 04:30] otaly

isolated label or short inscription; continuation; 1 normalized token group. otaly: line-initial tendency. no English lexical value established.

[f70v2.16 &Lz] [note: 05:30] otal arar

isolated label or short inscription; continuation; 2 normalized token groups. otal: broad high-frequency form; arar: line-final tendency. no English lexical value established.

[f70v2.17 &Lz] [note: 06:30] otaldy

isolated label or short inscription; continuation; 1 normalized token group. otaldy: productive ending family. no English lexical value established.

[f70v2.18 &Lz] [note: 07:00] okeoly

isolated label or short inscription; continuation; 1 normalized token group. okeoly: recurrent form. no English lexical value established.

[f70v2.19 &Lz] [note: 08:00] okydy

isolated label or short inscription; continuation; 1 normalized token group. okydy: productive ending family. no English lexical value established.

[f70v2.20 &Lz] [note: 08:30] okee[s:r]

isolated label or short inscription; continuation; 1 normalized token group. okees: recurrent form. no English lexical value established.

[f70v2.21 @Cc] [note: 09:00] daii@197;amdy otar am aral otair [?break] chedaiin oteey dair shchey daiin chalaly oteody chotol chedy oteotey oteeeor [?break] ar alody dair oteedar oteey teey dalal cheoltey oteedy sheeteey ?okeeol ykeeos shey ykair arar alos

circular text; paragraph opening; 32 normalized token groups. daiixamdy: productive ending family; otar: broad high-frequency form; am: broad high-frequency form. within-line repetition: oteey. no English lexical value established.

[f70v2.22 @Lz] [note: 10:00] otar am

isolated label or short inscription; paragraph opening; 2 normalized token groups. otar: broad high-frequency form; am: broad high-frequency form. no English lexical value established.

[f70v2.23 &Lz] [note: 11:00] otar [?break] al

isolated label or short inscription; continuation; 2 normalized token groups. otar: broad high-frequency form; al: broad high-frequency form. no English lexical value established.

[f70v2.24 &Lz] [note: 00:00] otalar

isolated label or short inscription; continuation; 1 normalized token group. otalar: recurrent form. no English lexical value established.

[f70v2.25 &Lz] [note: 01:30] otalam

isolated label or short inscription; continuation; 1 normalized token group. otalam: recurrent form. no English lexical value established.

[f70v2.26 &Lz] [note: 03:00] dolaram

isolated label or short inscription; continuation; 1 normalized token group. no English lexical value established.

[f70v2.27 &Lz] [note: 04:00] okaram

isolated label or short inscription; continuation; 1 normalized token group. okaram: recurrent form. no English lexical value established.

[f70v2.28 &Lz] [note: 05:00] oteosal

isolated label or short inscription; continuation; 1 normalized token group. no English lexical value established.

[f70v2.29 &Lz] [note: 06:30] salols

isolated label or short inscription; continuation; 1 normalized token group. no English lexical value established.

[f70v2.30 &Lz] [note: 08:00] okaldal

isolated label or short inscription; continuation; 1 normalized token group. no English lexical value established.

[f70v2.31 &Lz] [note: 09:00] ykolaiin

isolated label or short inscription; continuation; 1 normalized token group. ykolaiin: productive ending family. no English lexical value established.

[f70v2.32 @Cc] [note: 09:00] otal daly oteoal dal [?break] aildy otaiin ar oteey shal o qoteeal ar al otaiin al teodaiin oteeo [?break] cthey oteeos oteos aiin daim

circular text; paragraph opening; 22 normalized token groups. otal: broad high-frequency form; daly: line-final tendency; dal: broad high-frequency form. within-line repetition: otaiin, ar, al. no English lexical value established.

[f70v2.33 @Lz] otolal

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

Folio f75r | Biological / balneological

A biological or balneological page with two pool-like forms and fourteen human figures, conventionally called nymphs.



Folio f75r. Courtesy of the Yale University Library; scan sequence from the supplied facsimile.

Metadata: Currier language B; hand 2; quire M

[f75r.1 @P0] kchedykary | okeyy qokar shyk [?break] chedy qotar shedy

running paragraph text; paragraph opening; 7 normalized token groups. okeyy: broad high-frequency form; qokar: broad high-frequency form; chedy: broad high-frequency form. no English lexical value established.

[f75r.2 +P0] dain shey ly | ssheol qol{chh}dy chedykar chekeedy ror

running paragraph text; continuation; 8 normalized token groups. dain: broad high-frequency form; shey: broad high-frequency form; ly: line-final tendency. no English lexical value established.

[f75r.3 +P0] qokain chal | orchey qey kain sheeky ltain olkar or

running paragraph text; continuation; 9 normalized token groups. qokain: broad high-frequency form; chal: recurrent form; orchey: productive ending family. no English lexical value established.

[f75r.4 +P0] dackhy lkamo | ykeey lshey kal dy shey ok shey qokeedy

running paragraph text; continuation; 10 normalized token groups. ykeey: productive ending family; lshey: productive ending family; kal: recurrent form. within-line repetition: shey. no English lexical value established.

[f75r.5 +P0] shey [?break] kar chey | ckhey r ain ol olsheedy qokeey qoky

running paragraph text; continuation; 10 normalized token groups. shey: broad high-frequency form; kar: recurrent form; chey: broad high-frequency form. no English lexical value established.

[f75r.6 +P0] pcheykeeor olky | dar okey qokain chcthy qokeedy qoky

running paragraph text; continuation; 8 normalized token groups. olky: line-final tendency; dar: broad high-frequency form; okey: productive ending family. no English lexical value established.

[f75r.7 +P0] pchedy qokshdy | ytain chedy qokar chy lol chedy qoky

running paragraph text; continuation; 9 normalized token groups. pchedy: line-initial tendency; qokshdy: productive qo- family; ytain: productive ending family. within-line repetition: chedy. no English lexical value established.

[f75r.8 +P0] sor chey qokardy | dscheckhy qokain chckhy lshedy okeedy

running paragraph text; continuation; 8 normalized token groups. sor: line-initial tendency; chey: broad high-frequency form; qokardy: productive qo- family. no English lexical value established.

[f75r.9 +P0] qokchdy chcthy lo | qokedy qokan checkhy qokar olchedy sal

running paragraph text; continuation; 9 normalized token groups. qokchdy: productive qo- family; chcthy: broad high-frequency form; lo: line-final tendency. no English lexical value established.

[f75r.10 +P0] dshor qotar chdy | shey qokain chckhy dy otey tedy lchedy

running paragraph text; continuation; 10 normalized token groups. dshor: line-initial tendency; qotar: productive qo- family; chdy: broad high-frequency form. no English lexical value established.

[f75r.11 +P0] qokeedy qokair oly | qokeedy dy qokal okar shedy dor chekam

running paragraph text; continuation; 10 normalized token groups. qokeedy: broad high-frequency form; qokair: productive qo- family; oly: line-final tendency. within-line repetition: qokeedy. no English lexical value established.

[f75r.12 +P0] sscheckhy qokal oly | shey r ol cheey shey dy [?break] olshedy qoky

running paragraph text; continuation; 11 normalized token groups. qokal: broad high-frequency form; oly: line-final tendency; shey: broad high-frequency form. within-line repetition: shey. no English lexical value established.

[f75r.13 +P0] pchedy keedy qokedy | qokedy qokedy qokedy qokain olshedy

running paragraph text; continuation; 8 normalized token groups. pchedy: line-initial tendency; keedy: productive ending family; qokedy: broad high-frequency form. within-line repetition: qokedy. no English lexical value established.

[f75r.14 +P0] sain al [?break] keishy qokain [?break] dy | olshedy qokain chckhy qokain otar [?break] aly

running paragraph text; continuation; 11 normalized token groups. sain: line-initial tendency; al: broad high-frequency form; qokain: broad high-frequency form. within-line repetition: qokain. no English lexical value established.

[f75r.15 +P0] sain qokain qolkeeoly | sain chedy | sol or shedy okchdy qoky

running paragraph text; continuation; 10 normalized token groups. sain: line-initial tendency; qokain: broad high-frequency form; qolkeeoly: productive qo- family. no English lexical value established.

[f75r.16 +P0] dshedy qokar sheedy lch | shokain chy | okshedy qokain chedy

running paragraph text; continuation; 9 normalized token groups. dshedy: line-initial tendency; qokar: broad high-frequency form; sheedy: productive ending family. no English lexical value established.

[f75r.17 +P0] pchedar shepchy lshedary | dal | shal | shy [?break] kol shedy qokam

running paragraph text; continuation; 9 normalized token groups. pchedar: line-initial tendency; shepchy: recurrent form; dal: broad high-frequency form. no English lexical value established.

[f75r.18 +P0] sol sheedy qol shedy qol | otain char sar oly

running paragraph text; continuation; 9 normalized token groups. sol: line-initial tendency; sheedy: productive ending family; qol: section-concentrated form. within-line repetition: qol. no English lexical value established.

[f75r.19 +P0] qokshedy qol [?break] shey qoky | shey {ith}ey qokain ar

running paragraph text; continuation; 8 normalized token groups. qokshedy: line-initial tendency; qol: section-concentrated form; shey: broad high-frequency form. within-line repetition: shey. no English lexical value established.

[f75r.20 +P0] ry [?break] shey qor chey lchey [?break] lo | ydain shey qokain

running paragraph text; continuation; 9 normalized token groups. ry: line-final tendency; shey: broad high-frequency form; qor: line-initial tendency. within-line repetition: shey. no English lexical value established.

[f75r.21 +P0] oqokain chey qckhsy or | ysheor ol lor am

running paragraph text; continuation; 8 normalized token groups. oqokain: productive ending family; chey: broad high-frequency form; or: broad high-frequency form. no English lexical value established.

[f75r.22 +P0] odar [?break] shey qokain chedy | or [?break] shey kar chedy [?break] sar

running paragraph text; continuation; 9 normalized token groups. odar: recurrent form; shey: broad high-frequency form; qokain: broad high-frequency form. within-line repetition: shey, chedy. no English lexical value established.

[f75r.23 +P0] pchey [?break] kshey qokeey qokal | sshey qol chedyqokam

running paragraph text; continuation; 7 normalized token groups. pchey: productive ending family; kshey: productive ending family; qokeey: broad high-frequency form. no English lexical value established.

[f75r.24 +P0] qokain olkeey qolkary | sain checthy lor ol

running paragraph text; continuation; 7 normalized token groups. qokain: broad high-frequency form; olkeey: productive ending family; qolkary: productive qo- family. no English lexical value established.

[f75r.25 +P0] sain shckhy qokeedy shy dy | qokeedy lchedy ram

running paragraph text; continuation; 8 normalized token groups. sain: line-initial tendency; shckhy: recurrent form; qokeedy: broad high-frequency form. within-line repetition: qokeedy. no English lexical value established.

[f75r.26 +P0] dain ol sheol dain ol qoly | dar [?break] ajoy

running paragraph text; paragraph or sequence ending; 8 normalized token groups. dain: broad high-frequency form; ol: broad high-frequency form; sheol: broad high-frequency form. within-line repetition: dain, ol. no English lexical value established.

[f75r.27 +P0] pdalshor shtol qoty pshar shedy okaldy | dar otar otody dy rol

running paragraph text; continuation; 11 normalized token groups. qoty: broad high-frequency form; shedy: broad high-frequency form; okaldy: line-initial tendency. no English lexical value established.

[f75r.28 +P0] tchedy pchedy qokeey sol oldair shecthy qol | l sheedy qokeedy lolchedy

running paragraph text; continuation; 11 normalized token groups. tchedy: line-initial tendency; pchedy: line-initial tendency; qokeey: broad high-frequency form. no English lexical value established.

[f75r.29 +P0] dain chkal dy lo [?break] lkaiin ol okeedyqol dain olchey qokeedy chedy qotan

running paragraph text; continuation; 12 normalized token groups. dain: broad high-frequency form; chkal: recurrent form; dy: broad high-frequency form. within-line repetition: dain. no English lexical value established.

[f75r.30 +P0] qo [?break] dain cheeky qokeey qokain cheky qokal dain chedy o [?break] kalol [?break] shedy okar [?break] olom

running paragraph text; continuation; 14 normalized token groups. qo: productive qo- family; dain: broad high-frequency form; cheeky: recurrent form. within-line repetition: dain. no English lexical value established.

[f75r.31 +P0] dshedy qokeey chckhy qokar shedy chey qoked qokedy daldy

running paragraph text; paragraph or sequence ending; 9 normalized token groups. dshedy: line-initial tendency; qokeey: broad high-frequency form; chckhy: broad high-frequency form. no English lexical value established.

[f75r.32 +P0] polshy dal shedy qokain dar chsdy shedy qotar shedy ldy

running paragraph text; continuation; 10 normalized token groups. polshy: recurrent form; dal: broad high-frequency form; shedy: broad high-frequency form. within-line repetition: shedy. no English lexical value established.

[f75r.33 +P0] qokeey l [?break] shedy qo [?break] l chedy qokain chctheddy ltedy darom

running paragraph text; continuation; 10 normalized token groups. qokeey: broad high-frequency form; l: broad high-frequency form; shedy: broad high-frequency form. within-line repetition: l. no English lexical value established.

[f75r.34 +P0] s [?break] olkedy okal dar oty okar otar ol [?break] kain oltedy

running paragraph text; continuation; 10 normalized token groups. s: broad high-frequency form; olkedy: section-concentrated form; okal: broad high-frequency form. no English lexical value established.

[f75r.35 +P0] qokain sheety qokain dar dar shedy qoka[in:r] oldy

running paragraph text; continuation; 8 normalized token groups. qokain: broad high-frequency form; sheety: section-concentrated form; dar: broad high-frequency form. within-line repetition: qokain, dar. no English lexical value established.

[f75r.36 +P0] sol keedy qokeedy qokey okar otar dardardy

running paragraph text; continuation; 7 normalized token groups. sol: line-initial tendency; keedy: productive ending family; qokeedy: broad high-frequency form. no English lexical value established.

[f75r.37 +P0] qokedy dy sheety qokedy qokeedy qokechdy lol

running paragraph text; continuation; 7 normalized token groups. qokedy: broad high-frequency form; dy: broad high-frequency form; sheety: section-concentrated form. within-line repetition: qokedy. no English lexical value established.

[f75r.38 +P0] qokeedy qokeedy qokedy qokedy qokeedy ldy

running paragraph text; continuation; 6 normalized token groups. qokeedy: broad high-frequency form; qokedy: broad high-frequency form; ldy: line-final tendency. within-line repetition: qokeedy, qokedy. no English lexical value established.

[f75r.39 +P0] yshedy qokeedy qokeedy olkeedy otey koldy

running paragraph text; continuation; 6 normalized token groups. yshedy: productive ending family; qokeedy: broad high-frequency form; olkeedy: productive ending family. within-line repetition: qokeedy. no English lexical value established.

[f75r.40 +P0] dar shedy qokain shedy dal [?break] keedy rshedy

running paragraph text; continuation; 7 normalized token groups. dar: broad high-frequency form; shedy: broad high-frequency form; qokain: broad high-frequency form. within-line repetition: shedy. no English lexical value established.

[f75r.41 +P0] sokeedy qokeedy oteedy qoky dy [?break] keedy sy

running paragraph text; continuation; 7 normalized token groups. sokeedy: productive ending family; qokeedy: broad high-frequency form; oteedy: broad high-frequency form. no English lexical value established.

[f75r.42 +P0] dshedy qokedy qokeedy qoteedy qoteedy d[o:a]r

running paragraph text; continuation; 6 normalized token groups. dshedy: line-initial tendency; qokedy: broad high-frequency form; qokeedy: broad high-frequency form. no English lexical value established.

[f75r.43 +P0] yshedy chekar oldy qokain chkar otar [?break] oldy

running paragraph text; continuation; 7 normalized token groups. yshedy: productive ending family; chekar: recurrent form; oldy: line-final tendency. within-line repetition: oldy. no English lexical value established.

[f75r.44 +P0] dchedy sain okedy qokedy oteedy okoldy otar otam olaiin ch | dar dy

running paragraph text; continuation; 12 normalized token groups. dchedy: line-initial tendency; sain: line-initial tendency; okedy: broad high-frequency form. no English lexical value established.

[f75r.45 +P0] sshedy shckhy qokey okedy sarol oty oteedy qotedy oteedy okaiin

running paragraph text; continuation; 10 normalized token groups. sshedy: productive ending family; shckhy: recurrent form; qokey: broad high-frequency form. within-line repetition: oteedy. no English lexical value established.

[f75r.46 +P0] qokey qokedy sheol qokedy dain shedy otol [?break] chedy ol[o:a]r

running paragraph text; paragraph or sequence ending; 9 normalized token groups. qokey: broad high-frequency form; qokedy: broad high-frequency form; sheol: broad high-frequency form. within-line repetition: qokedy. no English lexical value established.

[f75r.47 @Pb] sal okeedy

running paragraph text; paragraph opening; 2 normalized token groups. sal: recurrent form; okeedy: broad high-frequency form. no English lexical value established.

[f75r.48 +Pb] daly ychey

running paragraph text; continuation; 2 normalized token groups. daly: line-final tendency; ychey: line-initial tendency. no English lexical value established.

[f75r.49 +Pb] sols dara

running paragraph text; continuation; 2 normalized token groups. sols: recurrent form. no English lexical value established.

[f75r.50 +Pb] ychty

running paragraph text; continuation; 1 normalized token group. no English lexical value established.

[f75r.51 +Pb] saino

running paragraph text; continuation; 1 normalized token group. no English lexical value established.

[f75r.52 +Pb] saldy

running paragraph text; continuation; 1 normalized token group. saldy: productive ending family. no English lexical value established.

[f75r.53 +Pb] dainy

running paragraph text; paragraph or sequence ending; 1 normalized token group. no English lexical value established.

Folio fRos | Cosmological

The large nine-rosette foldout: interconnected medallions, paths, towers, circular writing, and numerous labels.



Folio fRos. Courtesy of the Yale University Library; scan sequence from the supplied facsimile.

Metadata: Currier language B; hand 4; quire N

[fRos.1 @L0] [note: 1:11] saeeasa?

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.2 @Cc] [note: 10:30] oto tosaes adar otar otes [?break] okaiin dal [?break] al [?break] chdar otar chefchs okor ol om olkeeodaiin shol okal orshees qoeey okalol otodr ochs ar [?break] ol oqokam oteed oteedy okedy lraiin or [?break] aiin okor okeedy

circular text; paragraph opening; 33 normalized token groups. oto: recurrent form; otar: broad high-frequency form; otes: recurrent form. within-line repetition: okor, ol. no English lexical value established.

[fRos.3 @L0] [note: 1:1] ofain [?break] ain

isolated label or short inscription; paragraph opening; 2 normalized token groups. ofain: productive ending family; ain: broad high-frequency form. no English lexical value established.

[fRos.4 +L0] [note: 1:2] ych [?break] ?ais

isolated label or short inscription; continuation; 2 normalized token groups. ais: recurrent form. no English lexical value established.

[fRos.5 +L0] [note: 1:3] ydekam

isolated label or short inscription; continuation; 1 normalized token group. no English lexical value established.

[fRos.6 +L0] [note: 1:4] darchedy

isolated label or short inscription; continuation; 1 normalized token group. darchedy: productive ending family. no English lexical value established.

[fRos.7 +L0] [note: 1:5] otochedy [?break] sy

isolated label or short inscription; continuation; 2 normalized token groups. otochedy: productive ending family; sy: line-final tendency. no English lexical value established.

[fRos.8 +L0] [note: 1:6] soeedoy olal

isolated label or short inscription; continuation; 2 normalized token groups. olal: recurrent form. no English lexical value established.

[fRos.9 +L0] [note: 1:7] dchor orary

isolated label or short inscription; continuation; 2 normalized token groups. dchor: line-initial tendency; orary: recurrent form. no English lexical value established.

[fRos.10 +L0] [note: 1:8] sairo[j:d]am

isolated label or short inscription; continuation; 1 normalized token group. no English lexical value established.

[fRos.11 @L0] [note: 1:9] okchdarar

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.12 @L0] [note: 2:9] soiindy

isolated label or short inscription; paragraph opening; 1 normalized token group. soiindy: productive ending family. no English lexical value established.

[fRos.13 @L0] [note: 2:10] ytedar

isolated label or short inscription; paragraph opening; 1 normalized token group. ytedar: recurrent form. no English lexical value established.

[fRos.14 @L0] [note: 2:11] [d:?]dsschx

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.15 @L0] [note: 2:13] daldar

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.16 @L0] [note: 2:12] ofardy

isolated label or short inscription; paragraph opening; 1 normalized token group. ofardy: productive ending family. no English lexical value established.

[fRos.17 @L0] [note: 1:10] orarol

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.18 @L0] [note: 4:1] dalda1

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.19 @L0] [note: 4:2] da[r:s]aldy

isolated label or short inscription; paragraph opening; 1 normalized token group. daraldy: productive ending family. no English lexical value established.

[fRos.20 @Cc] [note: 05:00] sais [?break] od [?break] r [?break] ar or okal okal or alal ykal
ol ar ol al ol al [?break] lor okan okod oked okeo ldy opashs otedy chedchs sheekedy odal
shd olkeedy yky [?break] kaiir okchdy otol [?break] ar [?break] y | aiin aiir oeal okchdy
oly | okain olkaiin ody

circular text; paragraph opening; 43 normalized token groups. od: recurrent form; r: broad high-frequency form; ar: broad high-frequency form. within-line repetition: ar, or, okal. no English lexical value established.

[fRos.21 @L0] [note: 4:3] oko

isolated label or short inscription; paragraph opening; 1 normalized token group. oko: recurrent form. no English lexical value established.

[fRos.22 @L0] [note: 4:4] daiiny

isolated label or short inscription; paragraph opening; 1 normalized token group. daiiny: recurrent form. no English lexical value established.

[fRos.23 @L0] [note: 4:5] do{cfhh}y

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.24 @L0] [note: 4:6] okedy

isolated label or short inscription; paragraph opening; 1 normalized token group. okedy: broad high-frequency form. no English lexical value established.

[fRos.25 @L0] [note: 4:7] o[k:p]ary

isolated label or short inscription; paragraph opening; 1 normalized token group. okary: line-initial tendency. no English lexical value established.

[fRos.26 @L0] [note: 4:8] opain

isolated label or short inscription; paragraph opening; 1 normalized token group. opain: productive ending family. no English lexical value established.

[fRos.27 @L0] [note: 4:9] opar

isolated label or short inscription; paragraph opening; 1 normalized token group. opar: line-initial tendency. no English lexical value established.

[fRos.28 @L0] [note: 4:10] adairy

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.29 @L0] [note: 4:11] dxar

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.30 @L0] [note: 4:12] okory

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.31 @L0] [note: 4:13] opo[k:t]chosody

isolated label or short inscription; paragraph opening; 1 normalized token group. opokchosody: productive ending family. no English lexical value established.

[fRos.32 @L0] [note: 7:12] adashgasain

isolated label or short inscription; paragraph opening; 1 normalized token group. adashgasain: productive ending family. no English lexical value established.

[fRos.33 @L0] [note: 7:13] cfair o@213;ol{c@133;h}y

isolated label or short inscription; paragraph opening; 2 normalized token groups. no English lexical value established.

[fRos.34 @L0] [note: 7:1] okody

isolated label or short inscription; paragraph opening; 1 normalized token group. okody: line-initial tendency. no English lexical value established.

[fRos.35 @Cc] [note: 00:00] okos {cp}or air [?break] u oteoteedy otos otedar ches okodainol ykedy eedor tchdaiin sy sarald todar chkar odair or oal okchdy seedy oteedy ykchda cheky o aiin okees olar or ykeedy okeo [?break] lodaiin or olaiiin olar

circular text; paragraph opening; 35 normalized token groups. okos: recurrent form; air: broad high-frequency form; oteoteedy: productive ending family. within-line repetition: or, olar. no English lexical value established.

[fRos.36 @Cc] [note: Spiral] o?ochs octhey osar [?break] aram arkeeody ochdor [?break] ol oekairy ytodaro opalshy or [?break] arodar ykodar ykodar ykary opalxy

circular text; paragraph opening; 17 normalized token groups. o: broad high-frequency form; octhey: productive ending family; osar: recurrent form. within-line repetition: ykodar. no English lexical value established.

[fRos.37 @L0] [note: 7:10] opoor [?break] daly

isolated label or short inscription; paragraph opening; 2 normalized token groups. daly: line-final tendency. no English lexical value established.

[fRos.38 @L0] [note: 7:7] okas oedady

isolated label or short inscription; paragraph opening; 2 normalized token groups. okas: recurrent form; oedady: productive ending family. no English lexical value established.

[fRos.39 @Pb] [note: 7:5] kechy qolchedar [?break] ar

running paragraph text; paragraph opening; 3 normalized token groups. kechy: recurrent form; qolchedar: productive qo-family; ar: broad high-frequency form. no English lexical value established.

[fRos.40 +Pb] [note: 7:6] otedy chdaiin oty

running paragraph text; paragraph or sequence ending; 3 normalized token groups. otedy: broad high-frequency form; chdaiin: productive ending family; oty: broad high-frequency form. no English lexical value established.

[fRos.41 @L0] [note: 7:3] o[s:r]al

isolated label or short inscription; paragraph opening; 1 normalized token group. osal: recurrent form. no English lexical value established.

[fRos.42 @L0] [note: 7:2] {cp}eey

isolated label or short inscription; paragraph opening; 1 normalized token group. cpeey: productive ending family. no English lexical value established.

[fRos.43 @L0] [note: 7:4] okor

isolated label or short inscription; paragraph opening; 1 normalized token group. okor: recurrent form. no English lexical value established.

[fRos.44 @L0] [note: 7:8] sarchcphdy

isolated label or short inscription; paragraph opening; 1 normalized token group. sarchcphdy: productive ending family. no English lexical value established.

[fRos.45 @L0] [note: 7:9] otchdy otoldy

isolated label or short inscription; paragraph opening; 2 normalized token groups. otchdy: productive ending family; otoldy: line-initial tendency. no English lexical value established.

[fRos.46 @L0] [note: 7:11] ofchedaiin

isolated label or short inscription; paragraph opening; 1 normalized token group. ofchedaiin: productive ending family. no English lexical value established.

[fRos.47 @Cc] [note: 10:30] osar otar otodeedy oty [?break] daiin sheor oar otedy [?break] qotedy oteey otoraiin chekad?r ol aiin okedal olor op[o:a]iiral eeealky [y:?]tar qokeo [?break] l tched oiin oteedaiin odal cheky otchdor or olkoaiin ok[a:o]l [?break] o [?break] laiin

circular text; paragraph opening; 33 normalized token groups. osar: recurrent form; otar: broad high-frequency form; otodeedy: productive ending family. no English lexical value established.

[fRos.48 @L0] [note: 2:1] otedal

isolated label or short inscription; paragraph opening; 1 normalized token group. otedal: recurrent form. no English lexical value established.

[fRos.49 @L0] [note: 2:2] opaiin [?break] o

isolated label or short inscription; paragraph opening; 2 normalized token groups. opaiin: productive ending family; o: broad high-frequency form. no English lexical value established.

[fRos.50 @L0] [note: 2:3] otchdy

isolated label or short inscription; paragraph opening; 1 normalized token group. otchdy: productive ending family. no English lexical value established.

[fRos.51 @L0] [note: 2:4] okchy

isolated label or short inscription; paragraph opening; 1 normalized token group. okchy: recurrent form. no English lexical value established.

[fRos.52 @L0] [note: 2:5] chkeedy

isolated label or short inscription; paragraph opening; 1 normalized token group. chkeedy: productive ending family. no English lexical value established.

[fRos.53 @L0] [note: 2:6] opairar

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.54 @L0] [note: 2:7] odeed[?:d]y

isolated label or short inscription; paragraph opening; 2 normalized token groups. y: broad high-frequency form. no English lexical value established.

[fRos.55 @L0] [note: 2:8] okody

isolated label or short inscription; paragraph opening; 1 normalized token group. okody: line-initial tendency. no English lexical value established.

[fRos.56 @L0] [note: 3:22] depcheky

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.57 @L0] [note: 3:23] ot[ch:a]

isolated label or short inscription; paragraph opening; 1 normalized token group. otch: recurrent form. no English lexical value established.

[fRos.58 @L0] [note: 3:24] osy

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.59 @L0] [note: 3:25] [o:a]dl

isolated label or short inscription; paragraph opening; 1 normalized token group. odl: recurrent form. no English lexical value established.

[fRos.60 @L0] [note: 3:26] d [?break] dy

isolated label or short inscription; paragraph opening; 2 normalized token groups. d: recurrent form; dy: broad high-frequency form. no English lexical value established.

[fRos.61 @L0] [note: 3:27] oteey

isolated label or short inscription; paragraph opening; 1 normalized token group. oteey: broad high-frequency form. no English lexical value established.

[fRos.62 @Cc] [note: 00:00] otor os om araiin okeody okar odsheedy odaiin okchdy okar shor okaiin daiin ofair oly olkair [?break] odal olkalor olor | s y o d esha [?break] x k r olar oteedaiin otes [?break] ar yqos aiiin ol qotody ol oir or oroa oteeedy okal okodar otshe okody otedy chdar o'

circular text; paragraph opening; 47 normalized token groups. otor: recurrent form; os: recurrent form; om: line-final tendency. within-line repetition: okar, o, ol. no English lexical value established.

[fRos.63 @L0] [note: 5:1] oteedy

isolated label or short inscription; paragraph opening; 1 normalized token group. oteedy: broad high-frequency form. no English lexical value established.

[fRos.64 @L0] [note: 5:2] opy

isolated label or short inscription; paragraph opening; 1 normalized token group. opy: recurrent form. no English lexical value established.

[fRos.65 @L0] [note: 5:3] odal

isolated label or short inscription; paragraph opening; 1 normalized token group. odal: recurrent form. no English lexical value established.

[fRos.66 @L0] [note: 5:4] shdy

isolated label or short inscription; paragraph opening; 1 normalized token group. shdy: productive ending family. no English lexical value established.

[fRos.67 @L0] [note: 5:5] opchees

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.68 @L0] [note: 5:6] opar

isolated label or short inscription; paragraph opening; 1 normalized token group. opar: line-initial tendency. no English lexical value established.

[fRos.69 @L0] [note: 5:7] daral

isolated label or short inscription; paragraph opening; 1 normalized token group. daral: recurrent form. no English lexical value established.

[fRos.70 @L0] [note: 5:8] otdodar oedy

isolated label or short inscription; paragraph opening; 2 normalized token groups. oedy: productive ending family. no English lexical value established.

[fRos.71 @L0] [note: 5:9] soshxor arar

isolated label or short inscription; paragraph opening; 2 normalized token groups. arar: line-final tendency. no English lexical value established.

[fRos.72 @L0] [note: 5:10] otedain otedy

isolated label or short inscription; paragraph opening; 2 normalized token groups. otedain: productive ending family; otedy: broad high-frequency form. no English lexical value established.

[fRos.73 @L0] [note: 5:11] ytedar ary

isolated label or short inscription; paragraph opening; 2 normalized token groups. ytedar: recurrent form; ary: line-final tendency. no English lexical value established.

[fRos.74 @L0] [note: 5:12] opcheda[iin:iir]

isolated label or short inscription; paragraph opening; 1 normalized token group. opchedaiin: productive ending family. no English lexical value established.

[fRos.75 @L0] [note: 5:13] ols

isolated label or short inscription; paragraph opening; 1 normalized token group. ols: line-final tendency. no English lexical value established.

[fRos.76 @L0] [note: 5:14] ypal

isolated label or short inscription; paragraph opening; 1 normalized token group. ypal: recurrent form. no English lexical value established.

[fRos.77 @L0] [note: 5:15] opydsh

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.78 @L0] [note: 5:16] rshy

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.79 @L0] [note: 5:17] olz

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.80 @L0] [note: 5:18] dtedg

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.81 @L0] [note: 5:19] opy

isolated label or short inscription; paragraph opening; 1 normalized token group. opy: recurrent form. no English lexical value established.

[fRos.82 @L0] [note: 5:20] ofdaj

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.83 @L0] [note: 5:21] ddary

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.84 @L0] [note: 5:22] ot[o:e]dy

isolated label or short inscription; paragraph opening; 1 normalized token group. otody: productive ending family. no English lexical value established.

[fRos.85 @L0] [note: 5:23] dairdy

isolated label or short inscription; paragraph opening; 1 normalized token group. dairdy: productive ending family. no English lexical value established.

[fRos.86 @L0] [note: 5:24] rody

isolated label or short inscription; paragraph opening; 1 normalized token group. rody: productive ending family. no English lexical value established.

[fRos.87 @Cc] [note: 07:30] yke okees olchedy okal [?break] y dol otodar shekal | olkar cheykar shal qokal okchr otar otody otody otody otas chfol okshy okem okar ar okedy okedy okchedy eekchedy ofchdor qotchdy kar chdar [?break] chekolko{iph}

circular text; paragraph opening; 32 normalized token groups. okees: recurrent form; olchedy: productive ending family; okal: broad high-frequency form. within-line repetition: otody, okedy. no English lexical value established.

[fRos.88 @L0] [note: 8:1] ofary

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.89 @L0] [note: 8:2] okady

isolated label or short inscription; paragraph opening; 1 normalized token group. okady: productive ending family. no English lexical value established.

[fRos.90 @L0] [note: 8:3] okchdy kary

isolated label or short inscription; paragraph opening; 2 normalized token groups. okchdy: productive ending family; kary: recurrent form. no English lexical value established.

[fRos.91 @L0] [note: 8:4] oraiin [?break] eey

isolated label or short inscription; paragraph opening; 2 normalized token groups. oraiin: productive ending family; eey: productive ending family. no English lexical value established.

[fRos.92 @L0] [note: 9:3] opodchd[a:?]l

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.93 @L0] [note: 9:2] dar[ch:ee]dy

isolated label or short inscription; paragraph opening; 1 normalized token group. darchdy: productive ending family. no English lexical value established.

[fRos.94 @Cc] [note: 07:30] otchdaiin otodar otedar otar [?break] odaiin olkaiin otl xasashe ol ar a{ikh}e chedaiin ockhedy shed[a:y] otody okedal [?break] d or [?break] aiin otody toor chepar ol chckhy opchdar o [?break] r a [?break] r al xar opor olchedy okalm or afalairidy

circular text; paragraph opening; 36 normalized token groups. otchdaiin: productive ending family; otodar: recurrent form; otedar: recurrent form. within-line repetition: ol, otody, or. no English lexical value established.

[fRos.95 @L0] [note: 3:5] okaramal

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.96 @L0] [note: 3:6] opchdy

isolated label or short inscription; paragraph opening; 1 normalized token group. opchdy: line-final tendency. no English lexical value established.

[fRos.97 @L0] [note: 3:7] ofdora[m:~]

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.98 @L0] [note: 3:8] oda

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.99 @L0] [note: 3:16] ofchdar

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.100 @L0] [note: 3:9] otedam

isolated label or short inscription; paragraph opening; 1 normalized token group. otedam: recurrent form. no English lexical value established.

[fRos.101 @L0] [note: 3:10] lokedshs

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.102 @L0] [note: 3:11] otodar

isolated label or short inscription; paragraph opening; 1 normalized token group. otodar: recurrent form. no English lexical value established.

[fRos.103 @L0] [note: 3:12] otedaiin

isolated label or short inscription; paragraph opening; 1 normalized token group. otedaiin: productive ending family. no English lexical value established.

[fRos.104 @L0] [note: 3:13] okedy

isolated label or short inscription; paragraph opening; 1 normalized token group. okedy: broad high-frequency form. no English lexical value established.

[fRos.105 @L0] [note: 3:14] xoltedy

isolated label or short inscription; paragraph opening; 1 normalized token group. xoltedy: productive ending family. no English lexical value established.

[fRos.106 @L0] [note: 3:15] op[ch:a]dam

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.107 @L0] [note: 3:19] otedy [?break] oporam

isolated label or short inscription; paragraph opening; 2 normalized token groups. otedy: broad high-frequency form. no English lexical value established.

[fRos.108 @L0] [note: 3:17] ot[ch:?]dy

isolated label or short inscription; paragraph opening; 1 normalized token group. otchdy: productive ending family. no English lexical value established.

[fRos.109 +L0] [note: 3:18] otody

isolated label or short inscription; continuation; 1 normalized token group. otody: productive ending family. no English lexical value established.

[fRos.110 /L0] [note: 3:20] chdain

isolated label or short inscription; continuation; 1 normalized token group. chdain: productive ending family. no English lexical value established.

[fRos.111 +L0] [note: 3:21] oted[y:?]

isolated label or short inscription; continuation; 1 normalized token group. otedy: broad high-frequency form. no English lexical value established.

[fRos.112 @L0] [note: left of clock] opa{i'h}efchdy

isolated label or short inscription; paragraph opening; 1 normalized token group. opaihefchdy: productive ending family. no English lexical value established.

[fRos.113 =Cc] [note: above clock] [note: 08:00] sar odaiin [?break] or

circular text; paragraph or sequence ending; 3 normalized token groups. sar: broad high-frequency form; odaiin: productive ending family; or: broad high-frequency form. no English lexical value established.

[fRos.114 +Ca] [note: below clock] [note: 06:30] o dar [aiird:???

circular text; continuation; 3 normalized token groups. o: broad high-frequency form; dar: broad high-frequency form. no English lexical value established.

[fRos.115 =L0] [note: right of clock] oteoly

isolated label or short inscription; paragraph or sequence ending; 1 normalized token group. oteoly: recurrent form. no English lexical value established.

[fRos.116 @L0] [note: 3:1] ofod[a:y]dy

isolated label or short inscription; paragraph opening; 1 normalized token group. ofodady: productive ending family. no English lexical value established.

[fRos.117 @L0] [note: 3:2] opd[a:y]dy

isolated label or short inscription; paragraph opening; 1 normalized token group. opdady: productive ending family. no English lexical value established.

[fRos.118 @L0] [note: 3:3] otodey

isolated label or short inscription; paragraph opening; 1 normalized token group. otodey: productive ending family. no English lexical value established.

[fRos.119 @L0] [note: 3:4] otodedy

isolated label or short inscription; paragraph opening; 1 normalized token group. otodedy: productive ending family. no English lexical value established.

[fRos.120 @L0] [note: 6:1] opchdain

isolated label or short inscription; paragraph opening; 1 normalized token group. opchdain: productive ending family. no English lexical value established.

[fRos.121 @L0] [note: 6:2] otdar shed

isolated label or short inscription; paragraph opening; 2 normalized token groups. shed: recurrent form. no English lexical value established.

[fRos.122 @Cc] [note: 06:30] okedar okody okair ched[y:o] opar ol keeedy s [?break] ar [?break] olkchedy otedaiin olky or aiin ody osain xdar odaiin okedal ol ar oekaiin al [?break] o saldan oteedy otchdaiin otedy o[t:k]ar aiin yky odaiin okal okalar

circular text; paragraph opening; 34 normalized token groups. okedar: recurrent form; okody: line-initial tendency; okair: recurrent form. within-line repetition: ol, ar, aiin. no English lexical value established.

[fRos.123 @L0] [note: 6:3] ofaraiin

isolated label or short inscription; paragraph opening; 1 normalized token group. ofaraiin: productive ending family. no English lexical value established.

[fRos.124 @L0] [note: 6:4] okolar

isolated label or short inscription; paragraph opening; 1 normalized token group. okolar: recurrent form. no English lexical value established.

[fRos.125 @L0] [note: 6:5] okchdy

isolated label or short inscription; paragraph opening; 1 normalized token group. okchdy: productive ending family. no English lexical value established.

[fRos.126 @L0] [note: 6:6] ykedy

isolated label or short inscription; paragraph opening; 1 normalized token group. ykedy: productive ending family. no English lexical value established.

[fRos.127 @L0] [note: 6:7] oteedy

isolated label or short inscription; paragraph opening; 1 normalized token group. oteedy: broad high-frequency form. no English lexical value established.

[fRos.128 @L0] [note: 6:8] otosaiin

isolated label or short inscription; paragraph opening; 1 normalized token group. otosaiin: productive ending family. no English lexical value established.

[fRos.129 @L0] [note: 6:9] otchdam

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.130 @L0] [note: 6:10] [o:?]tedy

isolated label or short inscription; paragraph opening; 1 normalized token group. otedy: broad high-frequency form. no English lexical value established.

[fRos.131 @L0] [note: 6:11] okar

isolated label or short inscription; paragraph opening; 1 normalized token group. okar: broad high-frequency form. no English lexical value established.

[fRos.132 @L0] [note: 6:12] lashalg

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.133 @Cc] [note: 05:30] ok [?break] ar [?break] ar okary otodeed odar chekaiin oees ??? [note: long gap] oiin okees oir odaiin okalol aiin okal [?break] ol otar chchdam chetey otodches oteesey chckhy otody otal chedal opal olkar okedaiin oror

circular text; paragraph opening; 29 normalized token groups. ok: line-initial tendency; ar: broad high-frequency form; okary: line-initial tendency. within-line repetition: ar. no English lexical value established.

[fRos.134 @L0] [note: 9:6] o@214;alda

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.135 @L0] [note: 9:1] osaram

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.136 @L0] [note: 9:7] oparodam

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.137 @Pb] [note: VI] otam opchody oteey

running paragraph text; paragraph opening; 3 normalized token groups. otam: line-final tendency; opchody: productive ending family; oteey: broad high-frequency form. no English lexical value established.

[fRos.138 *Pb] ?opar chepchey oteedy olaiin osshy

running paragraph text; paragraph or sequence ending; 5 normalized token groups. opar: line-initial tendency; chepchey: productive ending family; oteedy: broad high-frequency form. no English lexical value established.

[fRos.139 @Pb] [note: VII] tol ofar chefaiin ol

running paragraph text; paragraph opening; 4 normalized token groups. tol: line-initial tendency; ofar: recurrent form; chefaiin: productive ending family. no English lexical value established.

[fRos.140 +Pb] okchy qokedy qokedy

running paragraph text; continuation; 3 normalized token groups. okchy: recurrent form; qokedy: broad high-frequency form. within-line repetition: qokedy. no English lexical value established.

[fRos.141 +Pb] tol teoor o [?break] l [?break] chekor

running paragraph text; paragraph or sequence ending; 5 normalized token groups. tol: line-initial tendency; o: broad high-frequency form; l: broad high-frequency form. no English lexical value established.

[fRos.142 @Pb] [note: VIII] okar olche[t:k]y daiin

running paragraph text; paragraph opening; 3 normalized token groups. okar: broad high-frequency form; daiin: broad high-frequency form. no English lexical value established.

[fRos.143 +Pb] ok[?:ee]dy qokcho chfady oro

running paragraph text; continuation; 5 normalized token groups. ok: line-initial tendency; dy: broad high-frequency form; qokcho: productive qo- family. no English lexical value established.

[fRos.144 +Pb] okeechy okol shee[o:y] tolf[ch:a]d

running paragraph text; continuation; 4 normalized token groups. okol: recurrent form; shee: recurrent form. no English lexical value established.

[fRos.145 +Pb] saiir shodaiin

running paragraph text; paragraph or sequence ending; 2 normalized token groups. saiir: recurrent form; shodaiin: productive ending family. no English lexical value established.

[fRos.146 @L0] [note: I] dor

isolated label or short inscription; paragraph opening; 1 normalized token group. dor: line-initial tendency. no English lexical value established.

[fRos.147 +L0] oky

isolated label or short inscription; continuation; 1 normalized token group. oky: broad high-frequency form. no English lexical value established.

[fRos.148 +L0] roo

isolated label or short inscription; continuation; 1 normalized token group. no English lexical value established.

[fRos.149 @L0] [note: II] otol

isolated label or short inscription; paragraph opening; 1 normalized token group. otol: broad high-frequency form. no English lexical value established.

[fRos.150 +L0] ardas

isolated label or short inscription; continuation; 1 normalized token group. no English lexical value established.

[fRos.151 +L0] l [?break] chdy

isolated label or short inscription; continuation; 2 normalized token groups. l: broad high-frequency form; chdy: broad high-frequency form. no English lexical value established.

[fRos.152 @L0] [note: III] oparod

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.153 +L0] shckhdy

isolated label or short inscription; continuation; 1 normalized token group. shckhdy: productive ending family. no English lexical value established.

[fRos.154 +L0] tshda

isolated label or short inscription; continuation; 1 normalized token group. no English lexical value established.

[fRos.155 @L0] [note: IV] opchd

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[fRos.156 +L0] opchdy

isolated label or short inscription; continuation; 1 normalized token group. opchdy: line-final tendency. no English lexical value established.

[fRos.157 +L0] qoka l

isolated label or short inscription; continuation; 1 normalized token group. qokal: broad high-frequency form. no English lexical value established.

[fRos.158 @L0] [note: V] shet[?:a]

isolated label or short inscription; paragraph opening; 1 normalized token group. shet: recurrent form. no English lexical value established.

[fRos.159 +L0] opchsy

isolated label or short inscription; continuation; 1 normalized token group. no English lexical value established.

[fRos.160 +L0] che[?:o]ky

isolated label or short inscription; continuation; 2 normalized token groups. che: recurrent form; ky: recurrent form. no English lexical value established.

Folio f88r | Pharmaceutical

A pharmaceutical page with rows of roots or plant parts, short labels, and paragraph blocks.



Folio f88r. Courtesy of the Yale University Library; scan sequence from the supplied facsimile.

Metadata: Currier language A; hand 1; quire O

[f88r.1 @Lc] otorchety

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f88r.2 @Lf] osal

isolated label or short inscription; paragraph opening; 1 normalized token group. osal: recurrent form. no English lexical value established.

[f88r.3 @Lf] orald

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f88r.4 @Lf] oldar

isolated label or short inscription; paragraph opening; 1 normalized token group. oldar: recurrent form. no English lexical value established.

[f88r.5 @Lf] otoky

isolated label or short inscription; paragraph opening; 1 normalized token group. otoky: recurrent form. no English lexical value established.

[f88r.6 @Lf] otaly

isolated label or short inscription; paragraph opening; 1 normalized token group. otaly: line-initial tendency. no English lexical value established.

[f88r.7 @P0] dorsheoy ctheol qockhey dory sheor sholfchor dal chcthol

running paragraph text; paragraph opening; 8 normalized token groups. ctheol: section-concentrated form; qockhey: productive qo- family; dory: recurrent form. no English lexical value established.

[f88r.8 +P0] [r:s]al [?break] sheom keol [?break] chear shekor qokor daiin sar s [?break] aiin oky sam

running paragraph text; continuation; 12 normalized token groups. ral: line-final tendency; sheom: recurrent form; keol: recurrent form. no English lexical value established.

[f88r.9 +P0] oain or om otam okeom cheeor qokeody dar or om cheody

running paragraph text; continuation; 11 normalized token groups. oain: line-initial tendency; or: broad high-frequency form; om: line-final tendency. within-line repetition: or, om. no English lexical value established.

[f88r.10 +P0] qokeol cheol saiin cheos cheol doleeey or cheom cheo[j:m]am

running paragraph text; continuation; 9 normalized token groups. qokeol: productive qo- family; cheol: broad high-frequency form; saiin: broad high-frequency form. within-line repetition: cheol. no English lexical value established.

[f88r.11 +P0] yokeody cheom qoor cheeb ykeor shy sam

running paragraph text; paragraph or sequence ending; 7 normalized token groups. yokeody: productive ending family; cheom: recurrent form; qoor: section-concentrated form. no English lexical value established.

[f88r.12 @Lc] otaldy

isolated label or short inscription; paragraph opening; 1 normalized token group. otaldy: productive ending family. no English lexical value established.

[f88r.13 @Lf] oram

isolated label or short inscription; paragraph opening; 1 normalized token group. oram: line-final tendency. no English lexical value established.

[f88r.14 @Lf] dary

isolated label or short inscription; paragraph opening; 1 normalized token group. dary: line-final tendency. no English lexical value established.

[f88r.15 @Lf] okol

isolated label or short inscription; paragraph opening; 1 normalized token group. okol: recurrent form. no English lexical value established.

[f88r.16 @Lf] sorory

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f88r.17 @Lf] otyda

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f88r.18 @P0] koa{iph}y cphol orchor pcheoly otchol oldy salsaly

running paragraph text; paragraph opening; 7 normalized token groups. cphol: recurrent form; otchol: line-initial tendency; oldy: line-final tendency. no English lexical value established.

[f88r.19 +P0] dchey chokol daiin qoekol qoekol qockhol okol cheol

running paragraph text; continuation; 8 normalized token groups. dchey: line-initial tendency; chokol: recurrent form; daiin: broad high-frequency form. within-line repetition: qoekol. no English lexical value established.

[f88r.20 +P0] dsheol qokeey s chy s [?break] aiin chor oteor aiin chosals

running paragraph text; continuation; 10 normalized token groups. dsheol: recurrent form; qokeey: broad high-frequency form; s: broad high-frequency form. within-line repetition: s, aiin. no English lexical value established.

[f88r.21 +P0] teol chor olsheody qokeol sho{ikh}y ol sheeol sheoldg

running paragraph text; continuation; 8 normalized token groups. teol: recurrent form; chor: broad high-frequency form; olsheody: productive ending family. no English lexical value established.

[f88r.22 +P0] ychey okaiin chol cheor ol chorchoalsal

running paragraph text; paragraph or sequence ending; 6 normalized token groups. ychey: line-initial tendency; okaiin: broad high-frequency form; chol: broad high-frequency form. no English lexical value established.

[f88r.23 @Lc] ofyskydal

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f88r.24 @Lf] otor [?break] am

isolated label or short inscription; paragraph opening; 2 normalized token groups. otor: recurrent form; am: broad high-frequency form. no English lexical value established.

[f88r.25 @Lf] ofaldo

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f88r.26 @P0] poeeear sheoky olkeey cthol poldy s | okoldy

running paragraph text; paragraph opening; 7 normalized token groups. sheoky: recurrent form; olkeey: productive ending family; cthol: recurrent form. no English lexical value established.

[f88r.27 +P0] qokol chol qokol qokol chol cheey or aiin oldal

running paragraph text; continuation; 9 normalized token groups. qokol: broad high-frequency form; chol: broad high-frequency form; cheey: broad high-frequency form. within-line repetition: qokol, chol. no English lexical value established.

[f88r.28 +P0] ykar cheol chol chey ckhey s [?break] or shear ar [?break] alsy

running paragraph text; continuation; 10 normalized token groups. ykar: recurrent form; cheol: broad high-frequency form; chol: broad high-frequency form. no English lexical value established.

[f88r.29 +P0] kor [?break] chey qokol cheol chody qokol kchor chol [?break] dal

running paragraph text; continuation; 9 normalized token groups. kor: recurrent form; chey: broad high-frequency form; qokol: broad high-frequency form. within-line repetition: qokol. no English lexical value established.

[f88r.30 +P0] ykeey cheor cheotey cheol qokeor chetchy ofal

running paragraph text; continuation; 7 normalized token groups. ykeey: productive ending family; cheor: broad high-frequency form; cheotey: productive ending family. no English lexical value established.

[f88r.31 +P0] dar chear chol dol qokeor cheom

running paragraph text; paragraph or sequence ending; 6 normalized token groups. dar: broad high-frequency form; chear: recurrent form; chol: broad high-frequency form. no English lexical value established.

Folio f99r | Pharmaceutical

A pharmaceutical inventory-like page with containers, plant fragments, and many short labels.



Folio f99r. Courtesy of the Yale University Library; scan sequence from the supplied facsimile.

Metadata: Currier language A; hand 1; quire S

[f99r.1 @Lc] [note: 68a] okaradag

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f99r.2 @Lf] [note: 68b] okar [?break] y

isolated label or short inscription; paragraph opening; 2 normalized token groups. okar: broad high-frequency form; y: broad high-frequency form. no English lexical value established.

[f99r.3 @Lf] [note: 69] darar

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f99r.4 @Lf] [note: 70] oky

isolated label or short inscription; paragraph opening; 1 normalized token group. oky: broad high-frequency form. no English lexical value established.

[f99r.5 @Lf] [note: 71] salo

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f99r.6 @Lf] [note: 72] aro

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f99r.7 +Lf] [note: 72] ain

isolated label or short inscription; continuation; 1 normalized token group. ain: broad high-frequency form. no English lexical value established.

[f99r.8 @Lf] [note: 73] okor

isolated label or short inscription; paragraph opening; 1 normalized token group. okor: recurrent form. no English lexical value established.

[f99r.9 @Lf] [note: 74] ralol

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f99r.10 @Lf] [note: 75] skeeal

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f99r.11 @Lf] [note: 76] okary

isolated label or short inscription; paragraph opening; 1 normalized token group. okary: line-initial tendency. no English lexical value established.

[f99r.12 @Lf] [note: 77] okolo

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f99r.13 @Lf] [note: 78] otalam

isolated label or short inscription; paragraph opening; 1 normalized token group. otalam: recurrent form. no English lexical value established.

[f99r.14 @Lf] [note: 79] otoldy

isolated label or short inscription; paragraph opening; 1 normalized token group. otoldy: line-initial tendency. no English lexical value established.

[f99r.15 @P0] pcheody oteody [note: gap] daiin cpheey tshol dal cfheol olaiin sar

running paragraph text; paragraph opening; 9 normalized token groups. pcheody: productive ending family; oteody: productive ending family; daiin: broad high-frequency form. no English lexical value established.

[f99r.16 +P0] saroshy shor s [?break] shor sheol kolsheol qoeol sholkol ckhol ckhory

running paragraph text; continuation; 10 normalized token groups. shor: broad high-frequency form; s: broad high-frequency form; sheol: broad high-frequency form. within-line repetition: shor. no English lexical value established.

[f99r.17 +P0] dcheor chr al yckhy okeol ckhor oraiin chor qokeeor chory

running paragraph text; continuation; 10 normalized token groups. dcheor: recurrent form; chr: recurrent form; al: broad high-frequency form. no English lexical value established.

[f99r.18 +P0] qokeor chol ykol cheey chody ckhol daiin okeoly daiin ckhy

running paragraph text; paragraph or sequence ending; 10 normalized token groups. qokeor: productive qo- family; chol: broad high-frequency form; ykol: recurrent form. within-line repetition: daiin. no English lexical value established.

[f99r.19 @Lc] [note: 80a] oparal

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f99r.20 @Lf] [note: 80b] oaro

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f99r.21 @Lf] [note: 81] aloly

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f99r.22 @Lf] [note: 82] aora[?:r]

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f99r.23 @Lf] [note: 83] choky

isolated label or short inscription; paragraph opening; 1 normalized token group. choky: recurrent form. no English lexical value established.

[f99r.24 @Lf] [note: 84] oky

isolated label or short inscription; paragraph opening; 1 normalized token group. oky: broad high-frequency form. no English lexical value established.

[f99r.25 @Lf] [note: 85a] okeoly

isolated label or short inscription; paragraph opening; 1 normalized token group. okeoly: recurrent form. no English lexical value established.

[f99r.26 @Lf] [note: 85b] yteold

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f99r.27 @Lf] [note: 86a] cheotchy

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f99r.28 @P0] kodaiin opchey qoky dar otchor opsho okeol sheol oteofol

running paragraph text; paragraph opening; 9 normalized token groups. kodaiin: productive ending family; opchey: productive ending family; qoky: broad high-frequency form. no English lexical value established.

[f99r.29 +P0] dsheol ckhey ckheol okeol ctheol qokey ckhol okeol okeyy dald

running paragraph text; continuation; 10 normalized token groups. dsheol: recurrent form; ckhey: productive ending family; ckheol: recurrent form. within-line repetition: okeol. no English lexical value established.

[f99r.30 +P0] tol [?break] cheody qokol okoly okoldy qokoly qokal okchol qokold

running paragraph text; continuation; 9 normalized token groups. tol: line-initial tendency; cheody: broad high-frequency form; qokol: broad high-frequency form. no English lexical value established.

[f99r.31 +P0] chees okeyy qotol sheol [?break] daiin qotol okeol

running paragraph text; paragraph or sequence ending; 7 normalized token groups. chees: recurrent form; okeyy: broad high-frequency form; qotol: productive qo- family. within-line repetition: qotol. no English lexical value established.

[f99r.32 @Lc] [note: 87a] tsholdy

isolated label or short inscription; paragraph opening; 1 normalized token group. tsholdy: productive ending family. no English lexical value established.

[f99r.33 @Lf] [note: 87b] okos

isolated label or short inscription; paragraph opening; 1 normalized token group. okos: recurrent form. no English lexical value established.

[f99r.34 @Lf] [note: 87c] oekey

isolated label or short inscription; paragraph opening; 1 normalized token group. oekey: productive ending family. no English lexical value established.

[f99r.35 @Lf] [note: 88] dar

isolated label or short inscription; paragraph opening; 1 normalized token group. dar: broad high-frequency form. no English lexical value established.

[f99r.36 @Lf] [note: 89] chockhi[a:y]

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f99r.37 @Lf] [note: 90] r [?break] cheyet

isolated label or short inscription; paragraph opening; 2 normalized token groups. r: broad high-frequency form. no English lexical value established.

[f99r.38 @Lf] [note: 91] saiiny

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f99r.39 @Lf] [note: 92] sory

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f99r.40 @Lf] [note: 93] dam

isolated label or short inscription; paragraph opening; 1 normalized token group. dam: broad high-frequency form. no English lexical value established.

[f99r.41 @P0] tsheeor cpheol {ck}ey pchol ckhey ypchol [?break] chor choly qotocthey qkory

running paragraph text; paragraph opening; 10 normalized token groups. ckey: productive ending family; pchol: recurrent form; ckhey: productive ending family. no English lexical value established.

[f99r.42 +P0] sol sheol keshey qokeeey chs chey dalchey ctheey daiin cheom

running paragraph text; continuation; 10 normalized token groups. sol: line-initial tendency; sheol: broad high-frequency form; keshey: productive ending family. no English lexical value established.

[f99r.43 +P0] daiin cheeokeey checkhey dor oldy sheey keody okeeey s aiin ols

running paragraph text; continuation; 11 normalized token groups. daiin: broad high-frequency form; cheeokeey: productive ending family; checkhey: productive ending family. no English lexical value established.

[f99r.44 +P0] qokey chkeey chey ckhey ckhey ykeey oiin air chody oeksa

running paragraph text; paragraph or sequence ending; 10 normalized token groups. qokey: broad high-frequency form; chkeey: productive ending family; chey: broad high-frequency form. within-line repetition: ckhey. no English lexical value established.

[f99r.45 @Lc] [note: 94a] yteoldy

isolated label or short inscription; paragraph opening; 1 normalized token group. yteoldy: productive ending family. no English lexical value established.

[f99r.46 @Lf] [note: 94b] tolsasy

isolated label or short inscription; paragraph opening; 1 normalized token group. no English lexical value established.

[f99r.47 @P0] tol [?break] keey ctheey

running paragraph text; paragraph opening; 3 normalized token groups. tol: line-initial tendency; keey: productive ending family; ctheey: productive ending family. no English lexical value established.

[f99r.48 +P0] ykeol okeol ockhey chol cheodal okeo [?break] r [?break] alcheeg orar

running paragraph text; continuation; 9 normalized token groups. ykeol: line-initial tendency; okeol: recurrent form; ockhey: productive ending family. no English lexical value established.

[f99r.49 +P0] okeeey keey keear okeey daiin okeol [?break] s aiin olaiir oolsal

running paragraph text; continuation; 10 normalized token groups. okeeey: productive ending family; keey: productive ending family; keear: recurrent form. no English lexical value established.

[f99r.50 +P0] qokeeo okeey qokeey okesy qokeeo sar sheseky or al

running paragraph text; continuation; 9 normalized token groups. qokeeo: productive qo- family; okeey: broad high-frequency form; qokeey: broad high-frequency form. within-line repetition: qokeeo. no English lexical value established.

[f99r.51 +P0] yshaiin {ykh}ey octhey dy [?break] daiin okor okeey sh{cty}sh

running paragraph text; continuation; 8 normalized token groups. yshaiin: productive ending family; ykhey: productive ending family; octhey: productive ending family. no English lexical value established.

[f99r.52 +P0] ychor ols or [?break] agairom

running paragraph text; paragraph or sequence ending; 4 normalized token groups. ychor: line-initial tendency; ols: line-final tendency; or: broad high-frequency form. no English lexical value established.

Folio f103r | Star-marked entries (conventionally called recipes)

The opening of the star-marked text section, arranged as compact entries with a seven-pointed star marker.



Folio f103r. Courtesy of the Yale University Library; scan sequence from the supplied facsimile.

Metadata: Currier language B; hand 3; quire T

[f103r.1 @P0] pchedal shdy ytechypchy otey ?lshey qoteey qotal shedy yshdal dain okal daldy
running paragraph text; paragraph opening; 12 normalized token groups. pchedal: recurrent form; shdy: productive ending family; otey: productive ending family. no English lexical value established.

[f103r.2 +P0] dain shek ch{cphh}dy daloky opchedy peshol chep ar otchy sal lkeey sar ain ok??
chedy

running paragraph text; continuation; 15 normalized token groups. dain: broad high-frequency form; shek: recurrent form; chcpshdy: productive ending family. no English lexical value established.

[f103r.3 +P0] yshdain sheek cheoty eeokal chedy chckhy or orol okaiin eeal ot kar otar
cha[l:??]

running paragraph text; continuation; 14 normalized token groups. yshdain: productive ending family; sheek: recurrent form; cheoty: recurrent form. no English lexical value established.

[f103r.4 +P0] ychedy qokedy okedy qokeey okey chdar [?break] ol loty chedaraly

running paragraph text; paragraph or sequence ending; 9 normalized token groups. ychedy: line-initial tendency; qokedy: broad high-frequency form; okedy: broad high-frequency form. no English lexical value established.

[f103r.5 +P0] pocharal okedar shedy oteey qokey lkar sheeky okalor shedy yt??? rkar ota? okdy
running paragraph text; continuation; 13 normalized token groups. okedar: recurrent form; shedy: broad high-frequency form; oteey: broad high-frequency form. within-line repetition: shedy. no English lexical value established.

[f103r.6 +P0] ocheey dain shek okeedy okey shedy qokealdy shcthy qotedy qoto??? ota ??? san
[?break] am

running paragraph text; continuation; 13 normalized token groups. ocheey: productive ending family; dain: broad high-frequency form; shek: recurrent form. no English lexical value established.

[f103r.7 +P0] saiin chey shs olshedy qokeey okeedy qoedy ol [?break] shedy

running paragraph text; paragraph or sequence ending; 9 normalized token groups. saiin: broad high-frequency form; chey: broad high-frequency form; shs: recurrent form. no English lexical value established.

[f103r.8 +P0] daroal okey chedy okey rain okechy qoisal qotar [?break] adchey of[ee:ch]o lt??
dy ??olkechdy [?break] lo

running paragraph text; continuation; 14 normalized token groups. okey: productive ending family; chedy: broad high-frequency form; rain: section-concentrated form. within-line repetition: okey. no English lexical value established.

[f103r.9 +P0] oteeos ar cheal okeey shey lkaiin shey lkeor otaiin shedy otey l ?dy okeedaram

running paragraph text; continuation; 14 normalized token groups. oteeos: recurrent form; ar: broad high-frequency form; cheal: recurrent form. within-line repetition: shey. no English lexical value established.

[f103r.10 +P0] daiin ol oain okeol chol okam chety shedy otaiin shedy teolshy oteedy sor [?
break] ain

running paragraph text; continuation; 14 normalized token groups. daiin: broad high-frequency form; ol: broad high-frequency form; oain: line-initial tendency. within-line repetition: shedy. no English lexical value established.

[f103r.11 +P0] dar oteey otain lolshedy okain chey qorain shey otoy qokeol key da{ikh}yky

running paragraph text; continuation; 12 normalized token groups. dar: broad high-frequency form; oteey: broad high-frequency form; otain: productive ending family. no English lexical value established.

[f103r.12 +P0] oain shey shckhy oteey qokeol [?break] keedy shar [?break] aiin otedy

running paragraph text; paragraph or sequence ending; 9 normalized token groups. oain: line-initial tendency; shey: broad high-frequency form; shckhy: recurrent form. no English lexical value established.

[f103r.13 +P0] podar [?break] sheor qotedy okeey qokar checkhy qokain chedy pchdy tshdy dal
[?break] kasol

running paragraph text; continuation; 12 normalized token groups. sheor: recurrent form; qotedy: productive qo- family; okeey: broad high-frequency form. no English lexical value established.

[f103r.14 +P0] okain shekain chedy qokeechy qok[y:?] shey lol s [?break] aiin chey eekain
chcthy qoky

running paragraph text; continuation; 13 normalized token groups. okain: broad high-frequency form; shekain: productive ending family; chedy: broad high-frequency form. within-line repetition: qoky. no English lexical value established.

[f103r.15 +P0] qotedy qokeey sh[o:a]l qotey shkaiin

running paragraph text; paragraph or sequence ending; 5 normalized token groups. qotedy: productive qo- family; qokeey: broad high-frequency form; shol: broad high-frequency form. no English lexical value established.

[f103r.16 +P0] dshol sholkar shdaiin [chee:eeee]y rar okeey shcfhedy opcheol oteedy tchey
shky

running paragraph text; continuation; 11 normalized token groups. dshol: recurrent form; shdaiin: productive ending family; chey: broad high-frequency form. no English lexical value established.

[f103r.17 +P0] sar [?break] shey qokey [?break] keedy qokeey chckhy qokal oty or [?break]
aiin

running paragraph text; paragraph or sequence ending; 10 normalized token groups. sar: broad high-frequency form; shey: broad high-frequency form; qokey: broad high-frequency form. no English lexical value established.

[f103r.18 +P0] polchedy qokeol okain checthy oteeylshedy okain qokain qokalshedy oteys

running paragraph text; continuation; 9 normalized token groups. polchedy: productive ending family; qokeol: productive qo- family; okain: broad high-frequency form. within-line repetition: okain. no English lexical value established.

[f103r.19 +P0] okaiin chey qoy shey qokaiin chedy qokain oteol lkar okaral lkldy lr
running paragraph text; continuation; 12 normalized token groups. okaiin: broad high-frequency form; chey: broad high-frequency form; qoy: productive qo- family. no English lexical value established.

[f103r.20 +P0] ychain shckhy qokaiin shey qokaiin shedy olor
running paragraph text; paragraph or sequence ending; 7 normalized token groups. ychain: productive ending family; shckhy: recurrent form; qokaiin: broad high-frequency form. within-line repetition: qokaiin. no English lexical value established.

[f103r.21 +P0] pcheam sokedy dalkar otal qokal chepy okedy qoky pchedy okaly qokeedy lor
running paragraph text; continuation; 12 normalized token groups. sokedy: productive ending family; dalkar: recurrent form; otal: broad high-frequency form. no English lexical value established.

[f103r.22 +P0] dalshy okain shckhody shdal qokeedy shedy qotar chcthy chep ar otar opchy
running paragraph text; continuation; 12 normalized token groups. okain: broad high-frequency form; shckhody: productive ending family; shdal: recurrent form. no English lexical value established.

[f103r.23 +P0] daiin sheckhy lchedy chckhy sho l
running paragraph text; paragraph or sequence ending; 5 normalized token groups. daiin: broad high-frequency form; sheckhy: recurrent form; lchedy: productive ending family. no English lexical value established.

[f103r.24 +P0] tchoky okeal shedy qokal oty opchedy qotain shcthy otey dain oteey oky
running paragraph text; continuation; 12 normalized token groups. okeal: recurrent form; shedy: broad high-frequency form; qokal: broad high-frequency form. no English lexical value established.

[f103r.25 +P0] dar [?break] shey qokain chckhey chey [?break] kain chedal okeey qoodain okain [o:?]teey ol
running paragraph text; continuation; 12 normalized token groups. dar: broad high-frequency form; shey: broad high-frequency form; qokain: broad high-frequency form. no English lexical value established.

[f103r.26 +P0] oteedy okeey qot[ch:ee]y shey olcheedar shey lotor
running paragraph text; paragraph or sequence ending; 7 normalized token groups. oteedy: broad high-frequency form; okeey: broad high-frequency form; qotchy: line-initial tendency. within-line repetition: shey. no English lexical value established.

[f103r.27 +P0] qokechy okeey qokeey lkeedy sheey qokeey [?break] lkeol tchey [?break] qokeey okeey qokaly
running paragraph text; continuation; 11 normalized token groups. qokechy: productive qo- family; okeey: broad high-frequency form; qokeey: broad high-frequency form. within-line repetition: okeey, qokeey. no English lexical value established.

[f103r.28 +P0] deshedy qokeey dalkain okaiin chedy qokeey otain ain ol cheey lkeedy
running paragraph text; continuation; 11 normalized token groups. deshedy: productive ending family; qokeey: productive qo- family; dalkain: productive ending family. no English lexical value established.

[f103r.29 +P0] qokeechy shokey qochey qokeey chal chedy
running paragraph text; paragraph or sequence ending; 6 normalized token groups. qokeechy: productive qo- family; shokey: productive ending family; qochey: productive qo- family. no English lexical value established.

[f103r.30 +P0] pcholkchdy sheckhy qoke okaiin shedy chpchy opchedy oteeykshy chdaly
running paragraph text; continuation; 9 normalized token groups. pcholkchdy: productive ending family; sheckhy: recurrent form; qoke: broad high-frequency form. no English lexical value established.

[f103r.31 +P0] soiin chol kaiin chal okaiin shckhy qokal shdar shchdy okaiin chty
running paragraph text; continuation; 11 normalized token groups. soiin: line-initial tendency; chol: broad high-frequency form; kaiin: productive ending family. within-line repetition: okaiin. no English lexical value established.

[f103r.32 +P0] okeey shedy qokedy qokal shety otedy shcthy oraiin
running paragraph text; paragraph or sequence ending; 8 normalized token groups. okeey: broad high-frequency form; shedy: broad high-frequency form; qokedy: broad high-frequency form. no English lexical value established.

[f103r.33 +P0] qokeey chechy qoke shckhy choldy qokal y shedy yteedy qotail shedy
running paragraph text; continuation; 11 normalized token groups. qokeey: broad high-frequency form; qoke: broad high-frequency form; shckhy: recurrent form. within-line repetition: shedy. no English lexical value established.

[f103r.34 +P0] sheod oshey cheedalaiin

running paragraph text; paragraph or sequence ending; 3 normalized token groups. sheod: recurrent form; oshey: productive ending family; cheedalaiin: productive ending family. no English lexical value established.

[f103r.35 +P0] qoke{ca}r chain olain chey kain sheol shedain qokeedy ykeedy [?break] lcheg

running paragraph text; continuation; 10 normalized token groups. qokecar: productive qo- family; chain: productive ending family; olain: productive ending family. no English lexical value established.

[f103r.36 +P0] okool chedy okeedy qokeedy qokeey shdy otey qokeey

running paragraph text; paragraph or sequence ending; 8 normalized token groups. chedy: broad high-frequency form; okeedy: broad high-frequency form; qokeedy: broad high-frequency form. within-line repetition: qokeey. no English lexical value established.

[f103r.37 +P0] pchedy qokeey qokeodair qokshy qokeedy qokchdy chsky ee'ey shalky

running paragraph text; continuation; 9 normalized token groups. pchedy: line-initial tendency; qokeey: broad high-frequency form; qokeodair: productive qo- family. no English lexical value established.

[f103r.38 +P0] otechedy qokain shcthy chckhy lokeedy checkhy lokain shedy okeey

running paragraph text; continuation; 9 normalized token groups. otechedy: productive ending family; qokain: broad high-frequency form; shcthy: recurrent form. no English lexical value established.

[f103r.39 +P0] ykeedy qokeey lsheey qotal shedy oteey

running paragraph text; paragraph or sequence ending; 6 normalized token groups. ykeedy: productive ending family; qokeey: broad high-frequency form; lsheey: productive ending family. no English lexical value established.

[f103r.40 +P0] qokeey sheeol shckhy sheol shodyol [?break] aiin otey qoteey lotar otam

running paragraph text; continuation; 10 normalized token groups. qokeey: broad high-frequency form; sheeol: recurrent form; shckhy: recurrent form. no English lexical value established.

[f103r.41 +P0] cheol sheeey qotey oteeal oteedy shet [?break] sho keeo [?break] s [?break] shey qokeedy qokal dal

running paragraph text; continuation; 13 normalized token groups. cheol: broad high-frequency form; sheeey: productive ending family; qotey: productive qo- family. no English lexical value established.

[f103r.42 +P0] tshey sheol cheolshy chalal

running paragraph text; paragraph or sequence ending; 4 normalized token groups. tshey: productive ending family; sheol: broad high-frequency form. no English lexical value established.

[f103r.43 +P0] tar cheal ol sheey qotal sheal qokal sheedy okeshedy shokey qokaiin

running paragraph text; continuation; 11 normalized token groups. tar: line-initial tendency; cheal: recurrent form; ol: broad high-frequency form. no English lexical value established.

[f103r.44 +P0] odeey qokeey shey sheal otshedy

running paragraph text; paragraph or sequence ending; 5 normalized token groups. odeey: productive ending family; qokeey: broad high-frequency form; shey: broad high-frequency form. no English lexical value established.

[f103r.45 +P0] qokeedy qokeedy shol shedar chedy qoteedy oteedy olkeol ltar [?break] y

running paragraph text; continuation; 10 normalized token groups. qokeedy: broad high-frequency form; shol: broad high-frequency form; shedar: recurrent form. within-line repetition: qokeedy. no English lexical value established.

[f103r.46 +P0] chol [?break] keey qokeey cheol chorol [?break] shedy qokeey qokeey ol loiin chedan

running paragraph text; continuation; 11 normalized token groups. chol: broad high-frequency form; keey: productive ending family; qokeey: broad high-frequency form. within-line repetition: qokeey. no English lexical value established.

[f103r.47 +P0] ssheey okeeo [?break] l [?break] lchey qokaly lcheedy oloraiin

running paragraph text; paragraph or sequence ending; 7 normalized token groups. ssheey: productive ending family; okeeo: recurrent form; l: broad high-frequency form. no English lexical value established.

[f103r.48 +P0] polarar lshedy qotolaiin qokeey qokeey shkchy opchealol kchy [?break] sam

running paragraph text; continuation; 9 normalized token groups. lshedy: productive ending family; qotolaiin: productive qo- family; qokeey: broad high-frequency form. within-line repetition: qokeey. no English lexical value established.

[f103r.49 +P0] okeey lr ain l ol [?break] sheed qokeey sheol qokeedy shedy qoky leeesain [?break] am

running paragraph text; continuation; 13 normalized token groups. okeey: broad high-frequency form; lr: line-final tendency; ain: broad high-frequency form. no English lexical value established.

[f103r.50 +P0] ssheey l [?break] shey qol cheey chey qokeey okeey qokain cheey qotain

running paragraph text; continuation; 11 normalized token groups. ssheey: productive ending family; l: broad high-frequency form; shey: broad high-frequency form. within-line repetition: cheey. no English lexical value established.

[f103r.51 +P0] saiin cheteey shey cheosaiin

running paragraph text; paragraph or sequence ending; 4 normalized token groups. saiin: broad high-frequency form; cheteey: productive ending family; shey: broad high-frequency form. no English lexical value established.

[f103r.52 +P0] pchedal oteey qol [?break] keedy qokeey qoty chepchy qopchey lkaiin otalsy

running paragraph text; continuation; 10 normalized token groups. pchedal: recurrent form; oteey: broad high-frequency form; qol: productive qo- family. no English lexical value established.

[f103r.53 +P0] sshey qokedy qokaiin shdy qokeey chedy qokeey qokeey lchedy loty

running paragraph text; continuation; 10 normalized token groups. sshey: productive ending family; qokedy: broad high-frequency form; qokaiin: broad high-frequency form. within-line repetition: qokeey. no English lexical value established.

[f103r.54 +P0] dsheey qoteeey darchedy qokeey qoty

running paragraph text; paragraph or sequence ending; 5 normalized token groups. dsheey: productive ending family; qoteeey: productive qo- family; darchedy: productive ending family. no English lexical value established.

Folio f116r | Star-marked entries (conventionally called recipes)

A late star-marked text page near the end of the manuscript; included to test whether the same rule set reaches the corpus boundary.



Folio f116r. Courtesy of the Yale University Library; scan sequence from the supplied facsimile.

Metadata: Currier language B; hand 3; quire T

[f116r.1 @P0] kchdpy shey qokain otalsh[?:e]dy qoteey shear ain or [?break] llory {i'h} earamom

running paragraph text; paragraph opening; 11 normalized token groups. shey: broad high-frequency form; qokain: broad high-frequency form; dy: broad high-frequency form. no English lexical value established.

[f116r.2 +P0] shain cheor ain okeey okeey shy lar ar aiiin oky char ar okain ykanam
running paragraph text; continuation; 14 normalized token groups. shain: productive ending family; cheor: broad high-frequency form; ain: broad high-frequency form. within-line repetition: okeey, ar. no English lexical value established.

[f116r.3 +P0] dain chl lshey cthy lshedy oteor shey qo saly
running paragraph text; paragraph or sequence ending; 9 normalized token groups. dain: broad high-frequency form; chl: recurrent form; lshey: productive ending family. no English lexical value established.

[f116r.4 +P0] padar shey osheeky qol laiin chckhy okam chedy oteedy qotar aralar y
running paragraph text; continuation; 12 normalized token groups. shey: broad high-frequency form; qol: productive qo- family; laiin: productive ending family. no English lexical value established.

[f116r.5 +P0] dain sheed qokchdy otal chedy lkain oteedy otor aain oty lol rol oly
 running paragraph text; continuation; 13 normalized token groups. dain: broad high-frequency form; sheed: recurrent form; qokchdy: productive qo- family. no English lexical value established.

[f116r.6 +P0] sain ol lchedy chedy otey chedy {yko}lain oteedy oteey
 running paragraph text; paragraph or sequence ending; 9 normalized token groups. sain: line-initial tendency; ol: broad high-frequency form; lchedy: productive ending family. within-line repetition: chedy. no English lexical value established.

[f116r.7 +P0] pcholchdy [?break] teody otey qo qokain qoteey tokain oteedy totol rotydy
 running paragraph text; continuation; 10 normalized token groups. pcholchdy: productive ending family; teody: productive ending family; otey: productive ending family. no English lexical value established.

[f116r.8 +P0] dar yteedy chedy qokeey qokain qotody oteedar otey ldy lchedy
 running paragraph text; continuation; 10 normalized token groups. dar: broad high-frequency form; yteedy: line-initial tendency; chedy: broad high-frequency form. no English lexical value established.

[f116r.9 +P0] qokeey lchey qokeedy qokain okeeylkain
 running paragraph text; paragraph or sequence ending; 5 normalized token groups. qokeey: broad high-frequency form; lchey: productive ending family; qokeedy: broad high-frequency form. no English lexical value established.

[f116r.10 +P0] chd?in checkhy dar shedy qokeedy shdy rain sheedy cphol r [?break] teol
 chcpnam
 running paragraph text; continuation; 13 normalized token groups. chd: recurrent form; in: recurrent form; checkhy: recurrent form. no English lexical value established.

[f116r.11 +P0] ol aain shed qoteedy okeolshy qotain okedy chedy olchedy olkain als
 running paragraph text; continuation; 11 normalized token groups. ol: broad high-frequency form; aain: broad high-frequency form; shed: recurrent form. no English lexical value established.

[f116r.12 +P0] qo?in ar cholches okain dain cheey okeey otain olchdy otal [?break] d[a:?]in
 olam
 running paragraph text; continuation; 13 normalized token groups. qo: productive qo- family; in: recurrent form; ar: broad high-frequency form. within-line repetition: dain. no English lexical value established.

[f116r.13 +P0] sar [?break] ain tey chetai n sht{ch'}ey okey chedy qoteedy qokain shety
 okeedam
 running paragraph text; continuation; 11 normalized token groups. sar: broad high-frequency form; ain: broad high-frequency form; tey: productive ending family. no English lexical value established.

[f116r.14 +P0] sain cheychear ain chl [?break] l s oleedy
 running paragraph text; paragraph or sequence ending; 7 normalized token groups. sain: line-initial tendency; ain: broad high-frequency form; chl: recurrent form. no English lexical value established.

[f116r.15 +P0] pchoetal otedal otal oteedy olr daiin okeedy qoky dar al keedy shdy
 running paragraph text; continuation; 12 normalized token groups. otedal: recurrent form; otal: broad high-frequency form; oteedy: broad high-frequency form. no English lexical value established.

[f116r.16 +P0] dar chedy sheedy otal al lchedy shcthy qotey dain otar otarar opam
 running paragraph text; continuation; 12 normalized token groups. dar: broad high-frequency form; chedy: broad high-frequency form; sheedy: productive ending family. no English lexical value established.

[f116r.17 +P0] dain chey qokeey okeey lain okeey qol chedy
 running paragraph text; paragraph or sequence ending; 8 normalized token groups. dain: broad high-frequency form; chey: broad high-frequency form; qokeey: broad high-frequency form. within-line repetition: okeey. no English lexical value established.

[f116r.18 +P0] pchar[a:o]lor qokey r ain oteedy opain lor oiin otain otar oteedy ches ar [?
 break] y
 running paragraph text; continuation; 14 normalized token groups. qokey: broad high-frequency form; r: broad high-frequency form; ain: broad high-frequency form. no English lexical value established.

[f116r.19 +P0] porchey sheedy qotain chetar qotar ar arody chcthy rain otey ot [?break] y dain

running paragraph text; continuation; 13 normalized token groups. porchey: productive ending family; sheedy: productive ending family; qotain: productive qo- family. no English lexical value established.

[f116r.20 +P0] chol keedy ol cheey rain y chedy otar o [?break] kal okain olar otey qoty sf?m

running paragraph text; continuation; 16 normalized token groups. chol: broad high-frequency form; keedy: productive ending family; ol: broad high-frequency form. no English lexical value established.

[f116r.21 +P0] sairol sheey qokain chal qol chl l [?break] rain okain shckhy dtal orchcthy lty

running paragraph text; continuation; 13 normalized token groups. sheey: broad high-frequency form; qokain: broad high-frequency form; chal: recurrent form. no English lexical value established.

[f116r.22 +P0] dol shedy shekchy qokain chedy otar okalain shcthy oteey dar chedy lg

running paragraph text; continuation; 12 normalized token groups. dol: broad high-frequency form; shedy: broad high-frequency form; shekchy: recurrent form. within-line repetition: chedy. no English lexical value established.

[f116r.23 +P0] dain cheeteey lkar shedy qokal shedy qoteedy ches ain ain aly salo lm

running paragraph text; continuation; 13 normalized token groups. dain: broad high-frequency form; cheeteey: productive ending family; lkar: section-concentrated form. within-line repetition: shedy, ain. no English lexical value established.

[f116r.24 +P0] qokedy okain chcthy oty shedy qokeey chalkeey okey kedy chey lag

running paragraph text; continuation; 11 normalized token groups. qokedy: broad high-frequency form; okain: broad high-frequency form; chcthy: broad high-frequency form. no English lexical value established.

[f116r.25 +P0] chol sheky shedy qokeey qokeedy shckhy qokain otal [?break] ches oin [?break] ain [?break] al [?break] om

running paragraph text; continuation; 13 normalized token groups. chol: broad high-frequency form; sheky: recurrent form; shedy: broad high-frequency form. no English lexical value established.

[f116r.26 +P0] ytchey qokaiin chckhol shechol qotey ol cheedy otain okedy qotam

running paragraph text; continuation; 10 normalized token groups. ytchey: line-initial tendency; qokaiin: broad high-frequency form; chckhol: recurrent form. no English lexical value established.

[f116r.27 +P0] daiin chey qokey lshedy orain chckhy lkain chy [?break] pshedy lshedy qoky ram

running paragraph text; continuation; 12 normalized token groups. daiin: broad high-frequency form; chey: broad high-frequency form; qokey: broad high-frequency form. within-line repetition: lshedy. no English lexical value established.

[f116r.28 +P0] cheol lchey lkeey sheal lshalshy qotalshy cthedy l [?break] ky chedy oteedy lched

running paragraph text; continuation; 12 normalized token groups. cheol: broad high-frequency form; lchey: productive ending family; lkeey: section-concentrated form. no English lexical value established.

[f116r.29 +P0] cthan cheey lkeal lshey chl [?break] l lkain chear aiin chl l keedy raraiin ory

running paragraph text; continuation; 14 normalized token groups. cheey: broad high-frequency form; lshey: productive ending family; chl: recurrent form. within-line repetition: chl, l. no English lexical value established.

[f116r.30 +P0] saraiin shey qokain chcthy okar air [?break] ollaiin okaly

running paragraph text; paragraph or sequence ending; 8 normalized token groups. saraiin: productive ending family; shey: broad high-frequency form; qokain: broad high-frequency form. no English lexical value established.

[f116r.31 +P0] pchall[a:o]rar al ckhal rain alolfchy rpchey shfy ches ar opchekan [?break] dlr

running paragraph text; continuation; 11 normalized token groups. al: broad high-frequency form; ckhal: recurrent form; rain: section-concentrated form. no English lexical value established.

[f116r.32 +P0] olkeey rain [?break] shey qor aiin shey ol lchedy rshey qokeedy chtain oly

running paragraph text; continuation; 12 normalized token groups. olkeey: productive ending family; rain: section-concentrated form; shey: broad high-frequency form. within-line repetition: shey. no English lexical value established.

[f116r.33 +P0] soraiin ykeey arain sheeky qokain sheey qol cheds ar r [?:a]rsheg
running paragraph text; continuation; 11 normalized token groups. soraiin: productive ending family; ykeey: productive ending family; arain: productive ending family. no English lexical value established.

[f116r.34 +P0] qokain ar rain shek okain y [?break] r [?break] shey qolchey okaiin shckhy qokam

running paragraph text; continuation; 12 normalized token groups. qokain: broad high-frequency form; ar: broad high-frequency form; rain: productive ending family. no English lexical value established.

[f116r.35 +P0] shedy qokeey qokain qokeey lchey olkey rain ctchar shckhy qorar

running paragraph text; continuation; 10 normalized token groups. shedy: broad high-frequency form; qokeey: broad high-frequency form; qokain: broad high-frequency form. within-line repetition: qokeey. no English lexical value established.

[f116r.36 +P0] qokeey rain shey okeey lkain l dain chey sheckhy q{cthh}y qokl ain

running paragraph text; continuation; 12 normalized token groups. qokeey: broad high-frequency form; rain: section-concentrated form; shey: broad high-frequency form. no English lexical value established.

[f116r.37 +P0] pairain sheek [?break] l [?break] y oiin cheey lkeey olkeey lchey qoky lshedy cheam sham

running paragraph text; continuation; 13 normalized token groups. pairain: productive ending family; sheek: recurrent form; l: broad high-frequency form. no English lexical value established.

[f116r.38 +P0] daiin qokeey lshey qokaiin chkar shey okaiin chedy qokeedy rain shy

running paragraph text; continuation; 11 normalized token groups. daiin: broad high-frequency form; qokeey: broad high-frequency form; lshey: productive ending family. no English lexical value established.

[f116r.39 +P0] qokain chey olr ain shey qokain o [?break] l [?break] keey [?break] keey lkeal or al lom

running paragraph text; continuation; 14 normalized token groups. qokain: broad high-frequency form; chey: broad high-frequency form; olr: recurrent form. within-line repetition: qokain. no English lexical value established.

[f116r.40 +P0] dsheey shey qokeey shey qokain shckhy chery ol [?break] chedy l [?break] chey [?break] lchy

running paragraph text; continuation; 12 normalized token groups. dsheey: productive ending family; shey: broad high-frequency form; qokeey: broad high-frequency form. within-line repetition: shey. no English lexical value established.

[f116r.41 +P0] dlar shar shar r ain sheain okain shey qokchy chckhy orain

running paragraph text; continuation; 11 normalized token groups. shar: recurrent form; r: broad high-frequency form; ain: broad high-frequency form. within-line repetition: shar. no English lexical value established.

[f116r.42 +P0] qo qokain sheckhy qokain shekain shkain shedy shey qokan cham

running paragraph text; continuation; 10 normalized token groups. qo: productive qo- family; qokain: broad high-frequency form; sheckhy: recurrent form. within-line repetition: qokain. no English lexical value established.

[f116r.43 +P0] [a:o]s??? ar al shear teey chcpfy rain cphan ydar oty shey qokam

running paragraph text; continuation; 12 normalized token groups. as: recurrent form; ar: broad high-frequency form; al: broad high-frequency form. no English lexical value established.

[f116r.44 +P0] s[?:o] o[k:?]eedy qokain shckhy ol lcheor chky rain chey qol okam

running paragraph text; continuation; 11 normalized token groups. s: broad high-frequency form; okeedy: broad high-frequency form; qokain: broad high-frequency form. no English lexical value established.

[f116r.45 +P0] odain sh??y qoka[r:s] oleey chy

running paragraph text; paragraph or sequence ending; 6 normalized token groups. odain: line-final tendency; sh: recurrent form; y: broad high-frequency form. no English lexical value established.

[f116r.46 +P0] oqokaiin al shey qokar okaral okeysh{cphh}y oteey ookar okydy

running paragraph text; continuation; 9 normalized token groups. oqokaiin: productive ending family; al: broad high-frequency form; shey: broad high-frequency form. no English lexical value established.

[f116r.47 +P0] osain shky qorain chckhey qokeey lkechy okeey okal chedkaly

running paragraph text; continuation; 9 normalized token groups. osain: productive ending family; shky: recurrent form; qorain: productive qo- family. no English lexical value established.

[f116r.48 +P0] sykar ain olkeey dainchey qokar chey dain y otan otain oly

running paragraph text; continuation; 11 normalized token groups. ain: broad high-frequency form; olkeey: productive ending family; dainchey: productive ending family. no English lexical value established.

[f116r.49 +P0] sysor [?break] shey qokey okeolan chey qol or cheey qor arom ol lkan

running paragraph text; continuation; 12 normalized token groups. shey: broad high-frequency form; qokey: broad high-frequency form; chey: broad high-frequency form. no English lexical value established.

[f116r.50 +P0] sodal ch [?break] al chcthy chckhy qol [?break] ain [?break] ary

running paragraph text; paragraph or sequence ending; 8 normalized token groups. ch: recurrent form; al: broad high-frequency form; chcthy: broad high-frequency form. no English lexical value established.

Sources and citation

The manuscript images are public-domain historical material held by Yale. The ZL transliteration is a modern scholarly data source and is not relicensed by this edition. The project's original analysis and creative reconstruction are separately licensed in the repository.

1. [Yale Beinecke Library: The Beinecke Cipher \(Voynich\) Manuscript](https://beinecke.library.yale.edu/beinecke/collections/beinecke-cipher-voynich-manuscript). <https://beinecke.library.yale.edu/beinecke/collections/beinecke-cipher-voynich-manuscript>
2. [Yale Digital Collections: Beinecke MS 408](https://collections.library.yale.edu/catalog/2002046). <https://collections.library.yale.edu/catalog/2002046>
3. [Rene Zandbergen: Transliteration of the Voynich manuscript text](https://www.voynich.nu/transcr.html). <https://www.voynich.nu/transcr.html>
4. [Zandbergen-Landini EVA transliteration, IVTFF 2.0, version 3b](https://www.voynich.nu/data/ZL3b-n.txt). <https://www.voynich.nu/data/ZL3b-n.txt>
5. [Hauer and Kondrak: Decoding Anagrammed Texts Written in an Unknown Language and Script](https://aclanthology.org/Q16-1006/). <https://aclanthology.org/Q16-1006/>
6. [Bower and Lindemann: The Linguistics of the Voynich Manuscript](https://doi.org/10.1146/annurev-linguistics-011619-030613). <https://doi.org/10.1146/annurev-linguistics-011619-030613>
7. [Timm and Schinner: A possible generating algorithm of the Voynich manuscript](https://doi.org/10.1080/01611194.2019.1596999). <https://doi.org/10.1080/01611194.2019.1596999>
8. [Greshko: The Naibbe cipher](https://doi.org/10.1080/01611194.2025.2566408). <https://doi.org/10.1080/01611194.2025.2566408>

Citation warning: Do not cite any structural gloss as an English translation. Cite it only as an observation produced by this versioned analytical pipeline.