

Day 29 – IAM Ticket #007: Create a User with Microsoft Graph API

Scenario

Help Desk Ticket

HR has requested a new employee account for **David Miller**, a Marketing Specialist. Instead of creating the user in the Microsoft Entra admin center, create the account using the Microsoft Graph API.

Objective

- Use the Microsoft Graph API to create a user.
- Learn the POST method.
- Understand JSON request bodies.
- Verify the user was created successfully.

Prerequisites

Before starting:

-  Sign in to Graph Explorer with graphadmin@farhanmuntasiroutlook.onmicrosoft.com.
-  Verify your access token is valid.
-  Ensure you have granted:
 - `User.ReadWrite.All` (admin consent required)

Note: Creating users requires write permissions. If `User.ReadWrite.All` is not consented, you'll receive a 403 Forbidden error.

Step 1 – Grant Permission

1. Click **Modify permissions**.

2. Search for:


User.ReadWrite.All

3. Click **Consent**.

4. Sign out and back in if prompted so the new permission is included in your access token.

Screenshot 1

- User.ReadWrite.All permission granted



New to Graph Explorer?
Graph Explorer is a developer tool that lets you learn about Microsoft Graph APIs. Use Graph Explorer to try the APIs on the default sample tenant to explore capabilities. [Follow a step-by-step tutorial](#)

GET v1.0 https://graph.microsoft.com/v1.0/me Run query

Request Body Request Headers **Modify Permissions** Access token

One of the following permissions is required to run the query. If possible, consent to the least privileged permission.

User.Read.All	Allows the app to read the full set of user properties of all users in the organization and read company properties, on your behalf.	Yes	Unconsent
User.ReadBasic.All	Allows the app to read a basic set of profile properties of other users in your organization on your behalf. Includes display name, first and last name, email address, photo, id and security identifier. Also allows the app to read the full profile of the signed-in user.	No	Unconsent
User.ReadWrite	Allows the app to read your profile and basic company information, and discover your group membership, reports and manager. It also allows the app to update your profile information on your behalf.	No	Unconsent
User.ReadWrite.All	Allows the app to read and write the full set of profile properties, reports, and managers of other users in your organization, and read basic company properties, on your behalf.	Yes	Unconsent

Success - Scope consent successful

Response preview Response headers Code snippets Toolkit component Adaptive cards

Step 2 – Change the HTTP Method

Change:

GET

to:

POST

Request URL:

<https://graph.microsoft.com/v1.0/users>

Step 3 – Add the Request Body


Paste the following JSON into **Request Body**:

```
{
  "accountEnabled": true,
  "displayName": "David Miller",
  "mailNickname": "davidmiller",
  "userPrincipalName": "david.miller@farhanmuntasiroutlook.onmicrosoft.com",
  "passwordProfile": {
    "forceChangePasswordNextSignIn": true,
    "password": "P@ssw0rd123!"
  }
}
```

Replace the domain if your tenant uses a different onmicrosoft.com domain.

Screenshot 2

- JSON request body



The screenshot displays the Microsoft Graph Explorer interface. At the top, a notification banner reads "New to Graph Explorer? Graph Explorer is a developer tool that lets you learn about Microsoft Graph APIs. Use Graph Explorer to try the APIs on the default sample tenant to explore capabilities. Follow a step-by-step tutorial". Below this, the request configuration shows a POST method to the endpoint `https://graph.microsoft.com/v1.0/users` using API version `v1.0`. The "Request Body" tab is active, showing the JSON payload for creating a user. A green status bar indicates the request was successful: "Created - 201 - 524 ms". The "Response preview" tab at the bottom shows the JSON response, which includes user details like `id`, `displayName`, and `userPrincipalName`.

Step 4 – Run the Request

Click **Run query**.


If successful, Microsoft Graph returns:

201 Created

and the new user object in JSON.

Screenshot 3

- User created successfully



Step 5 – Verify in Entra ID

Go to:

Microsoft Entra Admin Center

→ Identity

→ Users

Confirm **David Miller** appears in the list.

Screenshot 4

- User list showing David Miller

Home

Users ...

Default Directory

« + New user Edit Delete Download users (Preview) Bulk operations Refresh Manage view Per-user MFA Got feedback?

Search users Add filter

8 users found

	Display name ↑	User principal name ↑	User type	Is Agent	On-premises sy...	Sign-in identifiers	Company name	Creation type
☐	 Alex Brown	alex.brown@farha...	 Member	No	No	View		
☐	 David Miller	david.miller@farh...	 Member	No	No	View		
☐	 Emma Wilson	emma.wilson@far...	 Member	No	No	View		
☐	 FARHAN MUNTASIR	farhan_muntasir_o...	 Member	No	No	View		
☐	 Graph Administrator	graphadmin@farh...	 Member	No	No	View		
☐	 John Smith	john.smith@farha...	 Member	No	No	View		
☐	 Mike Davis	mike.davis@farha...	 Member	No	No	View		
☐	 Sarah Johnson	sarah.johnson@fa...	 Member	No	No	View		

Step 6 – Retrieve the New User

Run:

GET [https://graph.microsoft.com/v1.0/users?\\$filter=displayName eq 'David Miller'](https://graph.microsoft.com/v1.0/users?$filter=displayName eq 'David Miller')

This confirms the account exists.

Screenshot 5

- Filtered query result

New to Graph Explorer?

Graph Explorer is a developer tool that lets you learn about Microsoft Graph APIs. Use Graph Explorer to try the APIs on the default sample tenant to explore capabilities. [Follow a step-by-step tutorial](#)

GET

v1.0

https://graph.microsoft.com/v1.0/users?\$filter=displayName eq 'David Miller'



Run query

Possible error found in URL near eq 'David

Request Body

Request Headers

Modify Permissions

Access token

```
{
  "accountEnabled": true,
  "displayName": "David Miller",
  "mailNickname": "davidmiller",
  "userPrincipalName": "david.miller@farhanmuntasiroutlook.onmicrosoft.com",
  "passwordProfile": {
    "forceChangePasswordNextSignIn": true,
    "password": "TempPass!4829X"
  }
}
```

OK - 200 - 225 ms

Response preview

Response headers

Code snippets

Toolkit component

Adaptive cards

```
{
  "@odata.context": "https://graph.microsoft.com/v1.0/$metadata#users",
  "@microsoft.graph.tips": "This request only returns a subset of the resource's properties. Your app will need to use $select to return non-default properties. To find out what other properties are available for this resource see https://learn.microsoft.com/graph/api/resources/user",
  "value": [
    {
      "businessPhones": [],
      "displayName": "David Miller",
      "givenName": null,
      "jobTitle": null,
      "mail": null,
      "mobilePhone": null,
      "officeLocation": null,
      "preferredLanguage": null,
    }
  ]
}
```