

Day 28

Step 1 – List all users


Run:


GET <https://graph.microsoft.com/v1.0/users>

If Graph Explorer asks for permission:

- Click **Modify permissions**
- Click **Consent** for:
 - User.Read.All

Take a screenshot of the JSON output.





Step 2 – List all groups


Run:

GET <https://graph.microsoft.com/v1.0/groups>

If prompted, consent to:

- Group.Read.All

Take another screenshot.




Step 3 – Filter Emma Wilson

Run:

GET [https://graph.microsoft.com/v1.0/users?\\$filter=displayName eq 'Emma Wilson'](https://graph.microsoft.com/v1.0/users?$filter=displayName eq 'Emma Wilson')

Take a screenshot.



Step 4 – Select specific properties

Run:

GET

[https://graph.microsoft.com/v1.0/users?\\$select=displayName,userPrincipalName,accountEnabled](https://graph.microsoft.com/v1.0/users?$select=displayName,userPrincipalName,accountEnabled)

Take a screenshot.

New to Graph Explorer?
Graph Explorer is a developer tool that lets you learn about Microsoft Graph APIs. Use Graph Explorer to try the APIs on the default sample tenant to explore capabilities. [Follow a step-by-step tutorial](#)

GETv1.0https://graph.microsoft.com/v1.0/users?\$select=displayName,userPrincipalName,accountEnabled

Request BodyRequest HeadersModify PermissionsAccess token

OK - 200 - 181 ms

Response previewResponse headersCode snippetsToolkit componentAdaptive cards

```
{
  "@odata.context": "https://graph.microsoft.com/v1.0/$metadata#users(displayName,userPrincipalName,accountEnabled)",
  "value": [
    {
      "displayName": "Alex Brown",
      "userPrincipalName": "alex.brown@farhanmuntasiroutlook.onmicrosoft.com",
      "accountEnabled": true
    },
    {
      "displayName": "Emma Wilson",
      "userPrincipalName": "emma.wilson@farhanmuntasiroutlook.onmicrosoft.com",
      "accountEnabled": true
    },
    {
      "displayName": "FARHAN MUNTASIR",

```

[?is Terms of Use](#)View the [Microsoft Privacy Statement](#)