



WEB TECHNOLOGY

PRACTICAL LAB FILE

Name-Mohd Farhan

Section- 3CSE-13

Roll No.-

Submitted To-

MR. HARUN FARIDI

INDEX

Practical No.	Practical Description	Sign
1	Write a program to make a table containing images and list.	
2	Write a program that adjusts its layout based on the screen size using HTML and CSS.	
3	Write a program to design a navigation bar using HTML lists and style it using CSS.	
4	Write JavaScript functions to perform arithmetic operations such as addition, subtraction, multiplication, and division.	
5	Write a program to show the usage of Date, Math, and String object functions.	
6	Write a program to demonstrate the usage of inbuilt JavaScript functions, dialog boxes, alert box, and confirm box.	
7	Write a program to implement event handling using onclick, onmouseover, and onmouseout events.	
8	Write a program to implement event handling using onabort, onresize, onsearch, onselect, and onvolumechange events.	
9	Write a JavaScript program to collect user input and format it as a JSON object.	
10	Create a client-side webpage with user input fields and a button to submit data.	

```
//1.// <!DOCTYPE html>
<html>
  <head>
    <title>Table with Images and
List</title>
    <link rel="stylesheet"
href="styles.css" />
  </head>
  <body>
    <table>
      <tr>
        <th>Images</th>
        <th>List</th>
      </tr>
      <tr>
        <td></td>
        <td>
          <ul>
            <li>First item</li>
            <li>Second item</li>
            <li>Third item</li>
          </ul>
        </td>
      </tr>
      <tr>
        <td></td>
        <td>
          <ol>
            <li>First ordered</li>
            <li>Second ordered</li>
            <li>Third ordered</li>
          </ol>
        </td>
      </tr>
    </table>

    <script src="script.js"></script>
  </body>
```

```
</html>

.....

.....

body {
  padding: 25px;
}

table {
  width: 50%;
  border-collapse: collapse;
}

td, th {
  border: 1px solid #ccc;
  padding: 10px;
  text-align: center;
  vertical-align: top;
}

img {
  max-width: 100px;
  height: auto;
}

.....

.js script

function showTime() {

document.getElementById('currentTi
me').innerHTML = new
Date().toUTCString();
}
showTime();
setInterval(showTime, 1000);
```

```
//2.// <!DOCTYPE html>
<html>
  <head>
    <title>Table with Images and List</title>
    <link rel="stylesheet" href="style.css" />
  </head>
  <body>
    <div class="container">
      <div class="row">
        <div class="image"></div>
        <div class="list">
          <ul>
            <li>First item</li>
            <li>Second item</li>
            <li>Third item</li>
          </ul>
        </div>
      </div>
      <div class="row">
        <div class="image"></div>
        <div class="list">
          <ol>
            <li>First ordered</li>
            <li>Second ordered</li>
            <li>Third ordered</li>
          </ol>
        </div>
      </div>
    </div>

    <script src="script.js"></script>
  </body>
</html>
```

//.CSS

```
body {
  padding: 25px;
  font-family: Arial, sans-serif;
}
```

```
.container {
  display: flex;
  flex-direction: column;
```

```
  gap: 20px;
}
```

```
.row {
  display: flex;
  justify-content: space-around;
  align-items: center;
  border: 1px solid #ccc;
  padding: 10px;
  background-color: #f9f9f9;
}
```

```
.image {
  flex: 1;
  text-align: center;
}
```

```
.list {
  flex: 1;
}
```

```
img {
  max-width: 100%;
  height: auto;
  border-radius: 8px;
}
```

```
ul, ol {
  list-style-position: inside;
}
```

```
/* Responsive design */
@media (max-width: 768px) {
  .row {
    flex-direction: column;
    text-align: center;
  }
}
```

```
.image, .list {
  flex: none;
  width: 100%;
}
```

```
body {
  padding: 10px;
}
}
```

```
//3.//
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
  <title>Navigation Bar
Experiment</title>
  <link rel="stylesheet"
href="style.css">
</head>
<body>
  <nav>
    <ul>
      <li><a
href="#">Home</a></li>
      <li><a
href="#">About</a></li>
      <li><a
href="#">Services</a></li>
      <li><a
href="#">Contact</a></li>
    </ul>
  </nav>
  <main>
    <h1>Welcome to the Web
Technologies</h1>
    <p>This page demonstrates a
navigation bar designed using HTML
lists and styled with CSS.</p>
  </main>
</body>
</html>
```

CSS

```
body {
  margin: 0;
  padding: 0;
  font-family: Arial, sans-serif;
}

nav {
  background-color: #333;
  padding: 10px 0;
}

ul {
  list-style-type: none;
  margin: 0;
  padding: 0;
  display: flex;
  justify-content: center;
}

li {
  margin: 0 15px;
}

a {
  color: white;
  text-decoration: none;
  padding: 10px 15px;
  display: block;
  transition: background-color 0.3s;
}

a:hover {
  background-color: #555;
  border-radius: 4px;
}

main {
  padding: 20px;
  text-align: center;
}
```

//4.//

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
  <title>Simple Calculator</title>
  <link rel="stylesheet"
href="style.css">
</head>
<body>
  <div class="calculator">
    <h1>Simple Calculator</h1>
    <input type="number"
id="num1" placeholder="First
number">
    <select id="operator">
      <option
value="+">+</option>
      <option value="-">-</option>
      <option
value="*">*</option>
      <option value="/">/</option>
    </select>
    <input type="number"
id="num2" placeholder="Second
number">
    <button
onclick="calculate()">Calculate</butt
on>
    <div id="result"></div>
  </div>
  <script src="script.js"></script>
</body>
</html>
```

CSS

```
body {
  font-family: Arial, sans-serif;
  display: flex;
  justify-content: center;
  align-items: center;
  height: 100vh;
  margin: 0;
```

```
  background-color: #f0f0f0;
}

.calculator {
  background-color: white;
  padding: 20px;
  border-radius: 8px;
  box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
  text-align: center;
}

input, select, button {
  margin: 10px;
  padding: 10px;
  font-size: 16px;
}

button {
  background-color: #4CAF50;
  color: white;
  border: none;
  cursor: pointer;
  border-radius: 4px;
}

button:hover {
  background-color: #45a049;
}

#result {
  margin-top: 20px;
  font-size: 18px;
  font-weight: bold;
}

JS.
function add(a, b) {
  return a + b;
}

function subtract(a, b) {
  return a - b;
}

function multiply(a, b) {
  return a * b;
}

function divide(a, b) {
  if (b === 0) {
    return "Cannot divide by zero";
  }
  return a / b;
}
```

```

function calculate() {
    const num1 =
parseFloat(document.getElementById('num1').v
alue);
    const num2 =
parseFloat(document.getElementById('num2').v
alue);
    const operator =
document.getElementById('operator').value;
    const resultDiv =
document.getElementById('result');

    if (isNaN(num1) || isNaN(num2)) {
        resultDiv.textContent = "Please enter valid
numbers";
        return;
    }

    let result;

```

```

switch (operator) {
    case '+':
        result = add(num1, num2);
        break;
    case '-':
        result = subtract(num1, num2);
        break;
    case '*':
        result = multiply(num1, num2);
        break;
    case '/':
        result = divide(num1, num2);
        break;
    default:
        result = "Invalid operator";
}

resultDiv.textContent = "Result: " + result;
}

```

//5.//

```
<!DOCTYPE html>
<html>
<head>
  <title>JavaScript Dialog Box
  Demo</title>
  <link rel="stylesheet" href="style.css">
</head>

<body>

<h2>JavaScript Inbuilt Functions & Dialog
Boxes</h2>

<button onclick="showDialogs()">Click
Me</button>

<script>

function showDialogs()
{

  alert("Welcome to JavaScript Dialog Box
  Demo!");

  let result = confirm("Do you want to
  continue?");

  if(result == true)
  {

    let name = prompt("Enter your
    name:");

    let nameLength = name.length;
    let upperName = name.toUpperCase();
    let currentDate = new Date();

    alert(
      "Hello " + upperName +
      "\nLength of your name: " +
      nameLength +
      "\nCurrent Date & Time: " +
      currentDate
    );
  }
}

);
}
else
{
  alert("You cancelled the operation.");
}
}

</script>

</body>
</html>

//CSS//
body {
  font-family: Arial, sans-serif;
  background-color: #9ddd54;
  display: flex;
  justify-content: center;
  align-items: center;
  flex-direction: column;
  height: 100vh;
  margin: 0;
}

h2 {
  color: #333;
}

button {
  background-color: #4CAF50;
  color: white;
  padding: 10px 20px;
  border: none;
  border-radius: 5px;
  cursor: pointer;
  font-size: 16px;
  display: block;
  margin: 20px auto;
}

button:hover {
  background-color: #028509;
}
```






