



1. Description

1.1. Project

Project Name	00_far_Sw
Board Name	B-L475E-IOT01A1
Generated with:	STM32CubeMX 6.3.0
Date	09/16/2022


1.2. MCU

MCU Series	STM32L4
MCU Line	STM32L4x5
MCU name	STM32L475VGTx
MCU Package	LQFP100
MCU Pin number	100

1.3. Core(s) information

Core(s)	Arm Cortex-M4
---------	---------------

2. Pinout Configuration



3. Pins Configuration

Pin Number LQFP100	Pin Name (function after reset)	Pin Type	Alternate Function(s)	Label
1	PE2 *	I/O	GPIO_Output	M24SR64_Y_RF_DISABLE [M24SR64_RFDIS]
2	PE3	I/O	GPIO_EXTI3	USB_OTG_FS_OVRCR_EX TI3 [STMPS2141STR_FAULT]
3	PE4 *	I/O	GPIO_Output	M24SR64_Y_GPO [M24SR64_GPO]
4	PE5	I/O	GPIO_EXTI5	SPSGRF_915_GPIO3_EXTI 5 [SPSGRF_GPIO_3]
5	PE6	I/O	GPIO_EXTI6	SPBTLE_RF_IRQ_EXTI6 [BT module_SPI_IRQ]
6	VBAT	Power		
7	PC13 *	I/O	GPIO_Input	f_sw13
8	PC14-OSC32_IN (PC14) **	I/O	RCC_OSC32_IN	
9	PC15-OSC32_OUT (PC15) **	I/O	RCC_OSC32_OUT	
10	VSS	Power		
11	VDD	Power		
14	NRST	Reset		
15	PC0 **	I/O	ADC1_IN1	ARD_A5 [ADC]
16	PC1 **	I/O	ADC1_IN2	ARD_A4 [ADC]
17	PC2 **	I/O	ADC1_IN3	ARD_A3 [ADC]
18	PC3 **	I/O	ADC1_IN4	ARD_A2 [ADC]
19	VSSA	Power		
20	VREF-	Power		
22	VDDA	Power		
23	PA0 **	I/O	UART4_TX	ARD_D1 [UART4_TX]
24	PA1 **	I/O	UART4_RX	ARD_D0 [UART4_RX]
25	PA2 *	I/O	GPIO_Output	ARD_D10 [SPI_SSN]
26	PA3 **	I/O	TIM2_CH4	ARD_D4
27	VSS	Power		
28	VDD	Power		
29	PA4 **	I/O	ADC1_IN9	ARD_D7
30	PA5 **	I/O	SPI1_SCK	ARD_D13 [SPI1_SCK]
31	PA6 **	I/O	SPI1_MISO	ARD_D12 [SPI1_MISO]
32	PA7 **	I/O	SPI1_MOSI	ARD_D11 [SPI1_MOSI]
33	PC4 **	I/O	ADC1_IN13	ARD_A1 [ADC]

Pin Number LQFP100	Pin Name (function after reset)	Pin Type	Alternate Function(s)	Label
34	PC5 **	I/O	ADC1_IN14	ARD_A0 [ADC]
35	PB0	I/O	GPIO_EXTI0	ARD_D3 [INT_EXT10]
36	PB1 **	I/O	ADC1_IN16	ARD_D6 [ADC1_IN6]
37	PB2 *	I/O	GPIO_Output	ARD_D8
38	PE7 **	I/O	DFSDM1_DATIN2	DFSDM1_DATIN2 [MP34DT01_DOUT]
39	PE8 *	I/O	GPIO_Output	ISM43362_RST [ISM43362_RSTN]
40	PE9 **	I/O	DFSDM1_CKOUT	DFSDM1_CKOUT [MP34DT01_CLK]
41	PE10 **	I/O	QUADSPI_CLK	QUADSPI_CLK [MX25R6435F_SCLK]
42	PE11 **	I/O	QUADSPI_NCS	QUADSPI_NCS [MX25R6435F_SCLK]
43	PE12 **	I/O	QUADSPI_BK1_IO0	OQUADSPI_BK1_IO0 [MX25R6435F_IO0]
44	PE13 **	I/O	QUADSPI_BK1_IO1	QUADSPI_BK1_IO1 [MX25R6435F_IO1]
45	PE14 **	I/O	QUADSPI_BK1_IO2	QUAD_SPI_BK1_IO2 [MX25R6435F_IO2]
46	PE15 **	I/O	QUADSPI_BK1_IO3	QUAD_SPI_BK1_IO3 [MX25R6435F_IO3]
47	PB10 **	I/O	I2C2_SCL	INTERNAL_I2C2_SCL [VL53L0X_SCL]
48	PB11 **	I/O	I2C2_SDA	INTERNAL_I2C2_SDA [VL53L0X_SDA]
49	VSS	Power		
50	VDD	Power		
51	PB12 *	I/O	GPIO_Output	ISM43362_BOOT0 [ISM43362_BOOT]
52	PB13 *	I/O	GPIO_Output	ISM43362_WAKEUP [ISM43362_WKUP]
53	PB14 *	I/O	GPIO_Output	LED2 [LED_GREEN]
54	PB15 *	I/O	GPIO_Output	SPSGRF_915_SDN [SPSGRF_SDN]
55	PD8 **	I/O	USART3_TX	INTERNAL_UART3_TX [ISM43362_RX]
56	PD9 **	I/O	USART3_RX	INTERNAL_UART3_RX [ISM43362_TX]
57	PD10	I/O	GPIO_EXTI10	LPS22HB_INT_DRDY_EXTI 0 [LPS22HB_INT_DRDY]
58	PD11	I/O	GPIO_EXTI11	LSM6DSL_INT1_EXTI11 [LSM6DSL_INT1]


Pin Number LQFP100	Pin Name (function after reset)	Pin Type	Alternate Function(s)	Label
59	PD12 *	I/O	GPIO_Output	USB_OTG_FS_PWR_EN [STMP2141STR_EN]
60	PD13 *	I/O	GPIO_Output	SPBTLE_RF_SPI3_CSN [BT module_SPI_CS]
61	PD14	I/O	GPIO_EXTI14	ARD_D2 [INT0_EXTI14]
62	PD15	I/O	GPIO_EXTI15	HTS221_DRDY_EXTI15 [HTS221_DRDY]
63	PC6 *	I/O	GPIO_Output	VL53L0X_XSHUT [Read_XSHUT]
64	PC7	I/O	GPIO_EXTI7	VL53L0X_GPIO1_EXTI7 [VL53L0X_GPIO1]
65	PC8	I/O	GPIO_EXTI8	LSM3MDL_DRDY_EXTI8 [LIS3MDL_DRDY]
66	PC9 *	I/O	GPIO_Output	LED3_WIFI_LED4_BLE
67	PA8 *	I/O	GPIO_Output	SPBTLE_RF_RST
68	PA9 **	I/O	USB_OTG_FS_VBUS	USB_OTG_FS_VBUS [STMP2141STR_OUT]
69	PA10 **	I/O	USB_OTG_FS_ID	USB_OTG_FS_ID
70	PA11 **	I/O	USB_OTG_FS_DM	USB_OTG_FS_DM
71	PA12 **	I/O	USB_OTG_FS_DP	USB_OTG_FS_DP
72	PA13 (JTMS-SWDIO) **	I/O	SYS_JTMS-SWDIO	SYS_JTMS_SWDIO
73	VDDUSB	Power		
74	VSS	Power		
75	VDD	Power		
76	PA14 (JTCK-SWCLK) **	I/O	SYS_JTCK-SWCLK	SYS_JTCK_SWCLK
77	PA15 (JTDI) *	I/O	GPIO_Output	ARD_D9
78	PC10 **	I/O	SPI3_SCK	INTERNAL_SPI3_SCK [BT module_SPI_SCLK] [ISM43362_SCK]
79	PC11 **	I/O	SPI3_MISO	INTERNAL_SPI3_MISO [BT module_SPI_MISO] [ISM43362_MISO]
80	PC12 **	I/O	SPI3_MOSI	INTERNAL_SPI3_MOSI [BT module_SPI_MOSI] [ISM43362_MOSI]
81	PD0 *	I/O	GPIO_Output	PMOD_RESET
82	PD1 **	I/O	SPI2_SCK	PMOD_SPI2_SCK
83	PD2	I/O	GPIO_EXTI2	PMOD_IRQ_EXTI12
84	PD3 **	I/O	USART2_CTS	PMOD_UART2_CTS
85	PD4 **	I/O	USART2_RTS	PMOD_UART2_RTS
86	PD5 **	I/O	USART2_TX	PMOD_UART2_TX
87	PD6 **	I/O	USART2_RX	PMOD_UART2_RX

Pin Number LQFP100	Pin Name (function after reset)	Pin Type	Alternate Function(s)	Label
88	PD7 *	I/O	GPIO_Output	STSAFE_A100_RESET [STSAFE-A100_RESET]
89	PB3 (JTDO-TRACESWO) **	I/O	SYS_JTDO-SWO	SYS_JTD0_SWO
90	PB4 (NJTRST) *	I/O	GPIO_Output	ARD_D5
91	PB5 *	I/O	GPIO_Output	SPSGRF_915_SPI3_CSN [SPSGRF_SPI_CS]
92	PB6 **	I/O	USART1_TX	ST_LINK_UART1_TX
93	PB7 **	I/O	USART1_RX	ST_LINK_UART1_RX
94	BOOT0	Boot		
95	PB8 **	I/O	I2C1_SCL	ARD_D15 [I2C1_SCL]
96	PB9 **	I/O	I2C1_SDA	ARD_D14 [I2C1_SDA]
97	PE0 *	I/O	GPIO_Output	ISM43362_SPI3_CSN [ISM43362_SSN]
98	PE1	I/O	GPIO_EXTI1	ISM43362_DRDY_EXTI1 [ISM43362_DATARDY]
99	VSS	Power		
100	VDD	Power		

* The pin is affected with an I/O function

** The pin is affected with a peripheral function but no peripheral mode is activated

4. Clock Tree Configuration



5. Software Project

5.1. Project Settings

Name	Value
Project Name	00_far_Sw
Project Folder	C:\Ashraf_MCU\00_far_Sw
Toolchain / IDE	STM32CubeIDE
Firmware Package Name and Version	STM32Cube FW_L4 V1.17.2
Application Structure	Advanced
Generate Under Root	Yes
Do not generate the main()	No
Minimum Heap Size	0x200
Minimum Stack Size	0x400

5.2. Code Generation Settings

Name	Value
STM32Cube MCU packages and embedded software	Copy only the necessary library files
Generate peripheral initialization as a pair of '.c/.h' files	No
Backup previously generated files when re-generating	No
Keep User Code when re-generating	Yes
Delete previously generated files when not re-generated	Yes
Set all free pins as analog (to optimize the power consumption)	No
Enable Full Assert	No

5.3. Advanced Settings - Generated Function Calls

Rank	Function Name	Peripheral Instance Name
1	MX_GPIO_Init	GPIO
2	SystemClock_Config	RCC
3	MX_TIM16_Init	TIM16

6. Power Consumption Calculator report

6.1. Microcontroller Selection

Series	STM32L4
Line	STM32L4x5
MCU	STM32L475VGTx
Datasheet	DS10969_Rev2

6.2. Parameter Selection

Temperature	25
Vdd	3.0

6.3. Battery Selection

Battery	Li-SOCL2(A3400)
Capacity	3400.0 mAh
Self Discharge	0.08 %/month
Nominal Voltage	3.6 V
Max Cont Current	100.0 mA
Max Pulse Current	200.0 mA
Cells in series	1
Cells in parallel	1


6.4. Sequence

Step	Step1	Step2
Mode	RUN	STOP2
Vdd	3.0	3.0
Voltage Source	Battery	Battery
Range	Range1-High	NoRange
Fetch Type	SRAM2	n/a
CPU Frequency	80 MHz	0 Hz
Clock Configuration	HSE PLL	ALL CLOCKS OFF
Clock Source Frequency	4 MHz	0 Hz
Peripherals		
Additional Cons.	0 mA	0 mA
Average Current	10.7 mA	1.18 μ A
Duration	0.1 ms	0.9 ms
DMIPS	100.0	0.0
Ta Max	103.65	105
Category	In DS Table	In DS Table

6.5. Results

Sequence Time	1 ms	Average Current	1.07 mA
Battery Life	4 months, 10 days, 3 hours	Average DMIPS	100.0 DMIPS

6.6. Chart



7. Peripherals and Middlewares Configuration

7.1. RCC

7.1.1. Parameter Settings:

System Parameters:

VDD voltage (V)	3.3
Instruction Cache	Enabled
Prefetch Buffer	Disabled
Data Cache	Enabled
Flash Latency(WS)	4 WS (5 CPU cycle)

RCC Parameters:

HSI Calibration Value	16
MSI Calibration Value	0
MSI Auto Calibration	Disabled
HSE Startup Timeout Value (ms)	100
LSE Startup Timeout Value (ms)	5000

Power Parameters:

Power Regulator Voltage Scale	Power Regulator Voltage Scale 1
-------------------------------	---------------------------------

7.2. SYS

Timebase Source: SysTick

7.3. TIM16

mode: Activated

7.3.1. Parameter Settings:

Counter Settings:

Prescaler (PSC - 16 bits value)	0
Counter Mode	Up
Counter Period (AutoReload Register - 16 bits value)	65535
Internal Clock Division (CKD)	No Division
Repetition Counter (RCR - 8 bits value)	0
auto-reload preload	Disable

*** User modified value**

8. System Configuration

8.1. GPIO configuration

IP	Pin	Signal	GPIO mode	GPIO pull/up pull down	Max Speed	User Label
Single Mapped Signals	PC14-OSC32_IN (PC14)	RCC_OSC32_IN	n/a	n/a	n/a	
	PC15-OSC32_OUT (PC15)	RCC_OSC32_OUT	n/a	n/a	n/a	
	PC0	ADC1_IN1	Analog mode for ADC conversion	No pull-up and no pull-down	n/a	ARD_A5 [ADC]
	PC1	ADC1_IN2	Analog mode for ADC conversion	No pull-up and no pull-down	n/a	ARD_A4 [ADC]
	PC2	ADC1_IN3	Analog mode for ADC conversion	No pull-up and no pull-down	n/a	ARD_A3 [ADC]
	PC3	ADC1_IN4	Analog mode for ADC conversion	No pull-up and no pull-down	n/a	ARD_A2 [ADC]
	PA0	UART4_TX	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	ARD_D1 [UART4_TX]
	PA1	UART4_RX	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	ARD_D0 [UART4_RX]
	PA3	TIM2_CH4	Alternate Function Push Pull	No pull-up and no pull-down	Low	ARD_D4
	PA4	ADC1_IN9	Analog mode for ADC conversion	No pull-up and no pull-down	n/a	ARD_D7
	PA5	SPI1_SCK	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	ARD_D13 [SPI1_SCK]
	PA6	SPI1_MISO	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	ARD_D12 [SPI1_MISO]
	PA7	SPI1_MOSI	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	ARD_D11 [SPI1_MOSI]
	PC4	ADC1_IN13	Analog mode for ADC conversion	No pull-up and no pull-down	n/a	ARD_A1 [ADC]
	PC5	ADC1_IN14	Analog mode for ADC conversion	No pull-up and no pull-down	n/a	ARD_A0 [ADC]
	PB1	ADC1_IN16	Analog mode for ADC conversion	No pull-up and no pull-down	n/a	ARD_D6 [ADC1_IN6]
	PE7	DFSDM1_DATIN2	Alternate Function Push Pull	No pull-up and no pull-down	Low	DFSDM1_DATIN2 [MP34DT01_DOUT]
	PE9	DFSDM1_CKOUT	Alternate Function Push Pull	No pull-up and no pull-down	Low	DFSDM1_CKOUT [MP34DT01_CLK]
	PE10	QUADSPI_CLK	Alternate Function Push Pull	No pull-up and no pull-down	Very High	QUADSPI_CLK

IP	Pin	Signal	GPIO mode	GPIO pull/up pull down	Max Speed	User Label
					*	[MX25R6435F_SCLK]
	PE11	QUADSPI_NCS	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	QUADSPI_NCS [MX25R6435F_SCLK]
	PE12	QUADSPI_BK1_IO0	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	QUADSPI_BK1_IO0 [MX25R6435F_IO0]
	PE13	QUADSPI_BK1_IO1	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	QUADSPI_BK1_IO1 [MX25R6435F_IO1]
	PE14	QUADSPI_BK1_IO2	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	QUADSPI_BK1_IO2 [MX25R6435F_IO2]
	PE15	QUADSPI_BK1_IO3	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	QUADSPI_BK1_IO3 [MX25R6435F_IO3]
	PB10	I2C2_SCL	Alternate Function Open Drain	No pull-up and no pull-down	Very High *	INTERNAL_I2C2_SCL [VL53L0X_SCL]
	PB11	I2C2_SDA	Alternate Function Open Drain	No pull-up and no pull-down	Very High *	INTERNAL_I2C2_SDA [VL53L0X_SDA]
	PD8	USART3_TX	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	INTERNAL_UART3_TX [ISM43362_RX]
	PD9	USART3_RX	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	INTERNAL_UART3_RX [ISM43362_TX]
	PA9	USB_OTG_FS_VBUS	Input mode	No pull-up and no pull-down	n/a	USB_OTG_FS_VBUS [STMP2141STR_OUT]
	PA10	USB_OTG_FS_ID	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	USB_OTG_FS_ID
	PA11	USB_OTG_FS_DM	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	USB_OTG_FS_DM
	PA12	USB_OTG_FS_DP	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	USB_OTG_FS_DP
	PA13 (JTMS-SWDIO)	SYS_JTMS-SWDIO	n/a	n/a	n/a	SYS_JTMS-SWDIO
	PA14 (JTCK-SWCLK)	SYS_JTCK-SWCLK	n/a	n/a	n/a	SYS_JTCK-SWCLK
	PC10	SPI3_SCK	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	INTERNAL_SPI3_SCK [BT module_SPI_SCLK] [ISM43362_SCK]
	PC11	SPI3_MISO	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	INTERNAL_SPI3_MISO [BT module_SPI_MISO] [ISM43362_MISO]
	PC12	SPI3_MOSI	Alternate Function Push Pull	No pull-up and no pull-down	Very High	INTERNAL_SPI3_MOSI [BT module_SPI_MOSI]

IP	Pin	Signal	GPIO mode	GPIO pull/up pull down	Max Speed	User Label
					*	[ISM43362_MOSI]
	PD1	SPI2_SCK	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	PMOD_SPI2_SCK
	PD3	USART2_CTS	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	PMOD_UART2_CTS
	PD4	USART2_RTS	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	PMOD_UART2_RTS
	PD5	USART2_TX	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	PMOD_UART2_TX
	PD6	USART2_RX	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	PMOD_UART2_RX
	PB3 (JTDO-TRACESWO)	SYS_JTDO-SWO	n/a	n/a	n/a	SYS_JTDO_SWO
	PB6	USART1_TX	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	ST_LINK_UART1_TX
	PB7	USART1_RX	Alternate Function Push Pull	No pull-up and no pull-down	Very High *	ST_LINK_UART1_RX
	PB8	I2C1_SCL	Alternate Function Open Drain	No pull-up and no pull-down	Very High *	ARD_D15 [I2C1_SCL]
	PB9	I2C1_SDA	Alternate Function Open Drain	No pull-up and no pull-down	Very High *	ARD_D14 [I2C1_SDA]
GPIO	PE2	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	M24SR64_Y_RF_DISABLE [M24SR64_RFDIS]
	PE3	GPIO_EXTI3	External Interrupt Mode with Rising edge trigger detection	No pull-up and no pull-down	n/a	USB_OTG_FS_OVRCR_EXTI3 [STMP2141STR_FAULT]
	PE4	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	M24SR64_Y_GPO [M24SR64_GPO]
	PE5	GPIO_EXTI5	External Interrupt Mode with Rising edge trigger detection	No pull-up and no pull-down	n/a	SPSGRF_915_GPIO3_EXTI5 [SPSGRF_GPIO_3]
	PE6	GPIO_EXTI6	External Interrupt Mode with Rising edge trigger detection	No pull-up and no pull-down	n/a	SPBTLE_RF_IRQ_EXTI6 [BT module_SPI_IRQ]
	PC13	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	f_sw13
	PA2	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	ARD_D10 [SPI_SSN]
	PB0	GPIO_EXTI0	External Interrupt Mode with Rising edge trigger detection	No pull-up and no pull-down	n/a	ARD_D3 [INT_EXTI0]
	PB2	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	ARD_D8
	PE8	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	ISM43362_RST [ISM43362_RSTN]

IP	Pin	Signal	GPIO mode	GPIO pull/up pull down	Max Speed	User Label
	PB12	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	ISM43362_BOOT0 [ISM43362_BOOT]
	PB13	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	ISM43362_WAKEUP [ISM43362_WKUP]
	PB14	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	LED2 [LED_GREEN]
	PB15	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	SPSGRF_915_SDN [SPSGRF_SDN]
	PD10	GPIO_EXTI10	External Interrupt Mode with Rising edge trigger detection	No pull-up and no pull-down	n/a	LPS22HB_INT_DRDY_EXTI0 [LPS22HB_INT_DRDY]
	PD11	GPIO_EXTI11	External Interrupt Mode with Rising edge trigger detection	No pull-up and no pull-down	n/a	LSM6DSL_INT1_EXTI11 [LSM6DSL_INT1]
	PD12	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	USB_OTG_FS_PWR_EN [STMP2141STR_EN]
	PD13	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	SPBTLE_RF_SPI3_CSN [BT module_SPI_CS]
	PD14	GPIO_EXTI14	External Interrupt Mode with Rising edge trigger detection	No pull-up and no pull-down	n/a	ARD_D2 [INT0_EXTI14]
	PD15	GPIO_EXTI15	External Interrupt Mode with Rising edge trigger detection	No pull-up and no pull-down	n/a	HTS221_DRDY_EXTI15 [HTS221_DRDY]
	PC6	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	VL53L0X_XSHUT [Read_XSHUT]
	PC7	GPIO_EXTI7	External Interrupt Mode with Rising edge trigger detection	No pull-up and no pull-down	n/a	VL53L0X_GPIO1_EXTI7 [VL53L0X_GPIO1]
	PC8	GPIO_EXTI8	External Interrupt Mode with Rising edge trigger detection	No pull-up and no pull-down	n/a	LSM3MDL_DRDY_EXTI8 [LIS3MDL_DRDY]
	PC9	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	LED3_WIFI_LED4_BLE
	PA8	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	SPBTLE_RF_RST
	PA15 (JTDI)	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	ARD_D9
	PD0	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	PMOD_RESET
	PD2	GPIO_EXTI2	External Interrupt Mode with Rising edge trigger detection	No pull-up and no pull-down	n/a	PMOD_IRQ_EXTI12
	PD7	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	STSAFE_A100_RESET [STSAFE-A100_RESET]
	PB4 (NJTRST)	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	ARD_D5
	PB5	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	SPSGRF_915_SPI3_CSN [SPSGRF_SPI_CS]
	PE0	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	ISM43362_SPI3_CSN [ISM43362_SSN]
	PE1	GPIO_EXTI1	External Interrupt Mode with Rising edge trigger detection	No pull-up and no pull-down	n/a	ISM43362_DRDY_EXTI1 [ISM43362_DATARDY]

8.2. DMA configuration

nothing configured in DMA service

8.3. NVIC configuration

8.3.1. NVIC

Interrupt Table	Enable	Preenmption Priority	SubPriority
Non maskable interrupt	true	0	0
Hard fault interrupt	true	0	0
Memory management fault	true	0	0
Prefetch fault, memory access fault	true	0	0
Undefined instruction or illegal state	true	0	0
System service call via SWI instruction	true	0	0
Debug monitor	true	0	0
Pendable request for system service	true	0	0
System tick timer	true	0	0
EXTI line[9:5] interrupts	true	0	0
TIM1 update interrupt and TIM16 global interrupt	true	0	0
EXTI line[15:10] interrupts	true	0	0
PVD/PVM1/PVM2/PVM3/PVM4 interrupts through EXTI lines 16/35/36/37/38	unused		
Flash global interrupt	unused		
RCC global interrupt	unused		
EXTI line0 interrupt	unused		
EXTI line1 interrupt	unused		
EXTI line2 interrupt	unused		
EXTI line3 interrupt	unused		
FPU global interrupt	unused		

8.3.2. NVIC Code generation

Enabled interrupt Table	Select for init sequence ordering	Generate IRQ handler	Call HAL handler
Non maskable interrupt	false	true	false
Hard fault interrupt	false	true	false
Memory management fault	false	true	false
Prefetch fault, memory access fault	false	true	false
Undefined instruction or illegal state	false	true	false
System service call via SWI instruction	false	true	false
Debug monitor	false	true	false
Pendable request for system service	false	true	false
System tick timer	false	true	true
EXTI line[9:5] interrupts	false	true	true
TIM1 update interrupt and TIM16 global interrupt	false	true	true

Enabled interrupt Table	Select for init sequence ordering	Generate IRQ handler	Call HAL handler
EXTI line[15:10] interrupts	false	true	true

* User modified value

9. System Views

9.1. Category view

9.1.1. Current

Middleware						
System Core	Analog	Timers	Connectivity	Multimedia	Security	Computing
DMA		TIM16 ✓				
GPIO ⚠						
NVIC ✓						
RCC ✓						
SYS ✓						

10. Docs & Resources

Type	Link
Datasheet	http://www.st.com/resource/en/datasheet/DM00172872.pdf
Reference manual	http://www.st.com/resource/en/reference_manual/DM00083560.pdf
Programming manual	http://www.st.com/resource/en/programming_manual/DM00046982.pdf
Errata sheet	http://www.st.com/resource/en/errata_sheet/DM00181978.pdf
Application note	http://www.st.com/resource/en/application_note/CD00160362.pdf
Application note	http://www.st.com/resource/en/application_note/CD00167594.pdf
Application note	http://www.st.com/resource/en/application_note/CD00211314.pdf
Application note	http://www.st.com/resource/en/application_note/CD00259245.pdf
Application note	http://www.st.com/resource/en/application_note/CD00264321.pdf
Application note	http://www.st.com/resource/en/application_note/CD00264342.pdf
Application note	http://www.st.com/resource/en/application_note/CD00264379.pdf
Application note	http://www.st.com/resource/en/application_note/DM00042534.pdf
Application note	http://www.st.com/resource/en/application_note/DM00072315.pdf
Application note	http://www.st.com/resource/en/application_note/DM00073742.pdf
Application note	http://www.st.com/resource/en/application_note/DM00073853.pdf
Application note	http://www.st.com/resource/en/application_note/DM00080497.pdf
Application note	http://www.st.com/resource/en/application_note/DM00081379.pdf
Application note	http://www.st.com/resource/en/application_note/DM00085385.pdf
Application note	http://www.st.com/resource/en/application_note/DM00087593.pdf
Application note	http://www.st.com/resource/en/application_note/DM00125306.pdf
Application note	http://www.st.com/resource/en/application_note/DM00129215.pdf
Application note	http://www.st.com/resource/en/application_note/DM00141025.pdf
Application note	http://www.st.com/resource/en/application_note/DM00144612.pdf
Application note	http://www.st.com/resource/en/application_note/DM00148033.pdf
Application note	http://www.st.com/resource/en/application_note/DM00150423.pdf

Application note http://www.st.com/resource/en/application_note/DM00151811.pdf

Application note http://www.st.com/resource/en/application_note/DM00156964.pdf

Application note http://www.st.com/resource/en/application_note/DM00160482.pdf

Application note http://www.st.com/resource/en/application_note/DM00209748.pdf

Application note http://www.st.com/resource/en/application_note/DM00209768.pdf

Application note http://www.st.com/resource/en/application_note/DM00209772.pdf

Application note http://www.st.com/resource/en/application_note/DM00216518.pdf

Application note http://www.st.com/resource/en/application_note/DM00220769.pdf

Application note http://www.st.com/resource/en/application_note/DM00226326.pdf

Application note http://www.st.com/resource/en/application_note/DM00227538.pdf

Application note http://www.st.com/resource/en/application_note/DM00236305.pdf

Application note http://www.st.com/resource/en/application_note/DM00257177.pdf

Application note http://www.st.com/resource/en/application_note/DM00260952.pdf

Application note http://www.st.com/resource/en/application_note/DM00263732.pdf

Application note http://www.st.com/resource/en/application_note/DM00269143.pdf

Application note http://www.st.com/resource/en/application_note/DM00269146.pdf

Application note http://www.st.com/resource/en/application_note/DM00272912.pdf

Application note http://www.st.com/resource/en/application_note/DM00296349.pdf

Application note http://www.st.com/resource/en/application_note/DM00311483.pdf

Application note http://www.st.com/resource/en/application_note/DM00315319.pdf

Application note http://www.st.com/resource/en/application_note/DM00327191.pdf

Application note http://www.st.com/resource/en/application_note/DM00354244.pdf

Application note http://www.st.com/resource/en/application_note/DM00354333.pdf

Application note http://www.st.com/resource/en/application_note/DM00355687.pdf

Application note http://www.st.com/resource/en/application_note/DM00367673.pdf

Application note http://www.st.com/resource/en/application_note/DM00380469.pdf

Application note http://www.st.com/resource/en/application_note/DM00395696.pdf

Application note http://www.st.com/resource/en/application_note/DM00445657.pdf

Application note http://www.st.com/resource/en/application_note/DM00476869.pdf

Application note http://www.st.com/resource/en/application_note/DM00493651.pdf

Application note http://www.st.com/resource/en/application_note/DM00536349.pdf

Application note http://www.st.com/resource/en/application_note/DM00660597.pdf

Application note http://www.st.com/resource/en/application_note/DM00725181.pdf