

COURSE OUTCOME-4

DATE: 03/12/2024

1. Create Rectangle class with attributes length and breadth and methods to find area and perimeter. Compare two Rectangle objects by their area

PROGRAM

```
class Rectangle:
    def __init__(self,length,breadth):
        self.length=length
        self.breadth=breadth
    def area(self):
        return self.length*self.breadth
    def perimeter(self):
        return 2*(self.length+self.breadth)
len1=int(input("Enter length of rectangle1:"))
bread1=int(input("Enter breadth of rectangle 1:"))
len2=int(input("Enter length of rectangle1:"))
bread2=int(input("Enter breadth of rectangle 1:"))
rect1=Rectangle(len1,bread1)
rect2=Rectangle(len2,bread2)

if rect1.area()>rect2.area():
    print("Area of Rectangle1 is greater than Rectangle2")
elif rect1.area()<rect2.area():
    print("Area of Rectangle2 is greater than Rectangle1")
else:
    print("Area of two rectangles is Equal")
```

OUTPUT

```
Enter length of rectangle1:20
Enter breadth of rectangle 1:10
Enter length of rectangle1:15
Enter breadth of rectangle 1:4
Area of Rectangle1 is greater than Rectangle2
```

```
Enter length of rectangle1:12
Enter breadth of rectangle 1:5
Enter length of rectangle1:13
Enter breadth of rectangle 1:6
Area of Rectangle2 is greater than Rectangle1
```

DATE: 03/12/2024

2 . Create a Bank account with members account number, name, type of account and balance. Write constructor and methods to deposit at the bank and withdraw an amount from the bank.

PROGRAM

```
class Account:
    def __init__(self,accno,aname,acctype,balance):
        self.accno=accno
        self.aname=aname
        self.acctype=acctype
        self.balance=balance

    def deposit(self,amt):
        if amt>0:
            self.balance+=amt
            print("Successfully Deposited ",amt)
        else:
            print("Invalid Amount")

    def withdraw(self,amt):
        if amt>self.balance:
            print("Insufficient Balance")
        else:
            self.balance-=amt
            print("Successfully withdrawn ",amt)

    def viewDetails(self):
        print("\nAccount Number : ",self.accno)
        print("Account Name   : ",self.aname)
        print("Account Type    : ",self.acctype)
        print("Account Balance : Rs.",self.balance,"\n")

accno=int(input("Enter account number :"))
aname=input("Enter account name :")
acctype=input("Enter account type:")
balance=int(input("Enter account balance :"))
c1=Account(accno,aname,acctype,balance)
while True:
    print("-----MENU-----\n1. Deposit\n2. Withdraw\n3. Current
Balance\n
4. View   Details\n5. Exit")
    ch=int(input("Enter your choice :"))
    if ch==1:
        amt=int(input("Enter the amount to be deposited:"))
        c1.deposit(amt)
```

```

elif ch==2:
    amt=int(input("Enter the amount to be withdrawn:"))
    c1.withdraw(amt)
elif ch==3:
    print("\nCurrent Balance : Rs.",c1.balance,"\n")

elif ch==4:
    c1.viewDetails()
elif ch==5:
    break

```

OUTPUT

```

Enter account number :1234567
Enter account name :James
Enter account type:fixed
Enter account balance :120000
-----MENU-----
1. Deposit
2. Withdraw
3. Current Balance
4. View Details
5. Exit
Enter your choice :1
Enter the amount to be deposited:20000
Successfully Deposited 20000
-----MENU-----
1. Deposit
2. Withdraw
3. Current Balance
4. View Details
5. Exit
Enter your choice :3

Current Balance : Rs. 140000

-----MENU-----
1. Deposit
2. Withdraw
3. Current Balance
4. View Details
5. Exit
Enter your choice :2
Enter the amount to be withdrawn:10000
Successfully withdrawn 10000
-----MENU-----
1. Deposit
2. Withdraw

```

3. Current Balance
4. View Details
5. Exit
Enter your choice :3

Current Balance : Rs. 130000

-----MENU-----

1. Deposit
2. Withdraw
3. Current Balance
4. View Details
5. Exit
Enter your choice :4

Account Number : 1234567
Account Name : James
Account Type : fixed
Account Balance : Rs. 130000

-----MENU-----

1. Deposit
2. Withdraw
3. Current Balance
4. View Details
5. Exit
Enter your choice :5

DATE: 05/12/2024

3. Create a class Rectangle with private attributes length and width. Overload '<' operator to compare the area of 2 rectangles.

PROGRAM

```
class Rectangle:
    def __init__(self,length,width):
        self.length=length
        self.width=width

    def area(self):
        return self.length*self.width

    def __lt__(self,other):
        return self.area() < other.area()

l1=int(input("Enter the length of Rectangle1:"))
w1=int(input("Enter the width of Rectangle1:"))
l2=int(input("Enter the length of Rectangle2:"))
w2=int(input("Enter the width of Rectangle1:"))

rect1=Rectangle(l1,w1)
rect2=Rectangle(l2,w2)
if rect1<rect2:
    print("Area of Rectangle1 is smaller than Area of Rectangle2")
elif(rect1>rect2):
    print("Area of Rectangle1 is larger than Area of Rectangle2")
else:
    print("Both Rectangles have same Area")
```

OUTPUT

```
Enter the length of Rectangle1:12
Enter the width of Rectangle1:5
Enter the length of Rectangle2:15
Enter the width of Rectangle1:6
Area of Rectangle1 is smaller than Area of Rectangle2
```

```
Enter the length of Rectangle1:20
Enter the width of Rectangle1:14
Enter the length of Rectangle2:11
Enter the width of Rectangle1:8
Area of Rectangle1 is larger than Area of Rectangle2
```

DATE: 05/12/2024

4. Create a class Time with private attributes hour, minute and second. Overload '+' operator to find sum of 2 time.

PROGRAM

```
class Time:
    def __init__(self, hour, minute, second):
        self.hour = hour
        self.minute = minute
        self.second = second

    def displayTime(self):
        print(self.hour, "hr:", self.minute, "min:", self.second, "sec");

    def __add__(self, other):
        sum_seconds = self.second + other.second
        sum_minutes = self.minute + other.minute + (sum_seconds // 60)
        sum_hours = self.hour + other.hour + (sum_minutes // 60)
        sum_seconds = sum_seconds % 60
        sum_minutes = sum_minutes % 60
        return Time(sum_hours, sum_minutes, sum_seconds)

h1 = int(input("Enter hour1:"))
m1 = int(input("Enter minute1:"))
s1 = int(input("Enter second1:"))
h2 = int(input("\nEnter hour2:"))
m2 = int(input("Enter minutes2:"))
s2 = int(input("Enter seconds2:"))
t1 = Time(h1, m1, s1);
t2 = Time(h2, m2, s2);
t3 = t1 + t2
print("\nTime 1: ", end="")
t1.displayTime()
print("Time 2: ", end="")
t2.displayTime()
print("Sum of Time1 and Time2 is ", end="")
t3.displayTime()
```

OUTPUT

```
Enter hour1:12
Enter minute1:45
Enter second1:32
```

Enter hour2:3
Enter minutes2:27
Enter seconds2:12

Time 1: 12 hr: 45 min: 32 sec
Time 2: 3 hr: 27 min: 12 sec
Sum of Time1 and Time2 is 16 hr: 12 min: 44 sec

Enter hour1:2
Enter minute1:39
Enter second1:30

Enter hour2:1
Enter minutes2:20
Enter seconds2:30

Time 1: 2 hr: 39 min: 30 sec
Time 2: 1 hr: 20 min: 30 sec
Sum of Time1 and Time2 is 4 hr: 0 min: 0 sec

DATE: 05/12/2024

5. Create a class Publisher (name). Derive class Book from Publisher with attributes title and author. Derive class Python from Book with attributes price and no_of_pages. Write a program that displays information about a Python book. Use base class constructor invocation and method overriding

PROGRAM

```
class Publisher:
    def __init__(self,name):
        self.name=name
    def display():
        pass

class Book(Publisher):
    def __init__(self,name,title,author):
        super().__init__(name) #invoking the base class constructor
        self.title=title
        self.author=author
    def display():
        pass

class Python(Book):
    def __init__(self,name,title,author,price,nopages):
        super().__init__(name,title,author)
        self.price=price
        self.nopages=nopages
    def display(self):
        print("\n-----Book Details-----")
        print("Title      : ",self.title)
        print("Name       : ",self.name)
        print("Author     : ",self.author)
        print("Price      : ",self.price)
        print("No. of Pages : ",self.nopages)

name=input("Enter Name :")
title=input("Enter Title:")
author=input("Enter Author:")
price=int(input("Enter Price:"))
nopages=int(input("Enter number of pages:"))
b=Python(name,title,author,price,nopages)
b.display()
```


OUTPUT

Enter Name :Austin
Enter Title:Pride and Prejudice
Enter Author:Jane Austin
Enter Price:650
Enter number of pages:328

-----Book Details-----

Title : Pride and Prejudice
Name : Austin
Author : Jane Austin
Price : 650
No. of Pages : 328

Enter Name :Bronte
Enter Title:Wuthering Heights
Enter Author:Emily Bronte
Enter Price:450
Enter number of pages:467

-----Book Details-----

Title : Wuthering Heights
Name : Bronte
Author : Emily Bronte
Price : 450
No. of Pages : 467

COURSE OUTCOME-5

DATE: 26/11/2024

- 1. Write a Python program to read a file line by line and store it into a list.**

PROGRAM

file1.txt

MUTHOOT INSTITUTE OF TECHNOLOGY AND SCIENCE VARIKOLI
ERNAKULAM DISTRICT
FARHANA A M
MCA

pgm1.py

```
file=open("file1.txt","r")  
l=[i.split() for i in open("file1.txt")]  
print(l)  
file.close()
```

OUTPUT

```
[['MUTHOOT', 'INSTITUTE', 'OF', 'TECHNOLOGY', 'AND', 'SCIENCE',  
'VARIKOLI'], ['ERNAKULAM', 'DISTRICT'], ['FARHANA', 'A', 'M'], ['MCA']]
```

DATE: 26/11/2024

2. Python program to copy odd lines of one file to other

PROGRAM

file1.txt

MUTHOOT INSTITUTE OF TECHNOLOGY AND SCIENCE VARIKOLI
ERNAKULAM DISTRICT
FARHANAA M
MCA

pgm2.py

```
f=open("file1.txt","r")
g=open("file2.txt","w")
print("Odd lines of File1 which are in File2:")
lno=1
for line in f:

    if lno%2!=0:
        g.write(line)
        lno=lno+1

g.close()
g=open("file2.txt","r")
print(g.read())
g.close()
f.close()
```

OUTPUT

Odd lines of File1 which are in File2:
MUTHOOT INSTITUTE OF TECHNOLOGY AND SCIENCE VARIKOLI
FARHANAA M

DATE: 28/11/2024

3. Write a program to read each row from the CSV file and print a list of strings

PROGRAM

student.csv

Rollno,Name,Age,Course
101,Farhana,21,MCA
102,Nazrin,21,MCA
103,Safrin,21,MCA
104,Eldho,21,MCA

CSVpgm.py

```
import csv  
with open("student.csv",mode="r") as f:  
    csvr=csv.reader(f)  
    for row in csvr:  
        print(row)
```

OUTPUT

```
['Rollno', 'Name', 'Age', 'Course']  
['101', 'Farhana', '21', 'MCA']  
['102', 'Nazrin', '21', 'MCA']  
['103', 'Safrin', '21', 'MCA']  
['104', 'Eldho', '21', 'MCA']
```

DATE: 28/11/2024

4. Write a Python program to read specific columns of a given CSV file and print the content of the columns.

PROGRAM

student.csv

```
Rollno,Name,Age,Course
101,Farhana,21,MCA
102,Nazrin,21,MCA
103,Safrin,21,MCA
104,Eldho,21,MCA
```

pgm4.py

```
import csv
with open("student.csv",mode="r") as f:
    csvr=csv.reader(f)
    print(" CSV File ")
    for row in csvr:
        print(row)
f.close()
f=open("student.csv","r")
col=csv.reader(f)
print("\nSpecific columns from CSV file")
print("-----")
for i in col:
    print(i[1],i[3])
f.close()
```

OUTPUT

CSV File

```
['Rollno', 'Name', 'Age', 'Course']
['101', 'Farhana', '21', 'MCA']
['102', 'Nazrin', '21', 'MCA']
['103', 'Safrin', '21', 'MCA']
['104', 'Eldho', '21', 'MCA']
```

Specific columns from CSV file

```
-----
Name Course
Farhana MCA
Nazrin MCA
Safrin MCA
Eldho MCA
```

DATE: 28/11/2024

5. Write a Python program to write a Python dictionary to a csv file. After writing the CSV file, read the CSV file and display the content.

PROGRAM

pgm5.py

```
import csv
mydict=[{'branch':'COE','cgpa':'9.0','name':'Nikhil','year':'2'},
        {'branch':'IT','cgpa':'8.9','name':'Anu','year':'2'},
        {'branch':'SE','cgpa':'9.2','name':'Rahul','year':'3'},
        {'branch':'COE','cgpa':'9.5','name':'Miya','year':'2'},
        {'branch':'IT','cgpa':'8.8','name':'Tom','year':'1'},
        {'branch':'SE','cgpa':'8.6','name':'Jerry','year':'1'}]
fields=['name','branch','year','cgpa']
filename="records.csv"
with open(filename,"w") as f:
    writer=csv.DictWriter(f,fieldnames=fields)
    writer.writeheader()
    writer.writerows(mydict)
f.close()
with open("records.csv","r") as f:
    row=csv.reader(f)
    print("Contents in the created CSV file:")
    for i in row:
        print(i)
f.close()
```

OUTPUT

records.py

```
name,branch,year,cgpa
Nikhil,COE,2,9.0
Anu,IT,2,8.9
Rahul,SE,3,9.2
Miya,COE,2,9.5
Tom,IT,1,8.8
Jerry,SE,1,8.6
```

Contents in the created CSV file:

```
['name', 'branch', 'year', 'cgpa']
['Nikhil', 'COE', '2', '9.0']
['Anu', 'IT', '2', '8.9']
['Rahul', 'SE', '3', '9.2']
['Miya', 'COE', '2', '9.5']
['Tom', 'IT', '1', '8.8']
['Jerry', 'SE', '1', '8.6']
```