

Fresh Flower Storage & Display

Suitability assessment of a Nobel 3-door glass display cooler (1140 L)



Unit overview	
Brand / type	Nobel upright 3-door glass display cooler
Model no.	Not visible in photo - to be confirmed
Net capacity	1140 litres
Climate class	T (tropical, ambient up to 43 °C)
Power supply	220-240 V ~ / 50 Hz, 3.9 A
Input power	590 W
Refrigerant	R290 (propane), 130 g
Cooling method	Fan-forced air (fans visible at top)
Intended use	Fresh flower arrangements (not food / beverage)

Summary. This unit is a commercial **beverage display cooler**, not a purpose-built floral cooler. It can keep flower arrangements at the right cold temperature and is built for continuous 24-hour running in hot climates. However, it has **no humidity control** and uses **fan-forced airflow**, both of which tend to dry flowers out. With the setup measures in Section 8 it is **suitable for display and short-term storage (a few days)** of fresh arrangements. For long-term storage of loose cut stems, a dedicated floral cooler (high humidity, low air velocity) is the better choice.

1 Adjustable temperature range

TO CONFIRM

Typically 0 °C to +10 °C for this class of cooler; the rating label does not state it.

- Upright beverage coolers of this type are usually set between **+2 °C and +8 °C**.
- Most cut flowers (roses, lilies, carnations, chrysanthemums) keep best at **+1 °C to +4 °C**, which sits within this range.
- **Tropical flowers** (orchids, anthuriums, ginger lilies) suffer chill damage below about **10-13 °C**. Keep them out of this cooler, or run the whole cabinet warmer for them.
- Exact range to be confirmed from the manufacturer's datasheet once the model number is known.

2 Temperature stability

SUITABLE

Yes - a commercial Climate Class T unit holds its set point well.

- Expect normal variation of about **±1-2 °C** as the compressor cycles on and off.
- Brief rises occur during automatic defrost and whenever the doors are opened. These are acceptable for flowers.
- Recommended: check the actual cabinet temperature with an independent thermometer during the first week.

3 Humidity control

NOT AVAILABLE

No humidity control. Beverage coolers do not regulate humidity.

- Fresh flowers prefer **85-95 % relative humidity**.
- Fan-cooled cabinets typically run much drier - often around **40-60 % RH** - because moisture freezes onto the cooling coil and is drained away during defrost.
- Humidity can be raised by keeping flowers in water buckets, placing open water trays on the bottom shelf, light misting of arrangements, and keeping door openings to a minimum.

4 Airflow

CAUTION

Fan-forced air: cold air is blown from the top fans down through the cabinet.

- The fan outlets visible at the top of each section are designed to cool bottles quickly, not to protect delicate products.
- Flowers directly in front of or just below the fans will **dehydrate faster** and may show cold damage on petals.
- Leave the **top shelf and the area near the fans empty** or use it for hardy greenery. Place delicate blooms on the middle and lower shelves and keep a gap from the rear wall so air can circulate.

5 Continuous 24-hour operation

SUITABLE

Yes - built for continuous commercial duty.

- Climate Class T means it is rated for room temperatures up to **43 °C**, suitable for GCC conditions.
- Install away from direct sunlight and heat sources, with clearance around the unit for ventilation.
- Class I appliance: connect to a properly **earthed** socket, ideally on a dedicated circuit.

6 Full specifications (from rating label)

Parameter	Value	Note
Brand / type	Nobel, 3-door upright glass display cooler	From photo
Model number	Not visible	Printed at the top of the rating label
Storage volume	1140 L	
Climate class	T	Ambient up to 43 °C
Electrical protection class	Class I	Earthed supply required
Rated voltage / frequency	220-240 V ~ / 50 Hz	
Rated current	3.9 A	
Input power	590 W	While compressor is running
Lighting	12 W + 12 W	Interior display lighting
Advertising lamp	2 W	Top canopy sign
Refrigerant / charge	R290 / 130 g	Natural hydrocarbon, low GWP
Insulation blowing agent	C ₅ H ₁₀ (cyclopentane)	Ozone-friendly
Net weight	154 kg	

7 Power consumption and compressor

Item	Detail
Rated input power	590 W while the compressor is running
Estimated daily energy	Approx. 7-10 kWh per day (estimate), depending on room temperature, door openings and set point. The compressor cycles on and off, so it does not draw 590 W continuously.
Energy saving tips	Switch off the 2 W advertising lamp and reduce display lighting where possible (lights also add a small heat load); minimise door openings.
Compressor type	Hermetic compressor designed for R290 , typical for this unit size.
Compressor make / model	Not shown on the rating label - read from the compressor's own nameplate, behind the lower rear/bottom grille.

8 Recommended setup for fresh flowers

Set temperature	+2 °C to +5 °C for most cut flowers. Keep tropical flowers separate (10-13 °C or above).
Placement	Keep flowers away from fan outlets; use middle and lower shelves for delicate blooms.
Humidity	Keep stems in water; add open water trays on the bottom shelf; mist lightly.
Ethylene	Never store fruit or vegetables in the same cabinet - they make flowers age faster.
Doors	Minimise door openings to protect both temperature and humidity.
Monitoring	Use an independent thermometer / hygrometer to check conditions during the first week.
Storage period	Suitable for display and short-term storage (a few days); not ideal for long-term stem storage.

9 Information still required to confirm

To confirm the exact model, temperature range and compressor, please provide photos of:

1. The **top section of the rating label** (shows the model number).
2. The **compressor nameplate** (make, model, capacity and type).
3. The **temperature controller / display** (to confirm set-point range).

This report is based on the unit's rating label and photographs. Values described as "typical" or "estimate" reflect normal practice for this class of equipment and should be verified against the manufacturer's official datasheet.