VISVESVARAYA TECHNOLOGICAL UNIVERSITY

"JnanaSangama", Belgaum -590014, Karnataka.



LAB REPORT on

UNIX SHELL AND PROGRAMMING

Submitted by

FARHAN JAVEED (1BM20CS048)

in partial fulfillment for the award of the degree of BACHELOR OF ENGINEERING
in
COMPUTER SCIENCE AND ENGINEERING



B.M.S. COLLEGE OF

ENGINEERING

(Autonomous Institution under VTU) BENGALURU-560019 October-2022 to Feb-2023

B. M. S. College of Engineering,

Bull Temple Road, Bangalore 560019
(Affiliated To Visvesvaraya Technological University, Belgaum)

Department of Computer Science and Engineering



CERTIFICATE

This is to certify that the Lab work entitled "LAB COURSE UNIX SHELL AND PROGRAMMING" carried out by FARHAN JAVEED(1BM20CS048), who is bonafide student of B. M. S. College of Engineering. It is in partial fulfillment for the award of Bachelor of Engineering in Computer Science and Engineering of the Visvesvaraya Technological University, Belgaum during the year 2022. The Lab report has been approved as it satisfies the academic requirements in respect of a Unix Shell and Programming - (20CS5PCUSP) work prescribed for the said degree.

Prof. Prameetha pai Assistant Professor Department of CSE BMSCE, Bengaluru **Dr. Jyothi S Nayak** Professor and Head Department of CSE BMSCE, Bengaluru

Index

Sl. No	Date	Experiment Title	Page No.
1.		Shell script to find if the given year is leap or not	
2		Shell script to find the area of a circle	
3		Shell script to check whether the number is zero/ positive/ negative	
4		Shell script to find the biggest of three numbers	
5		Shell script to find the factorial of a number	
6		Shell script to compute the gross salary of an employee	
7		Shell script to convert the temperature Fahrenheit to Celsius	
8		Shell script to perform arithmetic operations on given two numbers	
9		Shell script to find the sum of even numbers up to n	
10		Shell script to print the combinations of numbers 123	
11		Shell script to find the power of a number	
12		Shell script to find the sum of n natural numbers	
13		Shell script to display the pass class of a student	
14		Shell script to find the Fibonacci series up to n	
15		Shell script to count the number of vowels of a string	
16		Shell script to check number of lines, words, characters in a file	
17		Write a C/C++ program to that outputs the contents of its environment list	
18		Write a C/C++ program to emulate the Unix ln command	
19		Write a C/C++ POSIX compliant program that prints the POSIX defined Configuration options supported on any given system using feature test macros.	

20	Write a C/C++ program which demonstrates Interprocess	
	Communication between a reader process and a writer process.	
	Use mkfifo, open, read, write and close apis in your program.	

Shell script to find if the given year is leap or not

```
#!/bin/bash
echo "Enter an Year: "
read year
if [ $((year % 4)) -eq 0 ]
then
 if [ $((year % 100)) -eq 0 ]
  then
  if [ $((year % 400)) -eq 0 ]
      then
     echo "$year is a leap year"
  else
      echo "$year is not a leap year"
  fi
 else
 echo "$year is a leap year"
 fi
else
echo "$year is not a leap year"
```

```
enter the year: 2024
its a leap year
```

Experiment No 2

Shell script to find the area of a circle

```
#!/bin/bash
echo "\nEnter the radius of a circle : "
read r
d=$(echo "scale=2;2 * $r"| bc) #Diameter
area=$(echo "scale=2; 22/7 * ($r * $r)" | bc)
circumference=$(echo "scale=2; 22/7 * $d"| bc)
echo "\nArea of circle is : $area"
echo "\nCircumference of circle is : $circumference \n"
```

Output

enter the radius of the circle: 2 The area of the circle is: 12.56

Shell script to check whether the number is zero/ positive/ negative

```
#!/bin/bash
echo "Enter the number:"
read num
if [ $num -gt 0 ]
then
    echo "$num is positive"
elif [ $num -lt 0 ]
then
    echo "$num is negative"
else
    echo "$num is zero"
fi
```

Output

enter the number: 4
The number is positive

Experiment No 4

Shell script to find the biggest of three numbers

```
#!/bin/bash
echo "Enter first number : "
read num1
echo "Enter second number : "
read num2
echo "Enter third number : "
read num3
if [ $num1 -gt $num2 ] && [ $num1 -gt $num3 ]
then
    echo "\n$num1 is the greatest"
elif [ $num2 -gt $num1 ] && [ $num2 -gt $num3 ]
then
    echo "\n$num2 is the greatest"
```

```
else
echo "\n$num3 is the greatest"
fi
```

```
enter the 3 numbers: 10 20 30 30 is the biggest number
```

Experiment No 5

Shell script to find the factorial of a number

```
#!/bin/bash
echo "ENTER THE NUMBER: "
read n
fact=1
while [ $n -gt 1 ]
do
    fact=$(( fact * n))
    n=$((n-1 ))
done
echo "FACTORIAL IS: "
echo $fact
```

Output

enter the numbers:3
The factorial of 3 is: 6

Experiment No 6

Shell script to compute the gross salary of an employee

```
#!/bin/bash
echo "\nEnter name of Employee :"
read name
echo "\nEnter DA :"
read da
echo "\nEnter HRA:"
read hra
echo "\nEnter basic"
read basic
sal=$(( $da + $hra + $basic ))
echo "\nGross Salary of $name is $sal"
```

Output

```
Enter the basic salary:
1200
gross salary: 2400
```

Shell script to convert the temperature Fahrenheit to Celsius

```
#!/bin/bash echo "Enter temperature in F:" read f c=\$(echo "scale=2;(5/9)*(\$f-32)"|bc) echo "\$f °F = \$c °C"
```

Output:

```
"Enter the Fahrenheit temp"
150
65
```

Shell script to perform arithmetic operations on given two numbers

```
#!/bin/bash
echo "Enter 2 Numbers : "
read a
read b
echo "Enter Operation : \n"
echo "1) Addition"
echo "2) Subtraction"
echo "3) Multiplication"
echo "4) Division(Quotient)"
echo "5) Modulus(Remainder)\n"
read op
```

```
case $op in

1)echo "scale=3; $a + $b" | bc -1 ;;

2)echo "scale=3; $a - $b" | bc -1 ;;

3)echo "scale=3; $a \* $b" | bc -1 ;;

4)echo "scale=3; $a / $b" | bc -1 ;;

5)echo "scale=3; $a % $b" | bc -1 ;;

*)echo "Choose a valid option"

esac
```

```
menu
1. addition
2.subtraction
3.multiplication
4. division
3
enter 2 numbers: 2 3
product is: 6
```

Experiment No 9

Shell script to find the sum of even numbers upto n

```
#!/bin/bash
sum=0
read -p "Enter maximum limit of Even Numbers : " m
for ((i = 0; i < m; i++)); do
    if [[ $i%2 -eq 0 ]]; then
        sum=$(expr $sum + $i)
    fi
done
echo $sum</pre>
```

```
Enter the number : 10
Sum of even numbers till 10 is : 30
```

Experiment No 10

Shell script to print the combinations of numbers 123

```
#!/bin/bash echo "Combinations for 123 :" for ((i = 1; i \le 3; i++)); do for ((j = 1; j \le 3; j++)); do for ((k = 1; k \le 3; k++)); do echo i j k done
```

done

done

Output

Experiment No 11

Shell script to find the power of a number

```
#!/bin/bash
echo "Enter base"
read a
echo "Enter power"
read b
res=1
for ((i = 1; i <= b; i++)); do</pre>
```

```
res='expr $res \* $a'
done
echo $res
```

```
Enter the base : 5
Enter power : 3
Result : 125
```

Experiment No 12

Shell script to find the sum of n natural numbers

```
#!/bin/bash
echo "Enter a number"
read n
i=1
sum=0
while [ $i -le $n ]
```

```
do
  echo "$i"
  sum=$(( $sum + $i ))
    i=$(( $i + 1 ))
  done
echo "Sum=$sum"
```

```
Enter the number: 10
Sum of 10 natural numbers is 55
```

Experiment No 13

Shell script to display the pass class of a student

```
#!/bin/bash
echo "Enter m1:\c and Enter m2:\c "
read m1
echo "Enter m3:\c"
```

```
read m3
echo "Enter m4:\c"
read m4
echo "Enter m5:\c"
read m5
tot='expr $m1 + $m2 + $m3 + $m4 + $m5';
avg=`expr $tot / 5`;
echo "total: $tot \n avg: $avg"
if [ $avg -gt 85 ];then
echo " Grade: Distinction "
elif [ $avg -gt 65 ];then
echo " Grade: First Class "
elif [ $avg -gt 50 ];then
echo " Grade: Second Class "
elif [ $avg -gt 35 ];then
echo " Grade: Pass "
else echo " Grade: Fail"
fi
 Enter your marks: 45
 Pass
```

Shell script to find the Fibonacci series up to n

Program:

#!/bin/bash

read N

a=0

```
b=1
echo "The Fibonacci series is:"
for (( i=0; i<N; i++ ))
do
echo "$a"
fib=$((a+b))
a=$b
b=$fib
```

done

```
Enter the end limit : 10
Fibonacci Series
0 1 1 2 3 5 8 13 21 34
```

Experiment No 15

Shell script to count the number of vowels of a string

```
#!/bin/bash
echo "enter filename"
```

read filename

vowels=`cat \$filename | tr -cd 'aeiouAEIOU' | wc -c`
echo "Number of vowels in \$filename: \$vowels"

Output

```
Enter the string : BMS COLLEGE OF ENGINEERING

Vowel count : 9
```

Experiment No 16

Shell script to check number of lines, words, characters in a file

#!/bin/bash
echo "Enter the filename or path to proceed"
read filename
words=`wc -w \$filename`

lines=`wc -l \$filename` chars=`wc -c \$filename` echo "Words is \$words" echo "Lines is \$lines" echo "Characters is \$chars"

Output

Enter the file name : Lab6
Number of lines : 2 Lab6
Number of words : 2 Lab6
Number of characters : 9 Lab6

Experiment No 17

Write a C/C++ program to that outputs the contents of its environment list #include<stdio.h>

```
#include<unistd.h&gt;
int main(int argc,char *argv[])
{
    char **ptr;
    extern char **environ;
    for(ptr=environ; *ptr; ptr++)
    printf(&quot;%s\n&quot;,*ptr);
    return 0;
}
```

```
HOSTNAME=Check
LANGUAGE=en_US:en
PWD=/home
HOME=/
LANG=en_US.UTF-8
GOROOT=/usr/local/go
TERM=xterm
DISPLAY=:1
SHLVL=1
PS1=#ogdbshell#
LC_ALL=en_US.UTF-8
PATH=/opt/swift/swift-5.7.3-RELEASE-ubuntu22.04/usr/bin/:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
DEBIAN_FRONTEND=noninteractive
=/script/tinit
```

Write a C/C++ program to emulate the Unix ln command

#include<unistd.h>
#include<stdio.h>

```
#include<string.h>
int main(int argc , char * argv[])
     if(argc<3 || argc>4)
          printf("Error in usage\n");
          return -1;
     if(argc==4 && strcmp(argv[1],"-s")!=0)
          printf("for symbolic link use -s option");
          return -1;
     if(argc==4 && access(argv[2], F OK)==-1)
          printf("Source file does not exist");
          return -1;
     if(argc==3 && access(argv[1], F OK)==-1)
          printf("Source file does not exist");
          return -1;
     if(argc==4)
          symlink(argv[2], argv[3]);
          printf("Symbolic link is created");
          return 0;
     if(argc==3)
          link(argv[1], argv[2]);
          printf("Hard link is created");
          return 0;
```

Hard link is created

Write a C/C++ POSIX compliant program that prints the POSIX defined Configuration options supported on any given system using feature test macros.

```
#define POSIX SOURCE
#define POSIX C SOURCE 199309L
#include<iostream&gt;
#include<unistd.h&gt;
int main()
using namespace std;
#ifdef POSIX JOB CONTROL
cout<&lt;&guot;System Supports Job Control feature&guot;&lt;&lt;endl;
#else
cout<&lt;&quot;System doesnot support job control\n&quot;;
#endif
#ifdef POSIX SAVED IDS
cout<&lt;&quot;System Supports saved set-UID and saved set-GID&quot;&lt;&lt;endl;
#else
cout<&lt;&quot;System doesnot support saved set-UID\n&quot;;
#endif
#ifdef POSIX CHOWN RESTRICTED
cout<&lt;&quot;System Supports Change Ownership feature:&quot;&lt;&lt;endl;
#else
cout<&lt;&quot;System doesnot support change Ownership feature\n&quot;;
#endif
#ifdef POSIX NO TRUNC
cout<&lt;&quot;System Supports Path truncation option:&quot;&lt;&lt;endl;
#else
```

```
cout<&lt;&quot;System doesnot support Path truncation \n&quot;;
#endif
#ifdef _POSIX_VDISABLE
cout&lt;&lt;&quot;System Supports Disable Character for files:&quot;&lt;&lt;endl;
#else
cout&lt;&lt;&quot;System doesnot support Disable Characters \n&quot;;
#endif
return 0;
```

Write a C/C++ program which demonstrates Interprocess Communication between a reader process and a writer process. Use mkfifo, open, read, write and close apis in your program.

```
#include <sys/stat.h>
       #include <string.h>
       #include <fcntl.h>
       #include <stdio.h>
       #include <unistd.h>
       int main(int argc, char *argv[])
       {
       char buf[100];
       int fd,n;
       mkfifo (argv[1], S_IFIFO |0777);
       if (argc == 3){
       fd = open (argv[1], O_WRONLY);
       write (fd, argv[2], strlen(argv[2]));
       close(fd);}
       if (argc == 2){
       fd = open (argv[1], O RDONLY);
       n= read (fd, buf, sizeof(buf));
       buf[n]='\0';
       printf ("%s", buf);
       close(fd);
       }
```

- \$ cc interprocess.c
- \$./a.out interprocess 5th semester
- [1] 3801
- \$./a.out interprocess
- 5th semester[1]+ Done