intertek
Total Quality. Assured.

Test Report

Number: VNMH25001679
Date: March 5, 2025

JPMA Certification Program

Manufacturer/Participant:	STORK CRAFT MANUFACTURING USA INC	Test Date:	February 12, 2025
Address:	250-3993 Howard Hughes Parkway		
City/St/Zip:	Las Vegas, NV 89169		
Supplier (Name and Location):	Associate Yang Enterprises Bien Hoa city, Dong Nai Province, Vietnam 00000		
	Graco Hadley Crib & Changer w/ Drawer - White		
	Graco Hadley Crib & Changer w/ Drawer - Espresso		
	Graco Hadley Crib & Changer w/ Drawer - DRIFTWOOD		04586-701
	Graco Hadley Crib & Changer w/ Drawer - HAZELNUT		04586-709
	Graco Hadley Crib & Changer w/ Drawer - OLIVE		04586-707
	Graco Hadley Crib & Changer w/ Drawer - Black		04586-708
	Graco Hadley Crib & Changer w/ Drawer - FROSTED		04586-70A
	OAT		04586-70B
	Graco Hadley Crib & Changer w/ Drawer - Pebble Gray		04586-70D
	Graco Hadley Crib & Changer w/ Drawer - MIDNIGHT		04586-70F
Product Name:	BLUE	Model Number:	04586-70M
	810003665560		
	810003665577		
	840450504853		
	840450504860		
UPC Code:	840450504877		
	810105291803		
	840450504884		
	810003665584		
	840450504891		
Date of Manufacture:	-		

☒ Basic Model ☐ Prototype Model ☐ Modification ☐ 1st Quarter ☐ 2nd Quarter

☐ Production ☐ Retest Previous Test Date _____ ☐ 3rd Quarter ☐ 4th Quarter

P = Pass F = Fail N/A = Not Applicable

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Intertek Vietnam Ltd.
Hanoi office: 3rd, 4th Floor, Au Viet Building, No. 01 Le Duc Tho Street,
Mai Dich Ward, Cau Giay District, Hanoi.
Hochiminh office: 5th, 6th, 7th floor, Hall D, S.O.H.O Biz Building, 38 Huynh Lan Khanh Street, Ward 2, Tan Binh District, Ho Chi Minh City, Vietnam. (Note: Floor in the evaluator mentioned 6,8,9).
Hardline Lab: 18 Cong Hoa Street, Ward 4, Tan Binh District, Ho Chi Minh City, Vietnam.
Tel: +84 8 62816898, Web: www.intertek.com

Tests Conducted

Evaluation	Citation	Attribute	Result
		JPMA Protocol for US	
1	California Proposition 65	California Proposition 65 As Applicable	P
2	FCC part 15	Electronic products	NA
3	IABFLO	Law label	P Interpretation – Law Label
		Labeling	
4	19 CFR 134	Country of origin	P
5	Title 17, CA Code of Regulations, Section 93120.7(d) Fabricator Label Requirements	CARB formaldehyde document and label review	P Interpretation – CARB
6	CPSIA section 103(a)	Tracking labels for children's products	P
7	16 CFR 1130	Registration card for durable nursery product	P
8	ASTM F963	Labeling Review – Battery Operated Product	NA
9	16 CFR 1505	Electrically Operated Toys	NA
10	ASTM F2088	Transformer NRTL or equivalent Labeling	NA
11	ASTM F963	Toys Labeling Review – magnets	NA
12	16 CFR 423	Care Label	NA
13	California, New York, Chicago, Massachusetts, Virginia and Rhode Island State and City Laws CA Code 22200-22202, RI Code 11-9-16	Plastic sheet / bag requirement	NA
14	- -	Instruction Review	P
18	- -	UPC #, Item number or style number	P
19	40 CFR 770.45	Labeling of Composite Wood Product - Formaldehyde Emission (EPA)	P
20	F.P. and L. Act (16 CFR 500) OR NIST Uniform Laws and Regulations Handbook 130	US Packaging Labeling	P
21	16 CFR 1263.3 / ANSI/UL 4200A-2023 Section 7-9	Warning Label for Consumer Products Containing Button Cell or Coin Batteries	NA
22	16 CFR 1263.3 / ANSI/UL 4200A-2023 Section 5-6	†* Consumer Products Containing Button Cell Or Coin Batteries	NA
23	P.L. 117-171 (Reese's Law) Section 3 / 16 CFR 1700.15 / 16 CFR 1700.20	† Button Cell or Coin Battery Packages	NA
24	16 CFR 1632.31	Mattresses and mattress pads labeling	NA
25	16 CFR 1633.12	Mattress set labeling	NA
		Analytical	
26	FDA FSSE 21 CFR 175-177	Food Contact Materials	NA
27	16 CFR 1500.231	Hazardous Liquids	NA
28	16 CFR 1500.3(c)(6)(iii) 16CFR 1500.43(a)	Flash point of combustible liquid	NA

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Evaluation	Citation	Attribute	Result
29	CPSIA Section108* / 16 CFR 1307 / CA Prop 65 / CPSC-CH-C1001-09.3 (Mod) / CPSD-AN-00095- MTHD / CPSD-AN-00143-MTHD / 16 CFR 1308	Phthalate contents – 8	P (See test data)
30	ASTM F963	Soluble heavy metal contents in surface coatings	P (See test data)
31	ASTM F963	Soluble heavy metal contents in substrate materials	P (See test data)
32	CPSIA Section 101 / 16 CFR 1252 / CPSC-CH-E1001-08.3 / CPSC-CH-E1002-08.3	Total lead content in substrate materials	P (See test data)
33	16 CFR 1303	Total lead content in surface coatings	P (See test data)
34	Mercury- Containing and Rechargeable Battery Mgmt Act U.S. Pub. L. 104-142	Total mercury content in batteries and button cell batteries	NA
35	40 CFR 770.10 / 40 CCFR 770.17 / 40 CFR 770.18	Formaldehyde Emission of Composite Wood Product (EPA)	P
36	California Health and Safety Code, Section 109000, 108945, 108970 / EN 14582:2016	Total Fluorine	F (see test data) Proceed Individual PFAS
37	US Various state laws	Individual PFAS	P (See test data)
		Hazard	
38	For full size crib - ASTM F1169-19 - ASTM F1219 For toddler bed - ASTM F1821-19e1 - 16 CFR 1217 For baby changing table - ASTM F2388-21	Juvenile Products	P (See Part I)
39	ASTM F963	Juvenile Products Battery Operated	NA
40	ASTM F963	Toy Accessories	NA
41	16 CFR 1505	Electrically operated products - document review	NA
42	ASTM F2088	Electrical Testing	NA
43	Toxics in packaging act	Toxics in packaging (TPCH)	P(CoC was provided)
44	ASTM F963	Mechanical hazards – magnets	NA
45	- -	Mercury - Total Content	P (See test data)
46	Illinois Lead Poisoning Prevention Act	Illinois lead content	P (See test data)
47	16 CFR 1501	Small part	P
48	16 CFR 1500.48	Sharp points	P
49	16 CFR 1500.49	Sharp edges	P
53	16 CFR 1632	Flammability of mattress and mattress pad - lighted cigarette - documentation review - 1 year	NA
54	16 CFR 1633	Flammability of mattress set - open flame - documentation review - 1 year	NA
		Flammability	
55	California flammability regulations title 4 chapter 3	California technical bulletin 116 flammability	NA
56	16 CFR 1500.44	Flammability of solids	P

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Test Report

Number: VNMH25001679
Date: March 5, 2025

Evaluation	Citation	Attribute	Result
57	16 CFR 1640	Upholstered furniture flammability labeling	NA
		Physical Characteristics	
58	AATCC 20A	Fiber analysis: quantitative	NA
59	- -	Overall dimensions and weight	R 71.5 x 29.5 x 35.75 in 112.2lbs
60	NY, MD, WA, VT, HI, ME, OR, RI and CA	Flame Retardants	P (See test data)
61	NY Albany County Local Law No. 1 for 2015 and NY Suffolk County Local Law No. 26 of 2017	The Toxic Free Toys Act	P (See test data)

Abbreviation : P = Pass; F = Fail; N/A = Not Applicable; N/T= Not Tested;
MCD = Manufacturer Conformity Declaration; NR = not requested by the applicant; NES = Not Enough Sample

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Intertek Vietnam Ltd.
Hanoi office: 3rd, 4th Floor, Au Viet Building, No. 01 Le Duc Tho Street,
Mai Dich Ward, Cau Giay District, Hanoi.
Hochiminh office: 5th, 6th, 7th floor, Hall D, S.O.H.O Biz Building, 38 Huynh Lan Khanh Street, Ward 2, Tan Binh District, Ho Chi Minh City, Vietnam. (Note: Floor in the evaluator mentioned 6,8,9).
Hardline Lab: 18 Cong Hoa Street, Ward 4, Tan Binh District, Ho Chi Minh City, Vietnam.
Tel: +84 8 62816898, Web: www.intertek.com

intertek
Total Quality. Assured.

Test Report

Number: VNMH25001679
Date: March 5, 2025

Tests Conducted

Conclusion: ☒ **PASS**
☐ **FAIL**
☐ **For Information Only**

Part I

1. STANDARD CONSUMER SAFETY SPECIFICATION FOR FULL-SIZE BABY CRIBS
With reference to ASTM F1169-19 Standard Consumer Safety Specification for Full-Size Baby Cribs, the submitted sample was subjected to the following tests:
Number of Sample Tested: One(1) Piece
Initial inspection: No any damage was found

Executive Summary:

Clause	Test items	Verdict
1	Scope	-
2	Referenced Documents	-
3	Terminology	-
4	Calibration and Standardization	-
5	General Requirements	P
5.1	Wood Parts	P
5.2	Surface Coatings	P
5.3	Small Parts	P
5.4	Corner Posts	P
5.5	Slat Construction	P
5.6	Crib Side Configurations	P
5.7	Full-size baby cribs-dimensions	P
5.8	Spacing of crib components	P
5.9	Toe holds	P
5.10	Hardware and fasteners	P
5.11	Toy	NA
5.12	Recordkeeping	-
5.13	Before and after testing, the product shall comply with all the requirement of section 5	P
5.14	Sharp points/sharp edges	P
5.15	Flammable solids	P
5.16	Openings	P
5.17	Scissoring, shearing, or pinching	P
5.18	Labeling	P
5.19	Cord/strap length	P
5.20	Cribs that fold for storage or transport	NA
6	Performance Requirements	P
6.1	Plastic teething rail test requirement	NA
6.2	Cycle testing	P
6.3	Crib side latch test requirement	NA
6.4	Mattress support system vertical impact test requirements	P
6.5	Mattress support system test requirement	P
6.6	Crib side test requirement	P
6.7	Spindle/slat strength testing	P
6.8	Cutouts	NA
6.9	Entrapment in accessories	NA
6.10	Mattress support system openings	P
8	Marking and Labeling	P
9	Instructional Literature	P

Abbreviation: **P**=**P**ass **F**=**F**ail **NA**=**N**ot **A**pplicable **NC**=**N**ot **C**onducted **NR** = **N**ot **R**equested

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Intertek Vietnam Ltd.
Hanoi office: 3rd, 4th Floor, Au Viet Building, No. 01 Le Duc Tho Street, Mai Dich Ward, Cau Giay District, Hanoi.
Hochiminh office: 5th, 6th, 7th floor, Hall D, S.O.H.O Biz Building, 38 Huynh Lan Khanh Street, Ward 2, Tan Binh District, Ho Chi Minh City, Vietnam. (Note: Floor in the evaluator mentioned 6,8,9).
Hardline Lab: 18 Cong Hoa Street, Ward 4, Tan Binh District, Ho Chi Minh City, Vietnam.
Tel: +84 8 62816898, Web: www.intertek.com

Test Report

Number: VNMH25001679
Date: March 5, 2025

Part I

2. STANDARD CONSUMER SAFETY SPECIFICATION FOR FULL-SIZE BABY CRIBS
With reference U.S. CFR title 16(CPSC regulations) part 1219 safety standard for Full-Size Baby Cribs, the submitted sample was subjected to the following tests tests in accordance with ASTM F1169-19:
Number of Sample Tested: One(1) Piece
Initial inspection: No any damage was found

Executive Summary:

Clause	Test items	Verdict
1	Scope	-
2	Referenced Documents	-
3	Terminology	-
4	Calibration and Standardization	-
5	General Requirements	P
5.1	Wood Parts	P
5.2	Surface Coatings	P
5.3	Small Parts	P
5.4	Corner Posts	P
5.5	Slat Construction	P
5.6	Crib Side Configurations	P
5.7	Full-size baby cribs-dimensions	P
5.8	Spacing of crib components	P
5.9	Toe holds	P
5.10	Hardware and fasteners	P
5.11	Toy	NA
5.12	Recordkeeping	-
5.13	Before and after testing, the product shall comply with all the requirement of section 5	P
5.14	Sharp points/sharp edges	P
5.15	Flammable solids	P
5.16	Openings	P
5.17	Scissoring, shearing, or pinching	P
5.18	Labeling	P
5.19	Cord/strap length	NA
5.20	Cribs that fold for storage or transport	NA
6	Performance Requirements	P
6.1	Plastic teething rail test requirement	NA
6.2	Cycle testing	P
6.3	Crib side latch test requirement	NA
6.4	Mattress support system vertical impact test requirements	P
6.5	Mattress support system test requirement	P
6.6	Crib side test requirement	P
6.7	Spindle/slat strength testing	P
6.8	Cutouts	NA
6.9	Entrapment in accessories	NA
6.10	Mattress support system openings	P
8	Marking and Labeling	P
9	Instructional Literature	P
10	Keywords	-

Abbreviation: **P**=**P**ass **F**=**F**ail **NA**=**N**ot **A**pplicable **NC**=**N**ot **C**onducted **NR** = **N**ot **R**equested

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Part I

3. STANDARD CONSUMER SAFETY SPECIFICATION FOR TODDLER BEDS

With reference to ASTM F1821-19e1 Standard Consumer Safety Specification for Toddler Beds, the submitted sample was subjected to the following tests:
Number of Sample Tested: One (1) Piece
Initial inspection: No any damage was found

Executive summary:

Clause	Test items	Verdict
5	General Requirements	P
5.1	Safety Requirement	P
5.2	Sharp Point and Sharp Edge	P
5.3	Small Part	P
5.4	Surface Coating	P (See #5)
5.5	Wood Parts	P
5.6	Scissoring, shearing, and pinching	P
5.7	Protective Components	NA
5.8	Openings	P
5.8.1	Finger Entrapment	P
5.8.2	Torso Entrapment	P
5.9	Labeling	P
5.10	Corner Post Extensions	P
6	Performance Requirement	P
6.1	Mattress Support System	P
6.2	Mattress Support System Attachment and Side Rails Integrity	P
6.2.1	Mattress Support System Attachment to End Structures	P
6.2.2	Side Rails and Separate Mattress Support System	P
6.3	Mattress Support System Openings	P
6.4	Guardrails	NA
6.4.1	Guardrail height	NA
6.4.2	Guardrail strength	NA
6.5	End Structures and side rails	P
6.6	Partially Bounded Openings	P
6.7	Spindle/Slat Static Load Strength	P
8	Marking and Labeling	P(See Remark#1)
9	Instructional Literature	P

Abbreviation: **P**=**P**ass; **NA**=**N**ot **A**pplicable; **F**=**F**ail; **NC** = **N**ot **C**onducted; **NR** = **N**ot **R**equested

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Part I

4. STANDARD CONSUMER SAFETY SPECIFICATION FOR TODDLER BEDS

As per U.S. code of federal regulations title 16 part 1217 safety standard for Toddler Beds, the submitted sample was subjected to the following tests in accordance with ASTM F1821-19e1:
Number of Sample Tested: One(1) Piece
Initial inspection: no any damage was found before and after assembly.

Executive summary:

Clause	Test items	Verdict
1	Scope.	-
2	Referenced documents.	-
3	Terminology	-
4	Calibration and Standardization	-
5	General Requirements	P
5.1	Safety Requirement	P
5.2	Sharp Point and Sharp Edge	P
5.3	Small Part	P
5.4	Surface Coating	P (See test data)
5.5	Wood Parts	P
5.6	Scissoring, shearing, and pinching	P
5.7	Protective Components	NA
5.8	Openings	P
5.8.1	Finger Entrapment	P
5.8.2	Torso Entrapment	P
5.9	Labeling	P
5.10	Corner Post Extensions	P
6	Performance Requirement	P
6.2	Mattress Support System Attachment to End Structures	P
6.3	Mattress Support System Openings	P
6.4	Guardrails	NA
6.5	End Structures and side rails	P
6.6	Partially Bounded Openings	P
6.7	Spindle/Slat Static Load Strength	P
8	Marking and Labeling	P
9	Instructional Literature	P
10	Keywords	-

Abbreviation: **P**=**P**ass; **NA**=**N**ot **A**pplicable; **F**=**F**ail; **NC** = **N**ot **C**onducted; **NR** = **N**ot **R**equested

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Part I

5. STANDARD CONSUMER SAFETY SPECIFICATION FOR BABY CHANGING PRODUCTS FOR DOMESTIC USE

With reference to ASTM F2388-21 Standard Consumer Safety Specification for baby changing table, the submitted sample was subjected to the following tests:
Number of Sample Tested: One (1) Piece
Initial inspection: no any damage was found before and after assembly.

Executive summary:

Clause	Test items	Verdict
1	Scope.	-
2	Referenced documents.	-
3	Terminology	-
4	Calibration and Standardization	-
5	General Requirements	P
5.1	Sharp Points and Edges	P
5.2	Small Parts	P
5.3	Surface Coatings	P (See test data)
5.4	Wood Parts	P
5.5	Openings	P
5.6	A changing table accessory when attached in the manufacturer's recommended use position to a full-size or non-full-size crib/play yard	NA
5.7	Toys	NA
5.8	Threaded Fasteners	P
5.8.1	Wood Screws and Sheet Metal Screws	P
5.8.2	Metal inserts	P
5.8.3	Metal threaded fasteners	NA
5.9	Protective Components	NA
5.10	Product must comply with the applicable requirements of the Consumer Product Safety Improvement Act.	P
5.11	Scissoring, Shearing, and Pinching	P
5.12	If the changing product can be converted into another product for which a consumer safety specification exists, the product shall comply with the applicable requirements of that standard when in that use mode.	NA
6	Performance Requirement	P
6.1	Structural Integrity	
6.2	Stability	P
6.3	Barriers	P
6.4	Retention of Contoured Changing Pads and Add-on Changing Units	NA
6.5	Entrapment in Enclosed Openings	P
6.6	Entrapment by Shelves	P
6.7	Self-folding Steps	NA
6.8	Restraint System	P
8	Marking and Labeling	P
9	Instructional Literature	P
10	Keywords	-

Abbreviation: **P**=**P**ass; **NA**=**N**ot **A**pplicable; **F**=**F**ail; **NC** = **N**ot **C**onducted; **NR** = **N**ot **R**equested

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Part I

6. STANDARD CONSUMER SAFETY SPECIFICATION FOR BABY CHANGING PRODUCTS FOR DOMESTIC USE
With reference U.S. CFR title 16(CPSC regulations) part 1235 safety standard for Full-Size Baby Cribs, the submitted sample was subjected to the following tests tests in accordance with ASTM F2388-21:
Number of Sample Tested: One(1) Piece
Initial inspection: No any damage was found

Clause	Test items	Verdict
1	Scope.	-
2	Referenced documents.	-
3	Terminology	-
4	Calibration and Standardization	-
5	General Requirements	P
5.1	Sharp Points and Edges	P
5.2	Small Parts	P
5.3	Surface Coatings	P (See test data)
5.4	Wood Parts	P
5.5	Openings	P
5.6	A changing table accessory when attached in the manufacturer's recommended use position to a full-size or non-full-size crib/play yard	NA
5.7	Toys	NA
5.8	Threaded Fasteners	P
5.8.1	Wood Screws and Sheet Metal Screws	P
5.8.2	Metal inserts	P
5.8.3	Metal threaded fasteners	NA
5.9	Protective Components	NA
5.10	Product must comply with the applicable requirements of the Consumer Product Safety Improvement Act.	P
5.11	Scissoring, Shearing, and Pinching	P
5.12	If the changing product can be converted into another product for which a consumer safety specification exists, the product shall comply with the applicable requirements of that standard when in that use mode.	NA
6	Performance Requirement	P
6.1	Structural Integrity	
6.2	Stability	P
6.3	Barriers	P
6.4	Retention of Contoured Changing Pads and Add-on Changing Units	NA
6.5	Entrapment in Enclosed Openings	P
6.6	Entrapment by Shelves	P
6.7	Self-folding Steps	NA
6.8	Restraint System	P
8	Marking and Labeling	P
9	Instructional Literature	P
10	Keywords	-

Abbreviation: **P**=**P**ass; **NA**=**N**ot **A**pplicable; **F**=**F**ail; **NC** = **N**ot **C**onducted; **NR** = **N**ot **R**equested

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Test Report

Number: VNMH25001679
Date: March 5, 2025

Test conducted

1. Phthalate Content (U.S. 16 CFR Part 1307)
With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Item	CAS No.	Result					Units	D.L	Limit
		(1a/2/3a)	(4a/5a)	(11)	(10c/16)	(4A/5A/6A)			
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	ND	%	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	ND	%	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	ND	%	0.01	0.1
Di-isononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	ND	%	0.01	0.1
Di-isobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	ND	%	0.01	0.1
Di-n-pentyl phthalate (DPENP)	131-18-0	ND	ND	ND	ND	ND	%	0.01	0.1
Di-n-hexyl phthalate (DnHP/DHEXP)	84-75-3	ND	ND	ND	ND	ND	%	0.01	0.1
Di-cyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	ND	ND	%	0.01	0.1

Test Item	CAS No.	Result					Units	D.L	Limit
		(7A/8A/9A)	(10A/13A)	-	-	-			
Dibutyl phthalate (DBP)	84-74-2	ND	ND	-	-	-	%	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	-	-	-	%	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	-	-	-	%	0.01	0.1
Di-isononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	-	-	-	%	0.01	0.1
Di-isobutyl phthalate (DIBP)	84-69-5	ND	ND	-	-	-	%	0.01	0.1
Di-n-pentyl phthalate (DPENP)	131-18-0	ND	ND	-	-	-	%	0.01	0.1
Di-n-hexyl phthalate (DnHP/DHEXP)	84-75-3	ND	ND	-	-	-	%	0.01	0.1
Di-cyclohexyl phthalate (DCHP)	84-61-7	ND	ND	-	-	-	%	0.01	0.1

Remarks:
D.L. = Detection Limit
ND = Not detected

The above limit was quoted according to US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates.
Tested Components: See component list in the last section of this report.

2. Heavy Elements Analysis (U.S. ASTM F963-23)

As per Section 4.3.5 and Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, heavy elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.
Non-modelling clay

Test Item	Result					Units	D.L	Limit
	(1a)	(2)	(3a)	(4a)	(5a)			
Sol.Barium (Ba)	ND	ND	ND	ND	ND	mg/kg	<5	1000
Sol.Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	<5	90
Sol.Cadmium (Cd)	ND	ND	ND	ND	ND	mg/kg	<5	75
Sol.Antimony (Sb)	ND	ND	ND	ND	ND	mg/kg	<5	60
Sol.Selenium (Se)	ND	ND	ND	ND	ND	mg/kg	<5	500
Sol.Chromium (Cr)	ND	ND	ND	ND	ND	mg/kg	<5	60
Sol.Mercury (Hg)	ND	ND	ND	ND	ND	mg/kg	<5	60
Sol.Arsenic (As)	ND	ND	ND	ND	ND	mg/kg	<2.5	25

Test Item	Result					Units	D.L	Limit
	(10a)	(10b)	(10c)	(11)	(12)			
Sol.Barium (Ba)	ND	ND	ND	ND	ND	mg/kg	<5	1000
Sol.Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	<5	90

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Test Report

Number: VNMH25001679
Date: March 5, 2025

Test Item	Result					Units	D.L	Limit
	(10a)	(10b)	(10c)	(11)	(12)			
Sol.Cadmium (Cd)	ND	ND	ND	ND	ND	mg/kg	<5	75
Sol.Antimony (Sb)	ND	ND	ND	ND	ND	mg/kg	<5	60
Sol.Selenium (Se)	ND	ND	ND	ND	ND	mg/kg	<5	500
Sol.Chromium (Cr)	ND	ND	ND	ND	ND	mg/kg	<5	60
Sol.Mercury (Hg)	ND	ND	ND	ND	ND	mg/kg	<5	60
Sol.Arsenic (As)	ND	ND	ND	ND	ND	mg/kg	<2.5	25

Test Item	Result					Units	D.L	Limit
	(13)	(4A)	(5A)	(6A)	(7A)			
Sol.Barium (Ba)	ND	ND	ND	ND	ND	mg/kg	<5	1000
Sol.Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	<5	90
Sol.Cadmium (Cd)	ND	ND	ND	ND	ND	mg/kg	<5	75
Sol.Antimony (Sb)	ND	ND	ND	ND	ND	mg/kg	<5	60
Sol.Selenium (Se)	ND	ND	ND	ND	ND	mg/kg	<5	500
Sol.Chromium (Cr)	ND	ND	ND	ND	ND	mg/kg	<5	60
Sol.Mercury (Hg)	ND	ND	ND	ND	ND	mg/kg	<5	60
Sol.Arsenic (As)	ND	ND	ND	ND	ND	mg/kg	<2.5	25

Test Item	Result					Units	D.L	Limit
	(15)	(16)	(8A)	(9A)	(10A)			
Sol.Barium (Ba)	ND	ND	ND	ND	ND	mg/kg	<5	1000
Sol.Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	<5	90
Sol.Cadmium (Cd)	ND	ND	ND	ND	ND	mg/kg	<5	75
Sol.Antimony (Sb)	ND	ND	ND	ND	ND	mg/kg	<5	60
Sol.Selenium (Se)	ND	ND	ND	ND	ND	mg/kg	<5	500
Sol.Chromium (Cr)	ND	ND	ND	ND	ND	mg/kg	<5	60
Sol.Mercury (Hg)	ND	ND	ND	ND	ND	mg/kg	<5	60
Sol.Arsenic (As)	ND	ND	ND	ND	ND	mg/kg	<2.5	25

Test Item	Result					Units	D.L	Limit
	(13A)	-	-	-	-			
Sol.Barium (Ba)	ND	-	-	-	-	mg/kg	<5	1000
Sol.Lead (Pb)	ND	-	-	-	-	mg/kg	<5	90
Sol.Cadmium (Cd)	ND	-	-	-	-	mg/kg	<5	75
Sol.Antimony (Sb)	ND	-	-	-	-	mg/kg	<5	60
Sol.Selenium (Se)	ND	-	-	-	-	mg/kg	<5	500
Sol.Chromium (Cr)	ND	-	-	-	-	mg/kg	<5	60
Sol.Mercury (Hg)	ND	-	-	-	-	mg/kg	<5	60
Sol.Arsenic (As)	ND	-	-	-	-	mg/kg	<2.5	25

Remarks:
D.L. = Detection Limit
ND = Not detected

The analytical results were adjusted by subtracting analytical correction factor.
Tested Components: See component list in the last section of this report.

3. Phthalate Content (U.S. 16 CFR Part 1307)
With reference to CPSC-CH-C1001-09.4 and followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Item	CAS No.	Result					Units	D.L	Limit
		(1a/2/3a)	(4a/5a)	(11)	(10c/16)	(4A/5A/6A)			
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	ND	%	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	ND	%	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	ND	%	0.01	0.1
Di-n-hexyl phthalate (DnHP/DHEXP)	84-75-3	ND	ND	ND	ND	ND	%	0.01	0.1

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Test Report

Number: VNMH25001679
Date: March 5, 2025

Test Item	CAS No.	Result					Units	D.L	Limit
		(1a/2/3a)	(4a/5a)	(11)	(10c/16)	(4A/5A/6A)			
Di-isodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	ND	%	0.01	0.1

Test Item	CAS No.	Result					Units	D.L	Limit
		(7A/8A/9A)	10A/13A)	-	-	-			
Dibutyl phthalate (DBP)	84-74-2	ND	ND	-	-	-	%	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	-	-	-	%	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	-	-	-	%	0.01	0.1
Di-n-hexyl phthalate (DnHP/DHEXP)	84-75-3	ND	ND	-	-	-	%	0.01	0.1
Di-isodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	-	-	-	%	0.01	0.1

Remarks:
D.L. = Detection Limit
The above limit was quoted from the Consent Judgment No. BG-350969 settled by superior court of the State of California for the county of Alameda, for Child Care Articles based on the California Proposition 65.

ND = Not detected
Tested Components: See component list in the last section of this report.

4. Total Lead (Pb) Content

With reference to CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001.08.3 and/or CPSC-CH-E1003-09.1 and followed by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result					Units	D.L	Limit
	(1a)	(1b)	(2)	(3a)	(3b)			
Lead (Pb)	ND	ND	ND	ND	ND	%	0.001	0.06

Test Item	Result					Units	D.L	Limit
	(4a)	(4b)	(5a)	(5b)	(5c)			
Lead (Pb)	ND	ND	ND	ND	ND	%	0.001	0.06

Test Item	Result					Units	D.L	Limit
	(5d)	(6)	(7a)	(7b)	(7c)			
Lead (Pb)	ND	ND	ND	ND	ND	%	0.001	0.06

Test Item	Result					Units	D.L	Limit
	(7d)	(8)	(9a)	(9b)	(9c)			
Lead (Pb)	ND	ND	ND	ND	ND	%	0.001	0.06

Test Item	Result					Units	D.L	Limit
	(9d)	(9e)	(9f)	(9g)	(9h)			
Lead (Pb)	ND	ND	ND	ND	ND	%	0.001	0.06

Test Item	Result					Units	D.L	Limit
	(10a)	(10b)	(10c)	(11)	(12)			
Lead (Pb)	ND	ND	ND	ND	ND	%	0.001	0.06

Test Item	Result					Units	D.L	Limit
	(13)	(14)	(15)	(16)	(4A)			
Lead (Pb)	ND	ND	ND	ND	ND	%	0.001	0.06

Test Item	Result					Units	D.L	Limit
	(5A)	(6A)	(7A)	(8A)	(9A)			
Lead (Pb)	ND	ND	ND	ND	ND	%	0.001	0.06

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Test Item	Result					Units	D.L	Limit
	(10A)	(13A)	-	-	-			
Lead (Pb)	ND	ND	-	-	-	%	0.001	0.06

Remarks:
D.L. = Detection Limit
The above limit was quoted from the Consent Judgment No. BG-350969 settled by superior court of the State of California for the county of Alameda, for Child Care Articles based on the California Proposition 65.

ND = Not detected
Tested Components: See component list in the last section of this report.

5. Total Lead (Pb) Content (U.S. 16 CFR Part 1303)
As per Standard Operating Procedure for Determining Lead (Pb) in paint and other similar surface coatings, test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Plasma – Optical Emission Spectrometry.

Test Item	Result					Units	D.L	Limit
	(1a)	(2)	(3a)	(4a)	(5a)			
Lead (Pb)	ND	ND	ND	ND	ND	%	0.001	0.009

Test Item	Result					Units	D.L	Limit
	(4A)	(5A)	(6A)	(7A)	(8A)			
Lead (Pb)	ND	ND	ND	ND	ND	%	0.001	0.009

Test Item	Result					Units	D.L	Limit
	(9A)	(10A)	(13A)	-	-			
Lead (Pb)	ND	ND	ND	-	-	%	0.001	0.009

Remarks:
D.L. = Detection Limit
ND = Not detected

Tested Components: See component list in the last section of this report.

6. Total Lead (Pb) Content in Non-Surface Coating Materials (Substrate)
As per test methods CPSC-CH-E1001-08.3 and/or CPSC-CH-E1002-08.3 Standard Operating Procedures for Determining total Lead (Pb) in children's products, total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result					Units	D.L	Limit
	(1b)	(3b)	(4b)	(5b)	(5c)			
Lead (Pb)	ND	ND	ND	ND	ND	%	0.001	0.01

Test Item	Result					Units	D.L	Limit
	(5d)	(6)	(7a)	(7b)	(7c)			
Lead (Pb)	ND	ND	ND	ND	ND	%	0.001	0.01

Test Item	Result					Units	D.L	Limit
	(7d)	(8)	(9a)	(9b)	(9c)			
Lead (Pb)	ND	ND	ND	ND	ND	%	0.001	0.01

Test Item	Result					Units	D.L	Limit
	(9d)	(9e)	(9f)	(9g)	(9h)			
Lead (Pb)	ND	ND	ND	ND	ND	%	0.001	0.01

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Test Report

Number: VNMH25001679
Date: March 5, 2025

Test Item	Result					Units	D.L	Limit
	(10a)	(10b)	(10c)	(11)	(12)			
Lead (Pb)	ND	ND	ND	ND	ND	%	0.001	0.01

Test Item	Result					Units	D.L	Limit
	(13)	(14)	(15)	(16)	-			
Lead (Pb)	ND	ND	ND	ND	-	%	0.001	0.01

Remarks:
D.L. = Detection Limit
ND = Not detected
Tested Components: See component list in the last section of this report.

7. Total Lead (Pb) Content (U.S. Illinois Lead Poisoning Prevention Act 410 ILCS 45)

As per Illinois Lead Poisoning Prevention Act 410 ILCS 45, with reference to CPSC-CH-E1002-08.3 and/or CPSC-CHE1001.08.3 and/or CPSC-CH-E1003-09.1 and followed by Inductively Coupled Argon Plasma Spectrometry and/or Atomic Absorption Spectrometry.

Childcare article/without warning statement

Test Item	Result					Units	D.L	Limit	
	(1a)	(1b)	(2)	(3a)	(3b)			Warning Statement Limit	Limit
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	40	90

Test Item	Result					Units	D.L	Limit	
	(4a)	(4b)	(5a)	(5b)	(5c)			Warning Statement Limit	Limit
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	40	90

Test Item	Result					Units	D.L	Limit	
	(5d)	(6)	(7a)	(7b)	(7c)			Warning Statement Limit	Limit
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	40	90

Test Item	Result					Units	D.L	Limit	
	(7d)	(8)	(9a)	(9b)	(9c)			Warning Statement Limit	Limit
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	40	90

Test Item	Result					Units	D.L	Limit	
	(9d)	(9e)	(9f)	(9g)	(9h)			Warning Statement Limit	Limit
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	40	90

Test Item	Result					Units	D.L	Limit	
	(10a)	(10b)	(10c)	(11)	(12)			Warning Statement Limit	Limit
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	40	90

Test Item	Result					Units	D.L	Limit	
	(13)	(14)	(15)	(16)	(4A)			Warning Statement Limit	Limit
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	40	90

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Test Item	Result					Units	D.L	Limit	
	(5A)	(6A)	(7A)	(8A)	(9A)			Warning Statement Limit	Limit
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	40	90

Test Item	Result					Units	D.L	Limit	
	(10A)	(13A)	-	-	-			Warning Statement Limit	Limit
Lead (Pb)	ND	ND	-	-	-	mg/kg	10	40	90

Remarks:
D.L. = Detection Limit
mg/kg = part per million = ppm
ND = Not detected
Tested Components: See component list in the last section of this report.

8. Total Mercury (Hg) content
Test method:
Canada Products Containing Mercury Regulations SOR/2014-254, acid digestion method and analyzed by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result					Units	D.L	Limit
	(1a)	(1b)	(2)	(3a)	(3b)			
Mercury (Hg)	ND	ND	ND	ND	ND	%	0.001	0.001

Test Item	Result					Units	D.L	Limit
	(4a)	(4b)	(5a)	(5b)	(5c)			
Mercury (Hg)	ND	ND	ND	ND	ND	%	0.001	0.001

Test Item	Result					Units	D.L	Limit
	(5d)	(6)	(7a)	(7b)	(7c)			
Mercury (Hg)	ND	ND	ND	ND	ND	%	0.001	0.001

Test Item	Result					Units	D.L	Limit
	(7d)	(8)	(9a)	(9b)	(9c)			
Mercury (Hg)	ND	ND	ND	ND	ND	%	0.001	0.001

Test Item	Result					Units	D.L	Limit
	(9d)	(9e)	(9f)	(9g)	(9h)			
Mercury (Hg)	ND	ND	ND	ND	ND	%	0.001	0.001

Test Item	Result					Units	D.L	Limit
	(10a)	(10b)	(10c)	(11)	(12)			
Mercury (Hg)	ND	ND	ND	ND	ND	%	0.001	0.001

Test Item	Result					Units	D.L	Limit
	(13)	(14)	(15)	(16)	(4A)			
Mercury (Hg)	ND	ND	ND	ND	ND	%	0.001	0.001

Test Item	Result					Units	D.L	Limit
	(5A)	(6A)	(7A)	(8A)	(9A)			
Mercury (Hg)	ND	ND	ND	ND	ND	%	0.001	0.001

Test Item	Result					Units	D.L	Limit
	(10A)	(13A)	-	-	-			
Mercury (Hg)	ND	ND	-	-	-	%	0.001	0.001

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

D.L. = Detection Limit
ND = Not detected

Tested Components: See component list in the last section of this report.

9. Total Organic Fluorine (F) Content
With reference to ASTM D7359: 2023, determined by Ion Combustion Ion Chromatography (CIC).

Test Item	Result (ppm)					Detection Limit (ppm)	Requirement (ppm)
	(1a)	**(2)**	**(3a)**	**(4a)**	**(5a)**		
Total Organic Fluorine (F)	49	64	ND	ND	**359***	20	100

Test Item	Result (ppm)					Detection Limit (ppm)	Requirement (ppm)
	(11)	**(10a)**	**(10b)**	**(10c)**	**(13)**		
Total Organic Fluorine (F)	**426***	ND	ND	56	ND	20	100

Test Item	Result (ppm)					Detection Limit (ppm)	Requirement (ppm)
	(15)	**(4A)**	**(5A)**	**(6A)**	**(7A)**		
Total Organic Fluorine (F)	ND	ND	ND	46	46	20	100

Test Item	Result (ppm)					Detection Limit (ppm)	Requirement (ppm)
	(8A)	**(9A)**	**(10A)**	**(13A)**	**-**		
Total Organic Fluorine (F)	37	30	36	52	-	20	100

Remark: ppm = parts per million = mk/kg
ND = Not detected (Less than detection limit)
*** = Failed item**

Tested components: See component list in the last section of this report.

10. Individual PFAS (AFIRM)
With reference EN ISO 23702-1 or EN 17681-1:2022 & 17681-2:2022

Test Item	Result (ppm)						
	(5a)	**(11)**	**-**	**-**	**-**	Detection Limit	Requirement
PFAS Content	ND	ND	**-**	**-**	**-**	CAT II	ND

Remark: ND = Not detected (Less than detection limit)
CAT II: 1µg/m2 for PFOS and Related Substances;
25ppb for PFOA and Its Salts, PFHxS and Its Salts, PFCA (C9-C14) and its salts, Other Perfluoroalkyl Carboxylic Acids (PFCAs)
1000ppb for PFOA and Related Substances, PFHxS-related Substances, PFHxA-related Substances
260ppb for PFCA (C9-C14) Related Substances

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

CAT II (AFIRM)	
1. PFOS and Related Substances	**4. PFHxS and Its Salts**
1.1 Perfluorooctanesulfonic acid, potassium salt (PFOS-K)	4.1. Perfluoro-hexane-sulfonic acid (PFHxS)
1.2 Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	4.2. Perfluoro-hexane-sulfonic acid, K-salt (PFHxS-K)
1.3 Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH_4)	4.3. Perfluoro-hexane-sulfonic acid, Li-salt (PFHxS-Li)
1.4 Perfiuorooctanesulfonatediethanolamine salt (PFOS-NH(OH)2)	4.4. Perfluoro-hexane-sulfonic acid, NH4-salt (PFHxS-NH4)
1.5 Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-N(C2Hs)4)	4.5. Perfluoro-hexane-sulfonic acid, Na-salt (PFHxS-Na)
1.6 Didecyldlmethyl ammonium perfluorooctanesulfonate (PFOS-N(CloH2,)2(CH3)2	**5. PFHxS-related Substances**
1.7 N-Ethylperfluoro-1 -octanesulfonamide (N-Et-FOSA)	5.1. N-Methylperfluoro-1-hexanesulfonamide (N-Me-FHxSA)
1.8 N-Methylperfluoro-1 -octanesulfonamide (N-Me-FOSA)	5.2. Perfluorohexane sulfonamide (PFHxSA)
1.9 2-(N-Ethylperfluoro-1-octanesulfonamido)-ethanol (N-Et-FOSE)	**6. PFCA (C9-C14) and its salts**
1.10 2-(N-Methylperfluoro-1-octanesulfonamido)-ethanol (N-Me-FOSE)	6.1. Perfluoro-nonanoic acid (PFNA, C9-PFCA)
1.11 Perfluoro-1-octanesulfonyl fluoride (POSF)	6.2. Perfluoro-decanoic acid (PFDA, C10-PFCA)
1.12 Perfluorooctane sulfonamide (PFOSA)	6.3. Perfluoro-undecanoic acid (PFUnA, C11-PFCA)
1.13 Perfluorooctanesulfonic acid (PFOS)	6.4. Perfluoro-dodecanoic acid (PFDoA, C12-PFCA)
2. PFOA and Its Salts	6.5. Perfluoro-trldecanoic acid (PFTrDA, C13-PFCA)
2.1 Perfluorooctanoic acid (PFOA)	6.6. Perfluoro-tetradecanoic acid (PFTeDA, C14-PFCA)
2.2 Sodium perfluorooctanoate (PFOA-Na)	6.7 Perfluoro-3-7-dimethyl octane-carboxylate (PF-3,7 DMOA)
2.3 Potassium perfluorooctanoate (PFOA-K)	**7. PFCA (C9-C14) Related Substances**
2.4 Silver perfluorooctanoate (PFOA-Ag)	7.1. 1H,1H,2H,2H-Perfluorododecyl acrylate (10:2 FTA)
2.5 Perfluorooctanoyl fluoride (PFOA-F)	7.2. 1H,1H,2H,2H-Petfluorododecyl methacrylate (10:2 FIMA)
2.6 Ammonium pentadecafluorooctanoate (APFO)	7.3. 1H,1H,2H,2H-Perfluorododecanol (10:2 FTOH)
3. PFOA and Related Substances	7.4. 2H,2H,3H,3H-Perfluoro-undecanoicacid (4HPFUnA)
3.1 1H,1H,2H|2H-Perfluorodecanesulfonic acid (8:2 FIS)	7.5. 1H1H2H2H-Perfluorododecanesulfonic acid 10:2 FTS
3.2 Methyl perfluorooctanoate (Me-PFOA)	7.6. 2-Perfluorooctylethanol (8:2 FTOH)
3.3 Ethyl perfluorooctanoate (Et-PFOA)	7.7. 1 H,1 H,2H,2H-Perfluorotetradecan-1 -ol (12:2 FTOH)
3.4 2-Perfluorooctylethanol (8:2 FTOH)	7.8. 1H,1H,2H,2H-Perfluorododecyl iodide (10:2 FTI)
3.5 1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA)	7.9. 1H, 1 H,2H,2H-Perfluorotetradecyl iodide (12:2 FTI)
3.6 1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA)	**8. Other Perfluoroalkyl Carboxylic Acids (PFCAs)**
3.7 2H|2H-Perfluoro decan carboxylate (H2PFDA)	8.1. Perfluoro-hexanoic acid (PFHxA, C6-PFCA)
	9. PFHxA-related Substances
	9.1. 1H,1H,2H,2H-Perfluoro-octane-sulphonicadd (6:2 FTS)
	9.2. 1H,1H,2H,2H-Perfluorooctanol (6:2 FTOH)
	9.3. 1H, 1H, 2H, 2H-Perfluorooctyl acrylate (6:2 FTA)
	9.4. 1H,1H,2H.2H-Perfluoroctyl methacrylate (6:2 FTMA)

* = The test result is based on the corresponding PFAS anions.
Tested Component(s): See component list in the last section of this report.

11. Flame Retardants Content

Test method: By solvent extraction and determined by Gas Chromatographic - Mass Spectrometry (GC/MS).

Compound	Result in mg/kg					Detection Limit (ppm)	Limit in mg/kg
	(10a)	(10b)	(10c)	(11)	(12)		
Tris(2-chloroethyl) phosphate (TCEP)	ND	ND	ND	ND	ND	1	1000
Tris(1,3-dichloro-2-propyl) phosphate (TDCPP)	ND	ND	ND	ND	ND	1	1000
Decabromodiphenylether (DecaBDE)	ND	ND	ND	ND	ND	1	1000
Hexabromocyclododecane (HBCDD)	ND	ND	ND	ND	ND	1	1000
Tetrabromobisphenol A (TBBPA)	ND	ND	ND	ND	ND	1	1000

Remark : ppm = parts per million = mg/kg
Tested Component(s): See component list in the last section of this report.

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Component List:

No.	Component
1a	White coating on wood
1b	MDF wood without coating
2	Shiny brown coating on wood (drawer side)
3a	Brown coating on wood (drawer bottom)
3b	MDF wood without brown coating
4a	Transparent coating on wood
4b	Wood base without coating
5a	White coating on metal slider
5b	Metal slider without coating
5c	Bronze metal screw at slider
5d	Silver metal pin at slider
6	Metal screw on body frame
7a	Metal screw at mattress
7b	Silver metal washer 1 at mattress
7c	Brone metal washer 1 at mattress
7d	Silver metal screw cap
8	Bronze metal screw at drawer
9a	Black coating on metal frame
9b	Metal spring without coating
9c	Metal rail without coating
9d	Metal bar secure at frame without coating
9e	Metal line cross at frame.
9f	Metal washer without coating
9g	Metal pin without coating
9h	Metal stopper without coating
10a	White/orange/black fabric label at band
10b	White fabric band
10c	White plastic buckle
11	White/orange/black PEVA fabric of mattress bag
12	Poly urethan foam (100%)
13	Law label
14	Solder (frame)
15	White/orange/black/red label stick to cribs
16	White plastic knob at leg
4A	7 – Driftwood coating on wood
5A	8 – Hazelnut coating on wood
6A	9 – Espresso coating on wood
7A	A – Olive coating on wood
8A	B – Black coating on wood
9A	D - Frosted oat coating on wood
10A	F - Pebble Gray coating on wood
13A	M - Midnight Blue coating on wood

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Test Report

Number: VNMH25001679
Date: March 5, 2025

Photo Of Submitted Sample(s)

Picture 1: Sample as received

Picture 2: Sample as received

Picture 3: Sample as received

Picture 4: Sample as received

Hazelnut color panel

Espresso color panel

Pebble Gray color panel

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Intertek Vietnam Ltd.
Hanoi office: 3rd, 4th Floor, Au Viet Building, No. 01 Le Duc Tho Street, Mai Dich Ward, Cau Giay District, Hanoi.
Hochiminh office: 5th, 6th, 7th floor, Hall D, S.O.H.O Biz Building, 38 Huynh Lan Khanh Street, Ward 2, Tan Binh District, Ho Chi Minh City, Vietnam. (Note: Floor in the evaluator mentioned 6,8,9).
Hardline Lab: 18 Cong Hoa Street, Ward 4, Tan Binh District, Ho Chi Minh City, Vietnam.
Tel: +84 8 62816898, Web: www.intertek.com

Test Report

Number: VNMH25001679
Date: March 5, 2025

Olive color panel

Black color panel

Frosted Oat color panel

Midnight Blue color panel

Driftwood color panel



Labeling/marking



Labeling/marking

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Labeling/marking

Labeling/marking

Labeling/marking



Labeling/marking

Labeling/marking

Labeling/marking

Test Report

Number: VNMH25001679
Date: March 5, 2025

Test Item	Manufacturer conformity declaration document reference	Manufacturer conformity declaration date	Issued By
Toxics in packaging act	ASSOCIATE YANG VIETNAM ENT CO.,LTD NO. 22, 2A Street Industrial Zone Bien Hoa 2 Dong Nai Provence Vietnam TEL: +84.61.3991901~4 FAX: +84.61.3892103 EMAIL: dirk.wu.vn@asy1988.com Certificate of Compliance Reduction of Toxics in Packaging We certify that all packaging and packaging components sold to **Stork Craft Manufacturing** its subsidiaries in the State(s) of America and Canada comply with the requirements of the toxics in packaging law(s). Specifically: 1) We certify that the regulated metals – lead, mercury, cadmium, and hexavalent chromium -- were **not intentionally added** to any package or packaging component during the manufacturing process. 2) We further certify that the **sum of the incidental concentration levels** of lead, mercury, cadmium and hexavalent chromium present in any package or package component does not exceed 100 parts per million by weight. 3) We will maintain adequate documentation of this certification for inspection upon request. COMPANY NAME: ASSOCIATE YANG VIETNAM ENT. CO., LTD ADDRESS: NO. 22, 2A STREEET INDUSTRIAL ZONE BIEN HOA 2, DONG NAI, VIETNAM CERTIFIED BY: WU CHE WEI (Name) (Signature) SALES MANAGER (Title) 07th-Jan-2025 (Date)	Jan 7, 2025	Associate Yang Vietnam

****

END OF THE TEST REPORT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at http://www.intertek.com/terms.

AUTHORIZED BY
FOR INTERTEK VIETNAM LTD

LIEM MAI
HARDLINES GENERAL MANAGER

Test Result Summary for VNMH25001679

☐ **General Certificate of Conformity (GCC)** ☒ **Children's Product Certificate (CPC)**

GCC/CPC Creation Date: March 5, 2025

IMPORTER/DOMESTIC MANUFACTURER

ASSOCIATE YANG ENTERPRISES
BIEN HOA CITY, DONG NAI PROVINCE,
VIETNAM 00000

PERSON MAINTAINING RECORDS

CHRIS WYMAN

STORK CRAFT MANUFACTURING USA INC 250-3993 HOWARD HUGHES PARKWAY LAS VEGAS, NV 89169 USA

Email: cwyman@storkcraft.com
Tel. No.: 812-736-2244

Sample Description:	Graco Hadley Crib & Changer		
Item number:	04586-701, 04586-709, 04586-707, 04586-708, 04586-70A, 04586-70B, 04586-70D, 04586-70F, 04586-70M		
Name of Manufacturer:	ASSOCIATE YANG ENTERPRISES		
Place of Manufacture:	Associate Yang Enterprises	Country of Origin:	Vietnam
Date of Manufacture:	-	Testing Lab:	Hardlines lab - Intertek Testing Services Vietnam Limited 18 Cong Hoa Street, Ward 4, Tan Binh District, Ho Chi Minh City, Vietnam.
		Telephone:	(84-28) 62816898
Report number:	VNMH25001679	Date of Testing:	February 12, 2025

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Executive Summary:

The submitted samples completed the tests, result: **Pass**

Test	Comment
16 CFR1219 Full size baby crib	**Pass**
16 CFR 1217 Toddler beds	**Pass**
16 CFR 1235 Baby changing table	**Pass**
16 CFR 1500 Mechanical Hazards (Small Parts)	**Pass**
16 CFR 1500 Mechanical Hazards (Sharp Points/Edges)	**Pass**
16 CFR 1500 Flammability	**Pass**
ASTM F963 Heavy Metals	**Pass**
CPSC/CPSIA Lead in Substrate	**Pass**
CPSC/CPSIA Lead in Coatings	**Pass**
CPSC/CPSIA Phthalates	**Pass**
16 CFR 1130 Registration card for durable nursery products	**Pass**
CPSIA section 103(a) Tracking labels for children's products	**Pass**
16 CFR 1303 Total Lead on surface coating	**Pass**

Note: Please refer to the actual test report(s) for details of test data.

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Intertek Vietnam Ltd.
Hanoi office: 3rd, 4th Floor, Au Viet Building, No. 01 Le Duc Tho Street,
Mai Dich Ward, Cau Giay District, Hanoi.
Hochiminh office: 5th, 6th, 7th floor, Hall D, S.O.H.O Biz Building, 38 Huynh Lan Khanh Street, Ward 2, Tan Binh District, Ho Chi Minh City, Vietnam. (Note: Floor in the evaluator mentioned 6,8,9).
Hardline Lab: 18 Cong Hoa Street, Ward 4, Tan Binh District, Ho Chi Minh City, Vietnam.
Tel: +84 8 62816898, Web: www.intertek.com