

1 The Cayley-Graph of the Queue Monoid: Logic 2 and Decidability

3 Faried Abu Zaid


4 Technische Universität Ilmenau, Automata and Logics Group

5 faried.abu-zaid@tu-ilmenau.de

6 Chris Köcher

7 Technische Universität Ilmenau, Automata and Logics Group

8 chris.koecher@tu-ilmenau.de

9  <https://orcid.org/0000-0003-4575-9339>

10 — Abstract —

11 We investigate the decidability of logical aspects of graphs that arise as Cayley-graphs of the so-
12 called queue monoids. These monoids model the behavior of the classical (reliable) fifo-queues.
13 We answer a question raised by Huschenbett, Kuske, and Zetsche and prove the decidability of
14 the first-order theory of these graphs with the help of an - at least for the authors - new combi-
15 nation of the well-known method from Ferrante and Rackoff and an automata-based approach.
16 On the other hand, we prove that the monadic second-order of the queue monoid's Cayley-graph
17 is undecidable.

18 **2012 ACM Subject Classification** Theory of computation → Logic, Theory of computation →
19 Models of computation, Information systems → Data structures

20 **Keywords and phrases** Queues, Transformation Monoid, Cayley-Graph, Logic, First-Order The-
21 ory, MSO Theory, Model Checking

22 **Digital Object Identifier** 10.4230/LIPIcs...



© Faried Abu Zaid, Chris Köcher;

licensed under Creative Commons License CC-BY

Leibniz International Proceedings in Informatics

LIPICS Schloss Dagstuhl – Leibniz-Zentrum für Informatik, Dagstuhl Publishing, Germany