


# trpl-S identity

Version 1.1 / selected direction: Aperture



trpl-S

Three structural forms turn around a central triangular opening. The mark is abstract, architectural, and intentionally free of hidden initials or a literal house silhouette.

Warm graphite. White space. Structural tension.

## Logo configurations



trpL-S



trpL-S

Use the horizontal lockup by default. Use the stacked lockup where width is constrained, and the symbol alone only after the name is established or in icon contexts.

## Color



### **Warm graphite**

HEX #292725

RGB 41 / 39 / 37




### **White**

HEX #FFFFFF

RGB 255 / 255 / 255

For one-ink printing, use 100% process black. Do not introduce accent colors, gradients, metallic effects, or texture inside the logo.

## Spacing and size



---

### Clear space

Keep free space equal to one frame thickness, X, around every side of the logo.

---

### Minimum sizes

Symbol: 16 px digital / 10 mm print

Horizontal lockup: 120 px digital / 32 mm print

Drawing stamp: 42 mm recommended

Use the dedicated small-size symbol for 16 px and 32 px favicons. It has optically reinforced openings.

## Backgrounds and drawings

### Light fields

Use the graphite mark on white, pale paper, or open areas of a drawing.

### Dark fields

Use the white reversed mark on graphite or dense pencil shading.

Choose placement by local contrast. Never add a glow, shadow, outline, or enclosing badge to force legibility.

## Do not

Do not stretch, rotate, skew, or rearrange the triangles.

Do not recolor, add gradients, or apply pencil texture inside the mark.

Do not typeset trpl-S in a substitute font.

Do not place the mark over visually busy detail without sufficient contrast.

Master artwork is path-based and contains no font dependency.