

# Your Title

Y. O. Uname

August 1, 2021

## Exercise 1

Exercises are automatically numbered, starting from one. Convenient packages such as `amsmath` and `hyperref` are included by default.

Instead of being indented, paragraphs are separated by some white space.

## Exercise 2

Each exercise (except the first) starts on a new page. You can disable this behavior using the starred version of the command: `\exercise*`.

Now, let's consider a mathematical example.

**Definition 2.1** — The *standard inner product* of two vectors  $\vec{x}, \vec{y} \in \mathbb{R}^n$  is defined as

$$\vec{x} \cdot \vec{y} := x_1 y_1 + \cdots + x_n y_n.$$

Next to definitions, environments for theorems and lemmas are included as well. Furthermore, you can easily define your own with the `\NewTheorem` command.

Note that `*` can be used instead of `\cdot`, and `\R` instead of `\mathbb{R}`. (For a normal asterisk, use `\ast`.) Of course, there are also macros for the natural numbers etc. Commands such as `\abs{}` and `\set{}` can be used to create (scaled) delimiters. For example,

$$\left| \frac{1}{1 - \lambda h} \right| \leq 1 \quad \text{and} \quad \bigcup_{i=1}^n \left\{ z \in \mathbb{C} \mid |z - a_{ii}| \leq \sum_{j \neq i} |a_{ij}| \right\}.$$

The starred version of these commands disables the auto-scaling.

## **Exercise Rec–2.1**

Optionally, you can fully customize the numbering of each exercise ...

## **Exercise 8**

... or skip a few, using the `\setcounter{exercise}{x}` command.

For more information, refer to <https://github.com/gijs-pennings/latex-homework>.