

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406317	WO Description	Perawatan 3 Bulan Part Suction RM
WR/WO Start Date Target	PM	/	02 Jun 2026		
WR/WO Complete Date Target	PM	/	03 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-010 - Suction RM	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Suction RM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa kekencangan kisi-kisi pengaman filter pada tutup container dan lubang keluar produk. Pastikan terpasang dengan benar	MTC		/	
20	Periksa sambungan dan socket kabel, pastikan terpasang dengan tepat	MTC		/	
30	Periksa dan kencangkan koneksi selang pneumatik	MTC		/	
40	Bersihkan Hepa filter	MTC		/	
50	Periksa pergerakan valve raw material	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406318	WO Description	Perawatan Bulanan Chopper GEA PMA
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-010-020 - Chopper	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Chopper PMA	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa tekanan air seal chopper, standar 0.5bar	MTC		/	
20	Cleaning pre filter water chiller chopper	MTC		/	
30	Setelah pencucian, periksa seal chopper terhadap kebocoran	MTC		/	
40	Periksa seal chopper, bersihkan semua kotoran dan sisa produk yang menempel pada permukaan seal, ganti jika diperlukan	MTC		/	
50	Periksa apakah terdapat air atau debu sisa produk pada seal chopper	MTC		/	
60	Cek motor chopper (koneksi & tahanan)			/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406319	WO Description	Perawatan Bulanan Agitator GEA PMA
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-010-030 - Agitator GEA PMA	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Agitator PMA	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa bagian luar container dari tanda-tanda kerusakan, bagian yang kendur dan kabel grounding	MTC		/	
20	Periksa bagian dalam container terhadap tanda-tanda kerusakan atau goresan terhadap kerusakan	MTC		/	
30	Periksa bagian dudukan container/platform, pastikan tidak ada kerusakan	MTC		/	
40	Periksa permukaan imepeler, jauhkan dari benda-benda asing pada bagian bawah impeler	MTC		/	
50	Setelah pencucian, periksa seal impeler dari kebocoran	MTC		/	
60	Cek gap baling-baling (ukur menggunakan filler).	MTC		/	
70	Periksa seal impeller, pastikan seal dalam keadaan bersih dan kering	MTC		/	
80	Periksa seal impeller, bersihkan semua kotoran dan sisa produk yang menempel pada permukaan seal, ganti jika diperlukan	MTC		/	
90	Periksa impeller shaft	MTC		/	
100	Periksa bearing motor terhadap bunyi, panas, serta getaran. Ganti bearing jika diperlukan	MTC		/	
110	Periksa dan bersihkan mekanisme safety interlock, periksa sistem berfungsi dengan baik	MTC		/	
120	Periksa tekanan air seal impeler standart 0.5 bar	MTC		/	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406319	WO Description	Perawatan Bulanan Agitator GEA PMA
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

130	Periksa saluran air seal imepller, pastikan tekanan udara antara 0.4 - 0.7 bar ganti filter jika ditemukan kerusakan	MTC		/	
140	Periksa fungsi hoist impeler, pastikan selang dapat mengulur dan menarik saat dioperasikan	MTC		/	
150	Periksa pelumas pada hoist impeller, jika berada pada level LOW tambahkan dengan oli SAE 10	MTC		/	
160	Periksa kabel hoist impeler	MTC		/	
170	Ganti oli geabox, gunakan oli Trbol 800/200 atau yang setara	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued	Failure Analysis (by Supervisor and Technician): Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406320	WO Description	Perawatan 2 Bulanan Inflatable Seal PMA
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-010-040 - Inflatable Seal PMA	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Seal PMA	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Ganti inflatable seal	MTC		/	
20	Periksa dan kencangkan koneksi selang pneumatik	MTC		/	
30	Pastikan tekanan udara ada di 3 bar	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406321	WO Description	Perawatan 3 Bulanan Cylinder Discharge PMA
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-010-050 - Cylinder Discharge PMA	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Cylinder PMA	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa o-ring dalam keadaan baik	MTC		/	
20	Periksa gerakan valve, harus bisa digerakan dengan mudah	MTC		/	
30	Periksa dudukan valve	MTC		/	
40	Periksa dan kencangkan koneksi selang pneumatik	MTC		/	
50	Periksa pengunci Sensor posisi pada silinder	MTC		/	
60	Bersihkan filter line transfer	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406322	WO Description	Perawatan 3 bulanan Main Panel PMA
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-010-060 - Main Panel GEA PMA	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Main Panel PMA	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa sistem pengaman berfungsi dengan benar, dengan tutup container terbuka, pada kondisi ini mengakibatkan: - Impeler tidak bisa distart, chopper tidak bisa distart, discharge valve tidak bisa difungsikan	MTC		/	
20	Periksa emergency stop dan castell key saat diaktifkan mesin tidak bisa dioperasikan	MTC		/	
30	Periksa sambungan kabel dan kencangkan jika ditemukan sambungan yang panas atau kendur	MTC		/	
40	Periksa dan kencangkan koneksi selang pneumatik	MTC		/	
50	Periksa dan kencangkan koneksi kabel grounding	MTC		/	
60	Periksa tekanan angin utama, standar 5bar	MTC		/	
70	Periksa kunci panel utama, pastikan terkunci	MTC		/	
80	Bersihkan seluruh area panel	MTC		/	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406322	WO Description	Perawatan 3 bulanan Main Panel PMA
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406323	WO Description	Perawatan 3 Bulanan Main Panel Binder Solution Mixer DNS
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-020-010 - Main panel Binder Solution Mixer DNS	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Main Panel Binder	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa tombol Emergency	MTC		/	
20	Periksa tombol Start	MTC		/	
30	Periksa tombol Stop	MTC		/	
40	Periksa Timmer	MTC		/	
50	Periksa dan kencangkan kabel Grounding	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406324	WO Description	Perawatan 3 Bulanan Tanki Mixing Solution Mixer DNS
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-020-020 - Tanki Mixing Binder Solution Mixer DNS	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Tanki Mixing Binder	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 Cek permukaan tanki mixing, pastikan tidak ada baret dan kebocoran	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406325	WO Description	Perawatan 3 Bulanan Motor Binder Solution Mixer DNS
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-020-030 - Motor Binder Solution DNS	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Motor Binder	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 Cek kondisi motor binder, pastikan putaran dan getaran normal	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406326	WO Description	Perawatan 3 Bulanan Quadro Wetmil
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-030-010 - Quadro Wet Mill	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Quadro Wetmill	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa suara gearbox	MTC		/	
20	Periksa seal as	MTC		/	
30	Periksa permukaan quadro	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406327	WO Description	Perawatan 2 Bulanan Inflatable Seal Wetmillma
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-030-020 - Inflatable Seal Wet Mill	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Seal Wetmill	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Ganti inflatable seal	MTC		/	
20	Periksa dan kencangkan koneksi selang pneumatik	MTC		/	
30	Pastikan tekanan udara ada di 3 bar	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---- >

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406328	WO Description	Perawatan 3 Bulanan Main Panel Wetmill
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-030 - Main Panel Wet Mill	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Main Panel Wetmill	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa dan kencangkan koneksi kabel	MTC		/	
20	Periksa dan kencangkan koneksi kabel grounding	MTC		/	
30	Bersihkan seluruh area panel	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406329	WO Description	Perawatan 2 Bulanan Filter FBD
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-040-010 - Filter FBD	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Filter FBD	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa pergerakan as silinder	MTC		/	
20	Periksa pengunci sensor posisi silinder	MTC		/	
30	Periksa Seal silinder	MTC		/	
40	Periksa Seal silinder pengunci	MTC		/	
50	Periksa Seal valve	MTC		/	
60	Pastikan tekanan udara ada di 3 bar	MTC		/	
70	Periksa pressure gauge pastikan tidak ada kebocoran	MTC		/	
80	Periksa dan kencangkan koneksi selang pneumatik	MTC		/	
90	Periksa selang seal filter			/	
100	Periksa Inflatable seal	MTC		/	
110	Pastikan tekanan udara Inflatable seal ada di 3 bar	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued	<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406329	WO Description	Perawatan 2 Bulanan Filter FBD
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406330	WO Description	Perawatan 2 Bulanan Cylinder Discharge FBD
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-040-020 - Cylinder Discharge FBD	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Cylinder FBD	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek seal o-ring, ganti bila kondisi sudah rusak	MTC		/	
20	Periksa pergerakan silinder	MTC		/	
30	Periksa dan kencangkan koneksi selang pneumatik	MTC		/	
40	Periksa pengunci Sensor posisi pada silinder	MTC		/	
50	Bersihkan area silinder	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued	<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date
-----------------------------------	-----	------	--------	---

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406331	WO Description	Perawatan 3 Bulanan Bowl FBD
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-040-030 - Bowl FBD	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Bowl FBD	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Ganti lampu mesin FBD	MTC		/	
20	Periksa wadah produk sampel	MTC		/	
30	Periksa roda dan pengunci roda	MTC		/	
40	Periksa sensor posisi bowl kontainer	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406332	WO Description	Perawatan 3 Bulanan Inflatable Seal FBD
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-040 - Inflatable Seal FBD	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Seal FBD	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Ganti inflatable seal	MTC		/	
20	Periksa dan kencangkan koneksi selang pneumatik	MTC		/	
30	Pastikan tekanan udara ada di 3 bar	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406333	WO Description	Perawatan 3 Bulanan AHU FBD
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-040-050 - AHU FBD	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	AHU FBD	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pengecekan AHU FBD, pastikan tidak ada kebocoran	MTC		/	
20	Lakukan cleaning pada area AHU FBD	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406334	WO Description	Perawatan 3 Bulanan Motor Blower FBD
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-040-060 - Motor Blower FBD	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Motor FBD	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek koneksi & tahanan motor	MTC		/	
20	Periksa dan kencangkan koneksi kabel grounding	MTC		/	
30	Periksa suara bearing	MTC		/	
40	Bersihkan filter exhause	MTC		/	
50	Periksa kabel sensor katup Inlet Explosion protection system secara visual	MTC		/	
60	Periksa secara visual kondisi relai EPV Inlet Explosion protection system di panel switchgear	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406335	WO Description	Perawatan 3 Bulanan Sensor Temperatur FBD
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-040-070 - Sensor Temperature FBD	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Sensor FBD	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek koneksi sensor	MTC		/	
20	Kalibrasi sensor	MTC		/	
30	Periksa permukaan sensor	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406336	WO Description	Perawatan 3 Bulanan Gasket dan Seal FBD
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-040-080 - Gasket and Seal	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Gasket Seal FBD	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pastikan kondisi gasket dan seal tidak robek atau getas	MTC		/	
20	Pastikan tidak ada kebocoran	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406337	WO Description	Perawatan 3 Bulanan Pneumatic System
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-040-090 - Pneumatic System	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Pneumatic System	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa supply tekanan udara	MTC		/	
20	Periksa unit FRL	MTC		/	
30	Periksa selang, valve dan silinder	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406338	WO Description	Perawatan 3 Bulanan Main Panel FBD
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-040-100 - Main Panel FBD	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Main Panel FBD	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek emergency stop	MTC		/	
20	Cek sambungan kabel	MTC		/	
30	Cleaning area panel	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406339	WO Description	Perawatan 2 Bulanan Filter EPH
WR/WO Start Date Target	PM	/	08 Jun 2026		
WR/WO Complete Date Target	PM	/	08 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-050-010 - Filter EPH	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Filter EPH	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 pengecekan filter EPH, pastikan filter dalam keadaan bersih	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406340	WO Description	Perawatan 3 Bulanan Quadro EPH
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-050-020 - Quadro EPH	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Quadro EPH	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek kondisi dinding Quadro, pastikan tidak ada baret	MTC		/	
20	Cleaning pada area quadro EPH	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406341	WO Description	Perawatan 3 Bulanan Inflatable Seal EPH
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-050-030 - Inflatable Seal EPH	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Seal EPH	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek kondisi inflatable seal, pastikan tidak ada kebocoran	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406342	WO Description	Perawatan 3 Bulanan Main Panel EPH
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-010-050-040 - Main Panel EPH	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Main Panel EPH	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek emergency stop	MTC		/	
20	Cek sambungan kabel	MTC		/	
30	Cleaning area panel	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406343	WO Description	Perawatan 3 Bulanan Main Panel Tumbler
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-020-010-010 - Main panel Tumbler Mixer Zanchetta	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Main Panel Tumbler	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek konektor kabel	MTC		/	
20	Cleaning area panel	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406344	WO Description	Perawatan 3 Bulanan Main Motor Tumbler
WR/WO Start Date Target	PM	/	16 Jun 2026		
WR/WO Complete Date Target	PM	/	16 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-020-010-020 - Main motor Tumbler Mixer Zanchetta	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Main Motor Tumbler	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 Cek kondisi main motor tumbler, pastikan putaran dan getaran dalam kondisi baik	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406345	WO Description	Perawatan 2 Bulanan Gearbox Tumbler
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-020-010-030 - Gearbox Tumbler Mixer Zanchetta	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Gearbox Tumbler	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pemeriksaan bearing gearbox, Cek bunyi dan putaran bearing	MTC		/	
20	Lakukan Pelumasan pada gearbox	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406346	WO Description	Perawatan 2 Bulanan Lifting Device Tumbler
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-020-010-040 - Lifting device Tumbler Mixer Zanchetta	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Lifting Device Tumbler	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pemeriksaan motor & gearbox lifting	MTC		/	
20	Pemeriksaan visual struktur lifting	MTC		/	
30	Cek baut & pin pengunci	MTC		/	
40	Cek sensor safety dan limit switch	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406347	WO Description	Perawatan 3 Bulanan Safety Devices
WR/WO Start Date Target	PM	/	04 Jun 2026		
WR/WO Complete Date Target	PM	/	04 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-010 - Safety Devices	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Safety Devices	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek fungsi Emergency stop.	MTC		/	
20	Cek koneksi kabel emergency	MTC		/	
30	Cek terminal kontak emergency menggunakan multitester	MTC		/	
40	Test fungsi kerja emergency, jika rusak ganti tombol emergency	MTC		/	
50	Cek fungsi sensor pada window flap	MTC		/	
60	Cleaining area sensor	MTC		/	
70	Test fungsi Sensor window flap	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406348	WO Description	Perawatan 3 Bulanan Die Plate Package
WR/WO Start Date Target	PM	/	04 Jun 2026		
WR/WO Complete Date Target	PM	/	04 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-020 - Die Plate Package	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Die Plate Package	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Lubrikasi Roller bearing	MTC		/	
20	Cek visual puch atas dan bawah pastikan tidak ada kerusakan	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406349	WO Description	Perawatan 3 Bulanan Scraper Rings
WR/WO Start Date Target	PM	/	04 Jun 2026		
WR/WO Complete Date Target	PM	/	04 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-030 - Scraper Rings	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Scraper Rings	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 Cek scraper apakah terpasang dengan baik	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406350	WO Description	Perawatan 3 Bulanan Bellows
WR/WO Start Date Target	PM	/	04 Jun 2026		
WR/WO Complete Date Target	PM	/	04 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-040 - Bellows	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Bellows	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek kondisi seal bellow, pastikan tidak robek	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :
Report Cause :
Root Cause :
Resolution :
Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406351	WO Description	Perawatan 3 Bulanan Rotor Clamping System
WR/WO Start Date Target	PM	/	08 Jun 2026		
WR/WO Complete Date Target	PM	/	08 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-050 - Rotor Clamping System	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Rotor Clamping	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Lubrikasi area rotor clamping	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406352	WO Description	Perawatan 3 Bulanan Cams Fette
WR/WO Start Date Target	PM	/	05 Jun 2026		
WR/WO Complete Date Target	PM	/	05 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-060 - Cams	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Cams	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 Cek kondisi cams, pastikan dalam kondisi baik	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406353	WO Description	Perawatan 3 Bulanan Filling Device (Fill O Matic)
WR/WO Start Date Target	PM	/	03 Jun 2026		
WR/WO Complete Date Target	PM	/	03 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-070 - Filling Device (Fill-O-Matic)	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Filling Device	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek kondisi baling baling fill o matic	MTC		/	
20	Cek kondisi bearing fill o matic	MTC		/	
30	Lubrikasi bearing motor fill o matic	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406357	WO Description	Perawatan 3 Bulanan Material Scrapers Fette
WR/WO Start Date Target	PM	/	03 Jun 2026		
WR/WO Complete Date Target	PM	/	03 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-080 - Material Scrapers	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Material Scrapers	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek kondisi Scrapers	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406358	WO Description	Perawatan 3 Bulanan Tablet Chute Fette
WR/WO Start Date Target	PM	/	03 Jun 2026		
WR/WO Complete Date Target	PM	/	03 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-090 - Tablet Chute	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Tablet Chute	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek kondisi tablet chute	MTC		/	
20	Cleaning area tablet chute	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued	<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406359	WO Description	Perawatan 3 Bulanan Compression Rolls
WR/WO Start Date Target	PM	/	05 Jun 2026		
WR/WO Complete Date Target	PM	/	05 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-100 - Compression Rolls	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Compression Rolls	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek kondisi roller	MTC		/	
20	Cek putaran roller	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406360	WO Description	Perawatan 3 Bulanan Cam Panelling Fette
WR/WO Start Date Target	PM	/	03 Jun 2026		
WR/WO Complete Date Target	PM	/	03 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-110 - Cam Paneling	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Cam Panelling	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pengecekan cam panelling fette	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406361	WO Description	Perawatan 3 Bulanan Panelling
WR/WO Start Date Target	PM	/	05 Jun 2026		
WR/WO Complete Date Target	PM	/	05 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-120	-	Supervisor Notes
WO Status	Released	Asset Area	ILE3		
Activity Type	Maintenance	GL Charging	ILE3-321		
Activity Cause	Preventive	Asset Activity	Panelling		

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 pengecekan resistansi CANbus	MTC		/	pastikan resistansi 60 ohm +/- 5%

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406362	WO Description	Perawatan 3 Bulanan Window Flaps
WR/WO Start Date Target	PM	/	03 Jun 2026		
WR/WO Complete Date Target	PM	/	03 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-130 - Window Flaps	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Window Flaps	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek kondisi engsel pintu	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406363	WO Description	Perawatan 3 Bulanan Lubrication System
WR/WO Start Date Target	PM	/	13 Jun 2026		
WR/WO Complete Date Target	PM	/	13 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-140 - Lubrication System	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Lubrication System	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek kondisi pompa oli	MTC		/	
20	Cek jalur lubrikasi	MTC		/	
30	Cek kualitas oli	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406364	WO Description	Perawatan 3 Bulanan Zero Balance
WR/WO Start Date Target	PM	/	17 Jun 2026		
WR/WO Complete Date Target	PM	/	17 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-150 - Zero Balance	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Zero Balance	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek dan trial zero balance	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406365	WO Description	Perawatan 3 Bulanan Reference Mark
WR/WO Start Date Target	PM	/	03 Jun 2026		
WR/WO Complete Date Target	PM	/	03 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-160	-	Supervisor Notes
WO Status	Released	Asset Area	ILE3	Reference Mark	
Activity Type	Maintenance	GL Charging	ILE3-321		
Activity Cause	Preventive	Asset Activity	Reference Mark		

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Default Operation for Work Order		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406366	WO Description	Perawatan 3 Bulanan Measuring System
WR/WO Start Date Target	PM	/	08 Jun 2026		
WR/WO Complete Date Target	PM	/	08 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-170	-	Supervisor Notes
WO Status	Released	Asset Area	Measuring System	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321		
Activity Cause	Preventive	Asset Activity	Measuring System		

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek kondisi measuring system	MTC	/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406367	WO Description	Perawatan 3 Bulanan Pneumatic System
WR/WO Start Date Target	PM	/	03 Jun 2026		
WR/WO Complete Date Target	PM	/	03 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-180 - Pneumatic System	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Pneumatic System	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa supply tekanan udara	MTC		/	
20	Periksa unit FRL	MTC		/	
30	Periksa selang, valve dan silinder	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406368	WO Description	Perawatan 3 Bulanan Main Drive Cooling System
WR/WO Start Date Target	PM	/	08 Jun 2026		
WR/WO Complete Date Target	PM	/	08 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-190 - Main Drive Cooling System	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Main Drive Fette	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek fungsi main drive fette	MTC	/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406369	WO Description	Perawatan Fans and Air Handling Devices
WR/WO Start Date Target	PM	/	01 Jun 2026		
WR/WO Complete Date Target	PM	/	01 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-200 - Fans and Air Handling Devices	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Fans Air Handling Fette	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cleaning area fans air handling	MTC	/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406370	WO Description	Perawatan 3 Bulanan Devices
WR/WO Start Date Target	PM	/	09 Jun 2026		
WR/WO Complete Date Target	PM	/	09 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-210 - Devices	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Devices	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 Perawatan 3 Bulanan Devices	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406371	WO Description	Perawatan 3 Bulanan Switch Cabinet
WR/WO Start Date Target	PM	/	07 Jun 2026		
WR/WO Complete Date Target	PM	/	07 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-010-220 - Switch Cabinet	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Switch Cabinet Fette	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cleaning area cabinet fette	MTC	/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406372	WO Description	Perawatan Deduster 3 bulan
WR/WO Start Date Target	PM	/	17 Jun 2026		
WR/WO Complete Date Target	PM	/	17 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-020 - Deduster 1 LOMA sn:1036	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	DED001	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa emergency switch	MTC		/	
20	Periksa main switch	MTC		/	
30	Kencangkan baut pengikat tower	MTC		/	
40	Periksa seal glass	MTC		/	
50	Periksa sambungan screen deduster	MTC		/	
60	Periksa drive vibrator	MTC		/	
70	Periksa mounting vibrator	MTC		/	
80	periksa pengunci roda	MTC		/	
90	Periksa terminal kabel	MTC		/	
100	Kencangkan kabel grounding	MTC		/	
110	Kencangkan fitting selang dust collector	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406373	WO Description	Perawatan Deduster
WR/WO Start Date Target	PM	/	08 Jun 2026		
WR/WO Complete Date Target	PM	/	08 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-030 - Deduster 2 LOMA sn:1037	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	PM Deduster	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa Emergency Switch	MTC		/	
20	periksa sambungan terminal kabel pada panel	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406374	WO Description	Perawatan Metal Detector 3 bulan
WR/WO Start Date Target	PM	/	28 Jun 2026		
WR/WO Complete Date Target	PM	/	28 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-040 - Metal Detector 1 SZ-300B sn:PH6R2N3BNNI-43903D	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	MDR001	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa emergency switch	MTC		/	
20	Periksa main switch	MTC		/	
30	Periksa actuator gate valve	MTC		/	
40	Peiksa sensor metal	MTC		/	
50	Periksa terminal sambungan kabel pada panel	MTC		/	
60	Periksa sambungan soket actuator gate valve	MTC		/	
70	Periksa seluncuran tablet	MTC		/	
80	Periksa pengunci roda	MTC		/	
90	Kencangkan kabel grounding	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406375	WO Description	Perawatan Metal Detector 3 bulan
WR/WO Start Date Target	PM	/	09 Jun 2026		
WR/WO Complete Date Target	PM	/	09 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-050 - Metal Detector 2 SZ-300B sn:PH6R2N3BNNI-43902D	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	MDR001	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa emergency switch	MTC		/	
20	Periksa main switch	MTC		/	
30	Periksa actuator gate valve	MTC		/	
40	Peiksa sensor metal	MTC		/	
50	Periksa terminal sambungan kabel pada panel	MTC		/	
60	Periksa sambungan soket actuator gate valve	MTC		/	
70	Periksa seluncuran tablet	MTC		/	
80	Periksa pengunci roda	MTC		/	
90	Kencangkan kabel grounding	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406387	WO Description	Perawatan Bin Lifter
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	21 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-030-060 - Bin Lifter Cetak PharmecTech NTD-100 TS125	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	PM Bin Lifter	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek kondisi belt bin lifter	MTC		/	
20	Cek sensor bin lifter	MTC		/	
30	Cleaning area bin lifter	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406388	WO Description	Perawatan Drum Coating
WR/WO Start Date Target	PM	/	07 Jun 2026		
WR/WO Complete Date Target	PM	/	07 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-040-010-010 - Drum Coating	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Drum Coating	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pengecekan plenum pastikan bersih dan posisi pemasangan tidak tergores drum	MTC		/	
20	Pengecekan Gap drum dengan man hole pastikan tidak bergesekan	MTC		/	
30	Pengecekan dan pelumasan bearing drum pastikan tidak macet dan seret	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406389	WO Description	Perawatan Bin Lifter
WR/WO Start Date Target	PM	/	06 Jun 2026		
WR/WO Complete Date Target	PM	/	06 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-040-030 - Bin Lifter Coating PharmecTech NTD-100 TS126	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	PM Bin Lifter	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek kondisi belt bin lifter	MTC		/	
20	Cek sensor bin lifter	MTC		/	
30	Cleaning area bin lifter	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406390	WO Description	Perawatan Cutting Modul HM
WR/WO Start Date Target	PM	/	02 Jun 2026		
WR/WO Complete Date Target	PM	/	02 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-060-010-060 - Cutting Modul HM	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Cutting Modul HM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pengecekan cutting vertikal	MTC		/	
20	pengecekan belt dan pulley penggerak	MTC		/	
30	Pelumasan pulley penggerak	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406391	WO Description	Perawatan Cross Cutting Modul HM
WR/WO Start Date Target	PM	/	03 Jun 2026		
WR/WO Complete Date Target	PM	/	03 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-060-010-070 - Cross Cutting Modul HM	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Cross Cutting Modul HM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pengecekan ketajaman pisau manual dengan strip	MTC		/	
20	cleaning area cross cutting	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued	<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406392	WO Description	Perawatan Main Panel HM
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-060-010-100 - Main Panel HM	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Main Panel HM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa jalur udara, pastikan berfungsi dengan baik	MTC		/	
20	periksa filter ventilasi panel utama, pastikan dalam keadaan bersih	MTC		/	
30	Release electrical residual current	MTC		/	
40	periksa foil brake, lakukan test fungsi	MTC		/	
50	Periksa battery UPS, pastikan berfungsi dengan baik	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued	<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---- >

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406393	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-03-110-010-010 - Ink Jet Printer Hitachi HM 1 sn:R2S28666906	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---- >

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406394	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-03-110-020-020 - Ink Jet Printer Hitachi HM 2 sn:R2S28580906	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---- >

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406395	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	28 Jun 2026		
WR/WO Complete Date Target	PM	/	28 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-03-110-020-030 - Ink Jet Printer Hitachi HM 3 sn:R2S28673906	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---- >

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406396	WO Description	Perawatan Feeding Unit CC
WR/WO Start Date Target	PM	/	13 Jun 2026		
WR/WO Complete Date Target	PM	/	13 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-03-120-010-010 - Feeding Unit CC 1	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type		GL Charging	ILE3-321	
Activity Cause		Asset Activity	Feeding Unit CC	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 Cek pergerakan silinder, pastikan tidak tersendat	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406397	WO Description	Perawatan Heating Unit CC
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-120-010-020 - Heating Unit CC 1	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Heating Unit CC	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Ukur restistan heater, pastikan tidak putus atau short	MTC		/	
20	Cleaning area heater			/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406398	WO Description	Perawatan Feeding Unit CC
WR/WO Start Date Target	PM	/	13 Jun 2026		
WR/WO Complete Date Target	PM	/	13 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-03-130-010-010 - Feeding Unit CC 2	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type		GL Charging	ILE3-321	
Activity Cause		Asset Activity	Feeding Unit CC	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 Cek pergerakan silinder, pastikan tidak tersendat	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406399	WO Description	Perawatan Heating Unit CC
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-03-130-010-020 - Heating Unit CC 2	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Heating Unit CC	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Ukur restistan heater, pastikan tidak putus atau short	MTC		/	
20	Cleaning area heater			/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406400	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	13 Jun 2026		
WR/WO Complete Date Target	PM	/	13 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-03-070-010-010 - Ink jet Printer Fatigon	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406401	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-03-070-010-020 - Ink Jet Printer Hitachi HM 2	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406402	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-03-070-010-030 - Ink jet Printer CC 2	Supervisor Notes
WO Status	Released	Asset Area	ILE3	
Activity Type	Maintenance	GL Charging	ILE3-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406403	WO Description	Perawatan DryMill 2 bulan
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-02-010-030 - Dry mill yenchen	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	MIL004	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa emergency stop	MTC		/	
20	Periksa sensor posisi screen	MTC		/	
30	Periksa agitator	MTC		/	
40	Periksa screen	MTC		/	
50	Periksa pengunci filter	MTC		/	
60	Periksa lipseal	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician): Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406404	WO Description	Perawatan Bin Lifter
WR/WO Start Date Target	PM	/	21 Jun 2026		
WR/WO Complete Date Target	PM	/	21 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-02-030-020 - Bin Lifter Cetak PharmecTech NTD-100 TS125	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	PM Bin Lifter	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek kondisi belt bin lifter	MTC		/	
20	Cek sensor bin lifter	MTC		/	
30	Cleaning area bin lifter	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406405	WO Description	Perawatan 2 Bulanan Gearbox Tumbler
WR/WO Start Date Target	PM	/	21 Jun 2026		
WR/WO Complete Date Target	PM	/	21 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-02-020-010-030 - Gearbox Tumbler Mixer Zanchetta	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Gearbox Tumbler	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pemeriksaan bearing gearbox, Cek bunyi dan putaran bearing	MTC		/	
20	Lakukan Pelumasan pada gearbox	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406406	WO Description	Perawatan 2 Bulanan Lifting Device Tumbler
WR/WO Start Date Target	PM	/	21 Jun 2026		
WR/WO Complete Date Target	PM	/	21 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-02-020-010-040 - Lifting device Tumbler Mixer Zanchetta	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Lifting Device Tumbler	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pemeriksaan motor & gearbox lifting	MTC		/	
20	Pemeriksaan visual struktur lifting	MTC		/	
30	Cek baut & pin pengunci	MTC		/	
40	Cek sensor safety dan limit switch	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406407	WO Description	Perawatan Mesin Cetak JCMCO
WR/WO Start Date Target	PM	/	19 Jun 2026		
WR/WO Complete Date Target	PM	/	19 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-02-030-010 - Tableting JCMCO JC-GSH-45(D) sn: GSH-22-011bleting JCMCO JC-GSH-45(D) sn: GSH-22-011	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Cetak JCMCO	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	cek kondisi cam track bagian atas dan bawah pastikan tidak ada aus	MTC		/	
20	cek kondisi oil pump lubrikasi	MTC		/	
30	cek kondisi roller	MTC		/	
40	cek kondisi belt motor penggerak	MTC		/	
50	cek jalur sirkulasi oli	MTC		/	
60	cleaning area cooling cooler	MTC		/	
70	cek level oli dan kondisi oli mesin	MTC		/	
80	cek main panel	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician): Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406408	WO Description	Perawatan Lifter Feeder
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-02-040-010-010 - Lifter Feeder Counting DMC	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Lifer Feeder	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	pengecekan mur dan baut pengunci	MTC		/	
20	cek pulley motor penggerak	MTC		/	
30	cek belt lifter	MTC		/	
40	cek kebersihan unit mekanisme	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406409	WO Description	Perawatan Conveyor Counting
WR/WO Start Date Target	PM	/	08 Jun 2026		
WR/WO Complete Date Target	PM	/	08 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-02-040-010-030 - Conveyor Counting DMC	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Conveyor Counting	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek motor penggerak conveyor	MTC		/	
20	Cek conveyor rack	MTC		/	
30	Cek pengunci guide	MTC		/	
40	Cek pneumatic stoper	MTC		/	
50	Cek O ring seal	MTC		/	
60	Cek sensor counting	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406410	WO Description	Perawatan Main Panel Counting
WR/WO Start Date Target	PM	/	08 Jun 2026		
WR/WO Complete Date Target	PM	/	08 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-02-040-010-040 - Main Panel Counting DMC	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Main Panel Counting	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cleaning area panel	MTC		/	
20	Cek koneksi kabel	MTC		/	
30	Cek fungsi tombol dan alarm safety	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406411	WO Description	Perawatan Conveyor Silica Gel
WR/WO Start Date Target	PM	/	08 Jun 2026		
WR/WO Complete Date Target	PM	/	08 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-02-040-020-010 - Conveyor Silica Gel Insert Machine	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Conveyor Silica	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek conveyor silica gel	MTC		/	
20	Cek pengunci guide	MTC		/	
30	Cek pneumatic stoper	MTC		/	
40	Cek rotary feeder	MTC		/	
50	Cek cutting unit (pisau dan sensor)	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406412	WO Description	Perawatan Main Panel Silica Gel
WR/WO Start Date Target	PM	/	21 Jun 2026		
WR/WO Complete Date Target	PM	/	21 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-02-040-020-020 - Main panel Silica Gel Inserter Machine	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Main Panel Silica Gel	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cleaning area panel	MTC		/	
20	Cek konektor kabel	MTC		/	
30	Cek fungsi tombol dan alarm safety	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406413	WO Description	Perawatan Lifter Feeder
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-02-040-030-010 - Lifter Feeder Capping Machine	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Lifer Feeder	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	pengecekan mur dan baut pengunci	MTC		/	
20	cek pulley motor penggerak	MTC		/	
30	cek belt lifter	MTC		/	
40	cek kebersihan unit mekanisme	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---- >

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406414	WO Description	Perawatan Cramping
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-02-040-030-020 - Crampping Capping Machine	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Cramping	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 cek gear penggerak cramping	MTC		/	
20 Cek silicon gripper	MTC		/	
30 Cek belt transfer capping	MTC		/	
40 Cek pneumatic stoper	MTC		/	
50 Cek rotary capping	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued	<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date
-----------------------------------	-----	------	--------	---

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406415	WO Description	Perawatan Conveyor Capping
WR/WO Start Date Target	PM	/	12 Jun 2026		
WR/WO Complete Date Target	PM	/	12 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-02-040-030 - Conveyor Capping Machine	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Conveyor Capping	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek kondisi belt conveyor	MTC		/	
20	Cek pengunci guide	MTC		/	
30	Cek pneumatic stopper	MTC		/	
40	Cek fungsi sensor	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406416	WO Description	Perawatan Main Panel Capping
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-02-040-030-040 - Main panel Capping Machine	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Main Panel Capping	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cleaning area panel	MTC		/	
20	Cek koneksi kabel	MTC		/	
30	Cek fungsi tombol dan alarm safety	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406417	WO Description	Perawatan Conveyor Labelling
WR/WO Start Date Target	PM	/	17 Jun 2026		
WR/WO Complete Date Target	PM	/	17 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-02-040-040-010 - Conveyor Labelling Machine	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Conveyor Labelling	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek kondisi belt conveyor	MTC		/	
20	Cek guide rail bottle dan pengunci guide	MTC		/	
30	Cek rotary label	MTC		/	
40	Cek printing unit	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406418	WO Description	Perawatan Label Inserter
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-02-040-040-020 - Label Inserter	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Label Inserter	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 Cek fungsi label inserter dan pastikan bersih	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406419	WO Description	Perawatan Main Panel Labelling
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-02-040-040-030 - Main Panel Labelling Machine	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Main Panel Labelling	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek koneksi kabel	MTC		/	
20	Cek fungsi tombol dan safety device	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406421	WO Description	Perawatan Cutting Modul HM
WR/WO Start Date Target	PM	/	02 Jun 2026		
WR/WO Complete Date Target	PM	/	02 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-02-070-010-060 - Cutting Modul HM	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Cutting Modul HM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pengecekan cutting vertikal	MTC		/	
20	pengecekan belt dan pulley penggerak	MTC		/	
30	Pelumasan pulley penggerak	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406430	WO Description	Perawatan Cross Cutting Modul HM
WR/WO Start Date Target	PM	/	02 Jun 2026		
WR/WO Complete Date Target	PM	/	02 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-02-070-010-070 - Cross Cutting Modul HM	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type		GL Charging	ILE2-321	
Activity Cause		Asset Activity	Cross Cutting Modul HM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pengecekan ketajaman pisau manual dengan strip	MTC		/	
20	cleaning area cross cutting	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406431	WO Description	Perawatan Main Panel HM
WR/WO Start Date Target	PM	/	01 Jun 2026		
WR/WO Complete Date Target	PM	/	02 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-02-070-010-100 - Main Panel HM	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type		GL Charging	ILE2-321	
Activity Cause		Asset Activity	Main Panel HM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa jalur udara, pastikan berfungsi dengan baik	MTC		/	
20	periksa filter ventilasi panel utama, pastikan dalam keadaan bersih	MTC		/	
30	Release electrical residual current	MTC		/	
40	periksa foil brake, lakukan test fungsi	MTC		/	
50	Periksa battery UPS, pastikan berfungsi dengan baik	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued	<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date
-----------------------------------	-----	------	--------	---

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406432	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	01 Jun 2026		
WR/WO Complete Date Target	PM	/	01 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-01-060-020-010 - Ink Jet Printer Hitachi HM 1	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406433	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	01 Jun 2026		
WR/WO Complete Date Target	PM	/	02 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-01-060-020-020 - Ink Jet Printer Hitachi HM 2	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406434	WO Description	Perawatan Omega Printer
WR/WO Start Date Target	PM	/	25 Jun 2026		
WR/WO Complete Date Target	PM	/	25 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-02-050-010-010 - Omega Printer Sakatonic	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type		GL Charging	ILE2-321	
Activity Cause		Asset Activity	Omega Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pengecekanudukan printer omega	MTC		/	
20	Bersihkan area pada printer	MTC		/	
30	Pengecekan hasil printer, pastikan sudah ok	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406435	WO Description	Perawatan Omega Printer
WR/WO Start Date Target	PM	/	27 Jun 2026		
WR/WO Complete Date Target	PM	/	27 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-02-050-010-020 - Omega Printer Xonce	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type		GL Charging	ILE2-321	
Activity Cause		Asset Activity	Omega Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pengecekanudukan printer omega	MTC		/	
20	Bersihkan area pada printer	MTC		/	
30	Pengecekan hasil printer, pastikan sudah ok	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406436	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	26 Jun 2026		
WR/WO Complete Date Target	PM	/	26 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-02-080-010-010 - Ink jet Printer Sakatonic	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406437	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	26 Jun 2026		
WR/WO Complete Date Target	PM	/	26 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-02-080-010-020 - Ink Jet Printer Xonce	Supervisor Notes
WO Status	Released	Asset Area	ILE2	
Activity Type	Maintenance	GL Charging	ILE2-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406438	WO Description	Perawatan 3 Bulan Part Suction RM
WR/WO Start Date Target	PM	/	28 Jun 2026		
WR/WO Complete Date Target	PM	/	28 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-010 - Suction RM	Supervisor Notes
WO Status	Released	Asset Area		
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Suction RM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa kekencangan kisi-kisi pengaman filter pada tutup container dan lubang keluar produk. Pastikan terpasang dengan benar	MTC		/	
20	Periksa sambungan dan socket kabel, pastikan terpasang dengan tepat	MTC		/	
30	Periksa dan kencangkan koneksi selang pneumatik	MTC		/	
40	Bersihkan Hepa filter	MTC		/	
50	Periksa pergerakan valve raw material	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406439	WO Description	Perawatan Bulanan Chopper GEA PMA
WR/WO Start Date Target	PM	/	28 Jun 2026		
WR/WO Complete Date Target	PM	/	28 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-010-020 - Chopper GEA PMA	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Chopper PMA	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa tekanan air seal chopper, standar 0.5bar	MTC		/	
20	Cleaning pre filter water chiller chopper	MTC		/	
30	Setelah pencucian, periksa seal chopper terhadap kebocoran	MTC		/	
40	Periksa seal chopper, bersihkan semua kotoran dan sisa produk yang menempel pada permukaan seal, ganti jika diperlukan	MTC		/	
50	Periksa apakah terdapat air atau debu sisa produk pada seal chopper	MTC		/	
60	Cek motor chopper (koneksi & tahanan)			/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406440	WO Description	Perawatan Bulanan Agitator GEA PMA
WR/WO Start Date Target	PM	/	28 Jun 2026		
WR/WO Complete Date Target	PM	/	28 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-010-030 - Agitator GEA PMA	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Agitator PMA	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa bagian luar container dari tanda-tanda kerusakan, bagian yang kendur dan kabel grounding	MTC		/	
20	Periksa bagian dalam container terhadap tanda-tanda kerusakan atau goresan terhadap kerusakan	MTC		/	
30	Periksa bagian dudukan container/platform, pastikan tidak ada kerusakan	MTC		/	
40	Periksa permukaan imepeler, jauhkan dari benda-benda asing pada bagian bawah impeler	MTC		/	
50	Setelah pencucian, periksa seal impeler dari kebocoran	MTC		/	
60	Cek gap baling-baling (ukur menggunakan filler).	MTC		/	
70	Periksa seal impeller, pastikan seal dalam keadaan bersih dan kering	MTC		/	
80	Periksa seal impeller, bersihkan semua kotoran dan sisa produk yang menempel pada permukaan seal, ganti jika diperlukan	MTC		/	
90	Periksa impeller shaft	MTC		/	
100	Periksa bearing motor terhadap bunyi, panas, serta getaran. Ganti bearing jika diperlukan	MTC		/	
110	Periksa dan bersihkan mekanisme safety interlock, periksa sistem berfungsi dengan baik	MTC		/	
120	Periksa tekanan air seal impeler standart 0.5 bar	MTC		/	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406440	WO Description	Perawatan Bulanan Agitator GEA PMA
WR/WO Start Date Target	PM	/	28 Jun 2026		
WR/WO Complete Date Target	PM	/	28 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

130	Periksa saluran air seal imepller, pastikan tekanan udara antara 0.4 - 0.7 bar ganti filter jika ditemukan kerusakan	MTC		/	
140	Periksa fungsi hoist impeler, pastikan selang dapat mengulur dan menarik saat dioperasikan	MTC		/	
150	Periksa pelumas pada hoist impeller, jika berada pada level LOW tambahkan dengan oli SAE 10	MTC		/	
160	Periksa kabel hoist impeler	MTC		/	
170	Ganti oli geabox, gunakan oli Trbol 800/200 atau yang setara	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued	Failure Analysis (by Supervisor and Technician): Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date
-----------------------------------	-----	------	--------	--

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406441	WO Description	Perawatan 2 Bulanan Inflatable Seal PMA
WR/WO Start Date Target	PM	/	15 Jun 2026		
WR/WO Complete Date Target	PM	/	15 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-010-040 - Inflatable Seal PMA	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Seal PMA	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Ganti inflatable seal	MTC		/	
20	Periksa dan kencangkan koneksi selang pneumatik	MTC		/	
30	Pastikan tekanan udara ada di 3 bar	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406442	WO Description	Perawatan 3 Bulanan Cylinder Discharge PMA
WR/WO Start Date Target	PM	/	17 Jun 2026		
WR/WO Complete Date Target	PM	/	17 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-010-050 - Cylinder Discharge PMA	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Cylinder PMA	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa o-ring dalam keadaan baik	MTC		/	
20	Periksa gerakan valve, harus bisa digerakan dengan mudah	MTC		/	
30	Periksa dudukan valve	MTC		/	
40	Periksa dan kencangkan koneksi selang pneumatik	MTC		/	
50	Periksa pengunci Sensor posisi pada silinder	MTC		/	
60	Bersihkan filter line transfer	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406443	WO Description	Perawatan 3 bulanan Main Panel PMA
WR/WO Start Date Target	PM	/	17 Jun 2026		
WR/WO Complete Date Target	PM	/	17 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-010-060 - Main Panel GEA PMA	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Main Panel PMA	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa sistem pengaman berfungsi dengan benar, dengan tutup container terbuka, pada kondisi ini mengakibatkan: - Impeler tidak bisa distart, chopper tidak bisa distart, discharge valve tidak bisa difungsikan	MTC		/	
20	Periksa emergency stop dan castell key saat diaktifkan mesin tidak bisa dioperasikan	MTC		/	
30	Periksa sambungan kabel dan kencangkan jika ditemukan sambungan yang panas atau kendur	MTC		/	
40	Periksa dan kencangkan koneksi selang pneumatik	MTC		/	
50	Periksa dan kencangkan koneksi kabel grounding	MTC		/	
60	Periksa tekanan angin utama, standar 5bar	MTC		/	
70	Periksa kunci panel utama, pastikan terkunci	MTC		/	
80	Bersihkan seluruh area panel	MTC		/	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406443	WO Description	Perawatan 3 bulanan Main Panel PMA
WR/WO Start Date Target	PM	/	17 Jun 2026		
WR/WO Complete Date Target	PM	/	17 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406444	WO Description	Perawatan 3 Bulanan Main Panel Binder Solution Mixer DNS
WR/WO Start Date Target	PM	/	12 Jun 2026		
WR/WO Complete Date Target	PM	/	12 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-020-010 - Main panel Binder Solution Mixer DNS	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Main Panel Binder	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa tombol Emergency	MTC		/	
20	Periksa tombol Start	MTC		/	
30	Periksa tombol Stop	MTC		/	
40	Periksa Timmer	MTC		/	
50	Periksa dan kencangkan kabel Grounding	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406445	WO Description	Perawatan 3 Bulanan Tanki Mixing Solution Mixer DNS
WR/WO Start Date Target	PM	/	11 Jun 2026		
WR/WO Complete Date Target	PM	/	11 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-020-020 - Tanki Mixing Binder Solution Mixer DNS	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Tanki Mixing Binder	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 Cek permukaan tanki mixing, pastikan tidak ada baret dan kebocoran	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406446	WO Description	Perawatan Motor Binder Coating Solution Mixer
WR/WO Start Date Target	PM	/	16 Jun 2026		
WR/WO Complete Date Target	PM	/	16 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-020-030 - Motor Binder Solution DNS	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Motor Binder Coating	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 Cek kondisi motor binder pastikan putaran dan getaran dalam kondisi normal	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406447	WO Description	Perawatan 3 Bulanan Quadro Wetmil
WR/WO Start Date Target	PM	/	16 Jun 2026		
WR/WO Complete Date Target	PM	/	16 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-030-010 - Quadro Wet Mill	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Quadro Wetmill	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa suara gearbox	MTC		/	
20	Periksa seal as	MTC		/	
30	Periksa permukaan quadro	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406448	WO Description	Perawatan 2 Bulanan Inflatable Seal Wetmillma
WR/WO Start Date Target	PM	/	17 Jun 2026		
WR/WO Complete Date Target	PM	/	17 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-030-020 - Inflatable Seal WetMill	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Seal Wetmill	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Ganti inflatable seal	MTC		/	
20	Periksa dan kencangkan koneksi selang pneumatik	MTC		/	
30	Pastikan tekanan udara ada di 3 bar	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406449	WO Description	Perawatan 3 Bulanan Main Panel Wetmill
WR/WO Start Date Target	PM	/	16 Jun 2026		
WR/WO Complete Date Target	PM	/	16 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-030 - Main Panel Wet mill	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Main Panel Wetmill	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa dan kencangkan koneksi kabel	MTC		/	
20	Periksa dan kencangkan koneksi kabel grounding	MTC		/	
30	Bersihkan seluruh area panel	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406450	WO Description	Perawatan 2 Bulanan Filter FBD
WR/WO Start Date Target	PM	/	28 Jun 2026		
WR/WO Complete Date Target	PM	/	28 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-040-010 - Filter FBD	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Filter FBD	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa pergerakan as silinder	MTC		/	
20	Periksa pengunci sensor posisi silinder	MTC		/	
30	Periksa Seal silinder	MTC		/	
40	Periksa Seal silinder pengunci	MTC		/	
50	Periksa Seal valve	MTC		/	
60	Pastikan tekanan udara ada di 3 bar	MTC		/	
70	Periksa pressure gauge pastikan tidak ada kebocoran	MTC		/	
80	Periksa dan kencangkan koneksi selang pneumatik	MTC		/	
90	Periksa selang seal filter			/	
100	Periksa Inflatable seal	MTC		/	
110	Pastikan tekanan udara Inflatable seal ada di 3 bar	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved
Unused parts returned to sparepart warehouse ? Yes / No by _____	Approved By : Not Yet Approved (Approved By System)

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406450	WO Description	Perawatan 2 Bulanan Filter FBD
WR/WO Start Date Target	PM	/	28 Jun 2026		
WR/WO Complete Date Target	PM	/	28 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406451	WO Description	Perawatan 2 Bulanan Cylinder Discharge FBD
WR/WO Start Date Target	PM	/	28 Jun 2026		
WR/WO Complete Date Target	PM	/	28 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-040-020 - Cylinder Discharge FBD	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Cylinder FBD	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek seal o-ring, ganti bila kondisi sudah rusak	MTC		/	
20	Periksa pergerakan silinder	MTC		/	
30	Periksa dan kencangkan koneksi selang pneumatik	MTC		/	
40	Periksa pengunci Sensor posisi pada silinder	MTC		/	
50	Bersihkan area silinder	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued	<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date
-----------------------------------	-----	------	--------	---

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406452	WO Description	Perawatan 3 Bulanan Bowl FBD
WR/WO Start Date Target	PM	/	28 Jun 2026		
WR/WO Complete Date Target	PM	/	28 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-040-030 - Bowl FBD	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Bowl FBD	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Ganti lampu mesin FBD	MTC		/	
20	Periksa wadah produk sampel	MTC		/	
30	Periksa roda dan pengunci roda	MTC		/	
40	Periksa sensor posisi bowl kontainer	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406454	WO Description	Perawatan 3 Bulanan Inflatable Seal FBD
WR/WO Start Date Target	PM	/	22 Jun 2026		
WR/WO Complete Date Target	PM	/	22 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-040-040 - Inflatable Seal FBD	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Seal FBD	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Ganti inflatable seal	MTC		/	
20	Periksa dan kencangkan koneksi selang pneumatik	MTC		/	
30	Pastikan tekanan udara ada di 3 bar	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406455	WO Description	Perawatan 3 Bulanan AHU FBD
WR/WO Start Date Target	PM	/	16 Jun 2026		
WR/WO Complete Date Target	PM	/	16 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-040-050 - AHU FBD	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	AHU FBD	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pengecekan AHU FBD, pastikan tidak ada kebocoran	MTC		/	
20	Lakukan cleaning pada area AHU FBD	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406456	WO Description	Perawatan 3 Bulanan Motor Blower FBD
WR/WO Start Date Target	PM	/	17 Jun 2026		
WR/WO Complete Date Target	PM	/	17 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-040-060 - Motor Blower FBD	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Motor FBD	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek koneksi & tahanan motor	MTC		/	
20	Periksa dan kencangkan koneksi kabel grounding	MTC		/	
30	Periksa suara bearing	MTC		/	
40	Bersihkan filter exhause	MTC		/	
50	Periksa kabel sensor katup Inlet Explosion protection system secara visual	MTC		/	
60	Periksa secara visual kondisi relai EPV Inlet Explosion protection system di panel switchgear	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406457	WO Description	Perawatan 3 Bulanan Sensor Temperatur FBD
WR/WO Start Date Target	PM	/	17 Jun 2026		
WR/WO Complete Date Target	PM	/	17 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-040-070 - Sensor Temperature FBD	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Sensor FBD	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek koneksi sensor	MTC		/	
20	Kalibrasi sensor	MTC		/	
30	Periksa permukaan sensor	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406460	WO Description	Perawatan 3 Bulanan Gasket dan Seal FBD
WR/WO Start Date Target	PM	/	11 Jun 2026		
WR/WO Complete Date Target	PM	/	11 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-040-080 - Gasket and Seal	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Gasket Seal FBD	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pastikan kondisi gasket dan seal tidak robek atau getas	MTC		/	
20	Pastikan tidak ada kebocoran	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406461	WO Description	Perawatan 3 Bulanan Pneumatic System
WR/WO Start Date Target	PM	/	17 Jun 2026		
WR/WO Complete Date Target	PM	/	17 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-040-090 - Pneumatic System	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Pneumatic System	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa supply tekanan udara	MTC		/	
20	Periksa unit FRL	MTC		/	
30	Periksa selang, valve dan silinder	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406463	WO Description	Perawatan 3 Bulanan Main Panel FBD
WR/WO Start Date Target	PM	/	16 Jun 2026		
WR/WO Complete Date Target	PM	/	16 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-040-100 - Main Panel FBD	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Main Panel FBD	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek emergency stop	MTC		/	
20	Cek sambungan kabel	MTC		/	
30	Cleaning area panel	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406464	WO Description	Perawatan 2 Bulanan Filter EPH
WR/WO Start Date Target	PM	/	10 Jun 2026		
WR/WO Complete Date Target	PM	/	10 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-050-010 - Filter EPH	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Filter EPH	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 pengecekan filter EPH, pastikan filter dalam keadaan bersih	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406466	WO Description	Perawatan 3 Bulanan Quadro EPH
WR/WO Start Date Target	PM	/	21 Jun 2026		
WR/WO Complete Date Target	PM	/	21 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-050-020 - Quadro EPH	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Quadro EPH	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek kondisi dinding Quadro, pastikan tidak ada baret	MTC		/	
20	Cleaning pada area quadro EPH	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406467	WO Description	Perawatan 3 Bulanan Inflatable Seal EPH
WR/WO Start Date Target	PM	/	08 Jun 2026		
WR/WO Complete Date Target	PM	/	08 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-050-030 - Inflatable Seal EPH	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Seal EPH	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek kondisi inflatable seal, pastikan tidak ada kebocoran	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406469	WO Description	Perawatan 3 Bulanan Main Panel EPH
WR/WO Start Date Target	PM	/	17 Jun 2026		
WR/WO Complete Date Target	PM	/	17 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-010-050-040 - Main Panel EPH	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Main Panel EPH	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek emergency stop	MTC		/	
20	Cek sambungan kabel	MTC		/	
30	Cleaning area panel	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406476	WO Description	Perawatan 2 Bulanan Gearbox Tumbler
WR/WO Start Date Target	PM	/	28 Jun 2026		
WR/WO Complete Date Target	PM	/	28 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-020-010-010 - Gear Box Blender Canaan	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Gearbox Tumbler	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pemeriksaan bearing gearbox, Cek bunyi dan putaran bearing	MTC		/	
20	Lakukan Pelumasan pada gearbox	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406477	WO Description	Perawatan 2 Bulanan Lifting Device Tumbler
WR/WO Start Date Target	PM	/	28 Jun 2026		
WR/WO Complete Date Target	PM	/	28 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-020-010-020 - Lifting Device Blender Canaan	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Lifting Device Tumbler	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pemeriksaan motor & gearbox lifting	MTC		/	
20	Pemeriksaan visual struktur lifting	MTC		/	
30	Cek baut & pin pengunci	MTC		/	
40	Cek sensor safety dan limit switch	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406478	WO Description	Perawatan 3 Bulanan Main Panel Tumbler
WR/WO Start Date Target	PM	/	07 Jun 2026		
WR/WO Complete Date Target	PM	/	07 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-020-010-030 - Main Panel Blender Canaan	Supervisor Notes
WO Status	Released	Asset Area		
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Main Panel Tumbler	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek konektor kabel	MTC		/	
20	Cleaning area panel	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued	<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406480	WO Description	Perawatan 3 Bulanan Main Motor Tumbler
WR/WO Start Date Target	PM	/	07 Jun 2026		
WR/WO Complete Date Target	PM	/	07 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-020-010-040 - Main Motor Blender Canaan	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Main Motor Tumbler	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek kondisi main motor tumbler, pastikan putaran dan getaran dalam kondisi baik	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406482	WO Description	Perawatan Deduster 3 bulan
WR/WO Start Date Target	PM	/	12 Jun 2026		
WR/WO Complete Date Target	PM	/	12 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-030-020 - Upway Deduster Jotam 1 sn:DS180	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	DED001	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa emergency switch	MTC		/	
20	Periksa main switch	MTC		/	
30	Kencangkan baut pengikat tower	MTC		/	
40	Periksa seal glass	MTC		/	
50	Periksa sambungan screen deduster	MTC		/	
60	Periksa drive vibrator	MTC		/	
70	Periksa mounting vibrator	MTC		/	
80	periksa pengunci roda	MTC		/	
90	Periksa terminal kabel	MTC		/	
100	Kencangkan kabel grounding	MTC		/	
110	Kencangkan fitting selang dust collector	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406483	WO Description	Perawatan Deduster 3 bulan
WR/WO Start Date Target	PM	/	28 Jun 2026		
WR/WO Complete Date Target	PM	/	28 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-030-030 - Upway Deduster Jotam 2 sn:DS180	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	DED001	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa emergency switch	MTC		/	
20	Periksa main switch	MTC		/	
30	Kencangkan baut pengikat tower	MTC		/	
40	Periksa seal glass	MTC		/	
50	Periksa sambungan screen deduster	MTC		/	
60	Periksa drive vibrator	MTC		/	
70	Periksa mounting vibrator	MTC		/	
80	periksa pengunci roda	MTC		/	
90	Periksa terminal kabel	MTC		/	
100	Kencangkan kabel grounding	MTC		/	
110	Kencangkan fitting selang dust collector	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406484	WO Description	Perawatan Metal Detector 3 bulan
WR/WO Start Date Target	PM	/	28 Jun 2026		
WR/WO Complete Date Target	PM	/	28 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-01-030-040 - Metal Detector 1 CEIA THS/PH21E sn: 32002420063	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	MDR001	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa emergency switch	MTC		/	
20	Periksa main switch	MTC		/	
30	Periksa actuator gate valve	MTC		/	
40	Peiksa sensor metal	MTC		/	
50	Periksa terminal sambungan kabel pada panel	MTC		/	
60	Periksa sambungan soket actuator gate valve	MTC		/	
70	Periksa seluncuran tablet	MTC		/	
80	Periksa pengunci roda	MTC		/	
90	Kencangkan kabel grounding	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406485	WO Description	Perawatan Metal Detector 3 bulan
WR/WO Start Date Target	PM	/	28 Jun 2026		
WR/WO Complete Date Target	PM	/	28 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-01-030-050 - Metal Detector 2 CEIA THS/PH21E sn: 32002420064	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	MDR001	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa emergency switch	MTC		/	
20	Periksa main switch	MTC		/	
30	Periksa actuator gate valve	MTC		/	
40	Peiksa sensor metal	MTC		/	
50	Periksa terminal sambungan kabel pada panel	MTC		/	
60	Periksa sambungan soket actuator gate valve	MTC		/	
70	Periksa seluncuran tablet	MTC		/	
80	Periksa pengunci roda	MTC		/	
90	Kencangkan kabel grounding	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406486	WO Description	Perawatan Product Feeding HM
WR/WO Start Date Target	PM	/	27 Jun 2026		
WR/WO Complete Date Target	PM	/	27 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-040-010-030 - Product Feeding HM	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Product Feeding HM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa product feeding unit	MTC		/	
20	Periksa O ring penarik foil, pastikan tidak rusak, aus, dan rata	MTC		/	
30	periksa pegas penarik foil	MTC		/	
40	periksa kekencangan tooth belt	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406487	WO Description	Perawatan Sealing Roller Unit HM
WR/WO Start Date Target	PM	/	27 Jun 2026		
WR/WO Complete Date Target	PM	/	27 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-040-010-050 - Sealing Roller Unit HM	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Sealing Roller HM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa lensa sensor eye mark dan sambungan foil, pastikan tidak kotor atau sobek	MTC		/	
20	Periksa permukaan gear penggerak, berikan pelumas secukupnya dan tidak ada permukaan yang aus dan patah	MTC		/	
30	Periksa sealing guiding disc, pastikan tidak rusak dan berikan pelumas secukupnya	MTC		/	
40	Periksa slip ring, pastikan berfungsi baik dan tidak ada kotoran	MTC		/	
50	periksa bearing sealing roller, pastikan putaran lancar	MTC		/	
60	lakukan zero position	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued	<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____, date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406488	WO Description	Perawatan Cutting Modul HM
WR/WO Start Date Target	PM	/	27 Jun 2026		
WR/WO Complete Date Target	PM	/	27 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-040-010-060 - Cutting Modul HM	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Cutting Modul HM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pengecekan cutting vertikal	MTC		/	
20	pengecekan belt dan pulley penggerak	MTC		/	
30	Pelumasan pulley penggerak	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406489	WO Description	Perawatan Cross Cutting Modul HM
WR/WO Start Date Target	PM	/	27 Jun 2026		
WR/WO Complete Date Target	PM	/	27 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-040-010-070 - Cross Cutting Modul HM	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Cross Cutting Modul HM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pengecekan ketajaman pisau manual dengan strip	MTC		/	
20	cleaning area cross cutting	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406490	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	28 Jun 2026		
WR/WO Complete Date Target	PM	/	28 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-01-070-010-010 - Ink Jet Printer Hitachi HM 1 (R2X28664906)	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---- >

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406491	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	18 Jun 2026		
WR/WO Complete Date Target	PM	/	18 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-01-070-010-020 - Ink Jet Printer Hitachi HM 2 (R2S37684205)	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---- >

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406492	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	18 Jun 2026		
WR/WO Complete Date Target	PM	/	18 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-01-070-010-030 - Ink Jet Printer Hitachi HM 3 (R2S37119203)	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---- >

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406494	WO Description	Perawatan Main Panel HM
WR/WO Start Date Target	PM	/	18 Jun 2026		
WR/WO Complete Date Target	PM	/	18 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-040-010-100 - Main Panel HM	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Main Panel HM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa jalur udara, pastikan berfungsi dengan baik	MTC		/	
20	periksa filter ventilasi panel utama, pastikan dalam keadaan bersih	MTC		/	
30	Release electrical residual current	MTC		/	
40	periksa foil brake, lakukan test fungsi	MTC		/	
50	Periksa battery UPS, pastikan berfungsi dengan baik	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued	<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---- >

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406495	WO Description	Perawatan Cutting Modul HM
WR/WO Start Date Target	PM	/	16 Jun 2026		
WR/WO Complete Date Target	PM	/	16 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-01-080-010-060 - Cutting Modul HM	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Cutting Modul HM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pengecekan cutting vertikal	MTC		/	
20	pengecekan belt dan pulley penggerak	MTC		/	
30	Pelumasan pulley penggerak	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406496	WO Description	Perawatan Cross Cutting Modul HM
WR/WO Start Date Target	PM	/	16 Jun 2026		
WR/WO Complete Date Target	PM	/	16 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-01-080-010-070 - Cross Cutting Modul HM	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type		GL Charging	ILE1-321	
Activity Cause		Asset Activity	Cross Cutting Modul HM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pengecekan ketajaman pisau manual dengan strip	MTC		/	
20	cleaning area cross cutting	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406497	WO Description	Perawatan Main Panel HM
WR/WO Start Date Target	PM	/	18 Jun 2026		
WR/WO Complete Date Target	PM	/	18 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-01-080-010-100 - Main Panel HM	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type		GL Charging	ILE1-321	
Activity Cause		Asset Activity	Main Panel HM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa jalur udara, pastikan berfungsi dengan baik	MTC		/	
20	periksa filter ventilasi panel utama, pastikan dalam keadaan bersih	MTC		/	
30	Release electrical residual current	MTC		/	
40	periksa foil brake, lakukan test fungsi	MTC		/	
50	Periksa battery UPS, pastikan berfungsi dengan baik	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued	<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date
-----------------------------------	-----	------	--------	---

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---- >

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406499	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-01-080-110-010 - Ink Jet Printer Hitachi HM 1 (R2S31916007)	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---- >

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406500	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-01-080-110-020 - Ink Jet Printer Hitachi HM 2 (R2S32420009)	Supervisor Notes
WO Status	Released	Asset Area		
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---- >

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406503	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type		Asset Number	CKR-02-01-080-110-030 - Ink Jet Printer Hitachi HM 3 (R2S32199008)	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---- >

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406504	WO Description	Perawatan Bin Lifter
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-090-010 - Bin Lifter Stripping PharmecTech 2 sn:NDT-1000/TS152	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	PM Bin Lifter	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek kondisi belt bin lifter	MTC		/	
20	Cek sensor bin lifter	MTC		/	
30	Cleaning area bin lifter	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406505	WO Description	Perawatan Feeding Unit CM
WR/WO Start Date Target	PM	/	07 Jun 2026		
WR/WO Complete Date Target	PM	/	07 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-010-010 - Feeding Unit CM1	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Feeding Unit CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek silinder push in	MTC		/	
20	Cek silinder finger block, pastikan tidak tersendat	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406506	WO Description	Perawatan Heating Unit CM
WR/WO Start Date Target	PM	/	07 Jun 2026		
WR/WO Complete Date Target	PM	/	07 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-010-030 - Heating Unit CM1	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Heating Unit CM	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 periksa dan bersihkan permukaan heater	MTC		/	
20 periksa dan bersihkan silinder penggerak heater	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406507	WO Description	Perawatan Sealing Unit CM
WR/WO Start Date Target	PM	/	07 Jun 2026		
WR/WO Complete Date Target	PM	/	07 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-010-040 - Sealing Unit CM1	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Sealing Unit CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	periksa dan bersihkan permukaan sealing	MTC		/	
20	Periksa kekencangan tooth belt sealing	MTC		/	
30	Periksa dan bersihkan permukaan lensa sensor optic	MTC		/	
40	Berikan pelumasan gear secukupnya	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406508	WO Description	Perawatan Bucket Unit CM
WR/WO Start Date Target	PM	/	07 Jun 2026		
WR/WO Complete Date Target	PM	/	07 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-010-050 - Bucket Unit CM1	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Bucket Unit CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek area toothbelt bucket	MTC		/	
20	Cek visual gigi bucket wheel PTFE, pastikan tidak ada yang rompes	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406509	WO Description	Perawatan Cutting CM
WR/WO Start Date Target	PM	/	27 Jun 2026		
WR/WO Complete Date Target	PM	/	27 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-010-060 - Cutting CM1	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Cutting CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	periksa dan bersihkan pisau potong, pastikan berfungsi dengan baik	MTC		/	
20	Cek belt cutting, pastikan gigi tidak rompes	MTC		/	
30	Berikan pelumasan pada cam track push unit cutting station	MTC		/	
40	periksa dan bersihkan permukaan sensor cam	MTC		/	
50	berikan pelumasan pada guide push unit	MTC		/	
60	berikan pelumasan pada guide pemisah kaft	MTC		/	
70	berikan pelumasan pada guide cutter kanan dan kiri	MTC		/	
80	berikan pelumasan pada guide kaft stopper	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406510	WO Description	Perawatan Conveyor CM
WR/WO Start Date Target	PM	/	07 Jun 2026		
WR/WO Complete Date Target	PM	/	07 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-010-080 - Conveyor CM1	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Conveyor CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	cek visual belt conveyor, pastikan belt tidak robek/putus	MTC		/	
20	Lakukan trial jalan conveyor	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406514	WO Description	Perawatan Feeding Unit CM
WR/WO Start Date Target	PM	/	23 Jun 2026		
WR/WO Complete Date Target	PM	/	23 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-020-010 - Feeding Unit CM2	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Feeding Unit CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek silinder push in	MTC		/	
20	Cek silinder finger block, pastikan tidak tersendat	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406515	WO Description	Perawatan Heating Unit CM
WR/WO Start Date Target	PM	/	03 Jun 2026		
WR/WO Complete Date Target	PM	/	03 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-020-030 - Heating Unit CM2	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Heating Unit CM	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 periksa dan bersihkan permukaan heater	MTC		/	
20 periksa dan bersihkan silinder penggerak heater	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406516	WO Description	Perawatan Sealing Unit CM
WR/WO Start Date Target	PM	/	23 Jun 2026		
WR/WO Complete Date Target	PM	/	23 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-020-040 - Sealing Unit CM2	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Sealing Unit CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	periksa dan bersihkan permukaan sealing	MTC		/	
20	Periksa kekencangan tooth belt sealing	MTC		/	
30	Periksa dan bersihkan permukaan lensa sensor optic	MTC		/	
40	Berikan pelumasan gear secukupnya	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406517	WO Description	Perawatan Bucket Unit CM
WR/WO Start Date Target	PM	/	23 Jun 2026		
WR/WO Complete Date Target	PM	/	23 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-020-050 - Bucket Unit CM2	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Bucket Unit CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek area toothbelt bucket	MTC		/	
20	Cek visual gigi bucket wheel PTFE, pastikan tidak ada yang rompes	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406518	WO Description	Perawatan Cutting CM
WR/WO Start Date Target	PM	/	23 Jun 2026		
WR/WO Complete Date Target	PM	/	23 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-020-060 - Cutting CM2	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Cutting CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	periksa dan bersihkan pisau potong, pastikan berfungsi dengan baik	MTC		/	
20	Cek belt cutting, pastikan gigi tidak rompes	MTC		/	
30	Berikan pelumasan pada cam track push unit cutting station	MTC		/	
40	periksa dan bersihkan permukaan sensor cam	MTC		/	
50	berikan pelumasan pada guide push unit	MTC		/	
60	berikan pelumasan pada guide pemisah kaft	MTC		/	
70	berikan pelumasan pada guide cutter kanan dan kiri	MTC		/	
80	berikan pelumasan pada guide kaft stopper	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406520	WO Description	Perawatan Transfer Unit CM
WR/WO Start Date Target	PM	/	23 Jun 2026		
WR/WO Complete Date Target	PM	/	23 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-020-070 - Tranfer Unit CM2	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Transfer Unit CM	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 periksa dan bersihkan suction pad, pastikan berfungsi dengan baik	MTC		/	
20 berikan pelumasan pada bearing housing & joint rod swivel arm	MTC		/	
30 berikan pelumasan pada cam transfer unit	MTC		/	
40 periksa dan bersihkan filter & selang pada vacuum unit	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406521	WO Description	Perawatan Conveyor CM
WR/WO Start Date Target	PM	/	03 Jun 2026		
WR/WO Complete Date Target	PM	/	03 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-020-080 - Conveyor CM2	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Conveyor CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	cek visual belt conveyor, pastikan belt tidak robek/putus	MTC		/	
20	Lakukan trial jalan conveyor	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406525	WO Description	Perawatan Feeding Unit CM
WR/WO Start Date Target	PM	/	23 Jun 2026		
WR/WO Complete Date Target	PM	/	23 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-030-010 - Feeding Unit CM3	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Feeding Unit CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek silinder push in	MTC		/	
20	Cek silinder finger block, pastikan tidak tersendat	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406527	WO Description	Perawatan Heating Unit CM
WR/WO Start Date Target	PM	/	23 Jun 2026		
WR/WO Complete Date Target	PM	/	23 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-030-030 - Heating Unit CM3	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Heating Unit CM	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 periksa dan bersihkan permukaan heater	MTC		/	
20 periksa dan bersihkan silinder penggerak heater	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406528	WO Description	Perawatan Sealing Unit CM
WR/WO Start Date Target	PM	/	23 Jun 2026		
WR/WO Complete Date Target	PM	/	23 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-030-040 - Sealing Unit CM3	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Sealing Unit CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	periksa dan bersihkan permukaan sealing	MTC		/	
20	Periksa kekencangan tooth belt sealing	MTC		/	
30	Periksa dan bersihkan permukaan lensa sensor optic	MTC		/	
40	Berikan pelumasan gear secukupnya	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406529	WO Description	Perawatan Bucket Unit CM
WR/WO Start Date Target	PM	/	23 Jun 2026		
WR/WO Complete Date Target	PM	/	23 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-030-050 - Bucket Unit CM3	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Bucket Unit CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek area toothbelt bucket	MTC		/	
20	Cek visual gigi bucket wheel PTFE, pastikan tidak ada yang rompes	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406530	WO Description	Perawatan Cutting CM
WR/WO Start Date Target	PM	/	23 Jun 2026		
WR/WO Complete Date Target	PM	/	23 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-030-060 - Cutting CM3	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Cutting CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	periksa dan bersihkan pisau potong, pastikan berfungsi dengan baik	MTC		/	
20	Cek belt cutting, pastikan gigi tidak rompes	MTC		/	
30	Berikan pelumasan pada cam track push unit cutting station	MTC		/	
40	periksa dan bersihkan permukaan sensor cam	MTC		/	
50	berikan pelumasan pada guide push unit	MTC		/	
60	berikan pelumasan pada guide pemisah kaft	MTC		/	
70	berikan pelumasan pada guide cutter kanan dan kiri	MTC		/	
80	berikan pelumasan pada guide kaft stopper	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406532	WO Description	Perawatan Transfer Unit CM
WR/WO Start Date Target	PM	/	14 Jun 2026		
WR/WO Complete Date Target	PM	/	14 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-030-070 - Tranfer Unit CM3	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Transfer Unit CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	periksa dan bersihkan suction pad, pastikan berfungsi dengan baik	MTC		/	
20	berikan pelumasan pada bearing housing & joint rod swivel arm	MTC		/	
30	berikan pelumasan pada cam transfer unit	MTC		/	
40	periksa dan bersihkan filter & selang pada vacuum unit	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406533	WO Description	Perawatan Conveyor CM
WR/WO Start Date Target	PM	/	23 Jun 2026		
WR/WO Complete Date Target	PM	/	23 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-030-080 - Conveyor CM3	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Conveyor CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	cek visual belt conveyor, pastikan belt tidak robek/putus	MTC		/	
20	Lakukan trial jalan conveyor	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406535	WO Description	Perawatan Heating Unit CM
WR/WO Start Date Target	PM	/	19 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-040-030 - Heating Unit CM4	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Heating Unit CM	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 periksa dan bersihkan permukaan heater	MTC		/	
20 periksa dan bersihkan silinder penggerak heater	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406536	WO Description	Perawatan Sealing Unit CM
WR/WO Start Date Target	PM	/	19 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-040-040 - Sealing Unit CM4	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Sealing Unit CM	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	periksa dan bersihkan permukaan sealing	MTC	/	
20	Periksa kekencangan tooth belt sealing	MTC	/	
30	Periksa dan bersihkan permukaan lensa sensor optic	MTC	/	
40	Berikan pelumasan gear secukupnya	MTC	/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406537	WO Description	Perawatan Bucket Unit CM
WR/WO Start Date Target	PM	/	08 Jun 2026		
WR/WO Complete Date Target	PM	/	08 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-040-050 - Bucket Unit CM4	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Bucket Unit CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek area toothbelt bucket	MTC		/	
20	Cek visual gigi bucket wheel PTFE, pastikan tidak ada yang rompes	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):
Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406538	WO Description	Perawatan Cutting CM
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-040-060 - Cutting CM 4	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Cutting CM	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 periksa dan bersihkan pisau potong, pastikan berfungsi dengan baik	MTC		/	
20 Cek belt cutting, pastikan gigi tidak rompes	MTC		/	
30 Berikan pelumasan pada cam track push unit cutting station	MTC		/	
40 periksa dan bersihkan permukaan sensor cam	MTC		/	
50 berikan pelumasan pada guide push unit	MTC		/	
60 berikan pelumasan pada guide pemisah kaft	MTC		/	
70 berikan pelumasan pada guide cutter kanan dan kiri	MTC		/	
80 berikan pelumasan pada guide kaft stopper	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406539	WO Description	Perawatan Transfer Unit CM
WR/WO Start Date Target	PM	/	20 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-040-070 - Tranfer Unit CM4	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Transfer Unit CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	periksa dan bersihkan suction pad, pastikan berfungsi dengan baik	MTC		/	
20	berikan pelumasan pada bearing housing & joint rod swivel arm	MTC		/	
30	berikan pelumasan pada cam transfer unit	MTC		/	
40	periksa dan bersihkan filter & selang pada vacuum unit	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406541	WO Description	Perawatan Feeding Unit CM
WR/WO Start Date Target	PM	/	21 Jun 2026		
WR/WO Complete Date Target	PM	/	21 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-050-010 - Feeding Unit CM5	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Feeding Unit CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek silinder push in	MTC		/	
20	Cek silinder finger block, pastikan tidak tersendat	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406542	WO Description	Perawatan Heating Unit CM
WR/WO Start Date Target	PM	/	21 Jun 2026		
WR/WO Complete Date Target	PM	/	21 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-050-030 - Heating Unit CM5	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Heating Unit CM	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 periksa dan bersihkan permukaan heater	MTC		/	
20 periksa dan bersihkan silinder penggerak heater	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406544	WO Description	Perawatan Sealing Unit CM
WR/WO Start Date Target	PM	/	21 Jun 2026		
WR/WO Complete Date Target	PM	/	21 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-040 - Sealing Unit CM5	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Sealing Unit CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	periksa dan bersihkan permukaan sealing	MTC		/	
20	Periksa kekencangan tooth belt sealing	MTC		/	
30	Periksa dan bersihkan permukaan lensa sensor optic	MTC		/	
40	Berikan pelumasan gear secukupnya	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406545	WO Description	Perawatan Bucket Unit CM
WR/WO Start Date Target	PM	/	21 Jun 2026		
WR/WO Complete Date Target	PM	/	21 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-050 - Bucket Unit CM5	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Bucket Unit CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek area toothbelt bucket	MTC		/	
20	Cek visual gigi bucket wheel PTFE, pastikan tidak ada yang rompes	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406546	WO Description	Perawatan Cutting CM
WR/WO Start Date Target	PM	/	19 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-060 - Cutting CM5	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Cutting CM	

Operation	Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10 periksa dan bersihkan pisau potong, pastikan berfungsi dengan baik	MTC		/	
20 Cek belt cutting, pastikan gigi tidak rompes	MTC		/	
30 Berikan pelumasan pada cam track push unit cutting station	MTC		/	
40 periksa dan bersihkan permukaan sensor cam	MTC		/	
50 berikan pelumasan pada guide push unit	MTC		/	
60 berikan pelumasan pada guide pemisah kaft	MTC		/	
70 berikan pelumasan pada guide cutter kanan dan kiri	MTC		/	
80 berikan pelumasan pada guide kaft stopper	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued	<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406547	WO Description	Perawatan Transfer Unit CM
WR/WO Start Date Target	PM	/	19 Jun 2026		
WR/WO Complete Date Target	PM	/	20 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-050-070 - Tranfer Unit CM5	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Transfer Unit CM	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	periksa dan bersihkan suction pad, pastikan berfungsi dengan baik	MTC		/	
20	berikan pelumasan pada bearing housing & joint rod swivel arm	MTC		/	
30	berikan pelumasan pada cam transfer unit	MTC		/	
40	periksa dan bersihkan filter & selang pada vacuum unit	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406548	WO Description	Perawatan Heating Unit CC
WR/WO Start Date Target	PM	/	05 Jun 2026		
WR/WO Complete Date Target	PM	/	05 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-060-020 - Heating Unit Duan Kwei	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Heating Unit CC	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Ukur restistan heater, pastikan tidak putus atau short	MTC		/	
20	Cleaning area heater			/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---->	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406550	WO Description	Perawatan Cutting Unit CC
WR/WO Start Date Target	PM	/	02 Jun 2026		
WR/WO Complete Date Target	PM	/	02 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-060-030 - Cutting Unit Duan Kwei	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Cutting Unit CC	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Lumasi area gear cutting unit	MTC		/	
20	cek pergerakan cutting, pastikan tidak ada gangguan	MTC		/	
30	lakukan uji coba ketajaman pisau cutting	MTC		/	
40	Cek vibrasi dan noise pada motor cutting	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406551	WO Description	Perawatan Conveyor CC
WR/WO Start Date Target	PM	/	02 Jun 2026		
WR/WO Complete Date Target	PM	/	02 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-060-040 - Conveyor Duan Kwei	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Conveyor CC	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Cek sambungan main belt	MTC		/	
20	Cek silomer side belt	MTC		/	
30	Lakukan pelumasan pada gear main belt	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	

see next page for more notes(technician notes,history,etc): ---->

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406552	WO Description	Perawatan Sealing Unit CC
WR/WO Start Date Target	PM	/	14 Jun 2026		
WR/WO Complete Date Target	PM	/	14 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-060-050 - Sealing Unit Duan Kwei	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Sealing Unit CC	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pelumasan pada area gear sealing	MTC		/	
20	Cleaning area sealing unit	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406553	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	26 Jun 2026		
WR/WO Complete Date Target	PM	/	26 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-110-010 - Ink Jet Printer Hitachi HM 1	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406555	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	21 Jun 2026		
WR/WO Complete Date Target	PM	/	21 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-110-020 - Ink Jet Printer Hitachi HM 2	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406557	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	14 Jun 2026		
WR/WO Complete Date Target	PM	/	14 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-110-030 - Ink Jet Printer Hitachi HM 3	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406558	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	16 Jun 2026		
WR/WO Complete Date Target	PM	/	16 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-110-040 - Ink Jet Printer CM4	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406559	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	01 Jun 2026		
WR/WO Complete Date Target	PM	/	01 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-110-050 - Ink Jet Printer CM5	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406561	WO Description	Perawatan Ink Jet Printer
WR/WO Start Date Target	PM	/	09 Jun 2026		
WR/WO Complete Date Target	PM	/	09 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-050-110-060 - Ink Jet Printer Dwan Kei	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Ink Jet Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Periksa filter keong	MTC		/	
20	Pastikan nozzle print head bersih dari tinta	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

Failure Analysis (by Supervisor and Technician):

Failure Description :

Report Cause :

Root Cause :

Resolution :

Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	

WORK ORDER FORM

WR/WO Number	PM	/	PWO-406562	WO Description	Perawatan Omega Printer
WR/WO Start Date Target	PM	/	12 Jun 2026		
WR/WO Complete Date Target	PM	/	12 Jun 2026		
WR Requestor / Approved by	-	/		Change Control Data	

WO Type	Preventive Maintenance	Asset Number	CKR-02-01-060-010 - Omega Printer	Supervisor Notes
WO Status	Released	Asset Area	ILE1	
Activity Type	Maintenance	GL Charging	ILE1-321	
Activity Cause	Preventive	Asset Activity	Omega Printer	

Operation		Resources	Executed by Technician	Actual Start / Complete	Technician's Notes
10	Pengecekanudukan printer omega	MTC		/	
20	Bersihkan area pada printer	MTC		/	
30	Pengecekan hasil printer, pastikan sudah ok	MTC		/	

Inventory Part -- Direct Purchase	Qty	Unit	Issued
-----------------------------------	-----	------	--------

<u>Failure Analysis (by Supervisor and Technician):</u> Failure Description : Report Cause : Root Cause : Resolution : Need revised as built drawing? Y/N , recorded by drawing PIC : _____ date

Warehouse officer writes more parts used for WO on next pages sign by technician	Approved Date : Not Yet Approved Approved By : Not Yet Approved (Approved By System)
Unused parts returned to sparepart warehouse ? Yes / No by _____	
Supervisor check issued part before closing WO, total parts type issued = _____ items	
see next page for more notes(technician notes,history,etc): ---- >	