



FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|----------------------------|---|---|---|---|--------------|
| 1 | Recruitment page test case | 5 | 0 | 5 | 0 | 5 m 25.952 s |

SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------------|--|----|---|---|----|--------------|
| 1 | Recruitment page test case | Open Recruitment Page | 8 | 0 | 0 | 8 | 5 m 19.160 s |
| 2 | Recruitment page test case | Add new Candidate Record | 12 | 0 | 0 | 12 | 1.655 s |
| 3 | Recruitment page test case | Select and Change Candidate Application Request Status | 12 | 0 | 0 | 12 | 1.636 s |
| 4 | Recruitment page test case | Edit Candidate Application | 13 | 0 | 0 | 13 | 1.727 s |
| 5 | Recruitment page test case | Delete Candidate Record | 12 | 0 | 0 | 12 | 1.655 s |

DETAILED SECTION -- 4 --

(F)- Recruitment page test case

| FAILED | DURATION - 5 m 25.952 s | Scenarios | | Steps | |
|------------------|-------------------------|-----------|---|------------|----|
| | | Total - 5 | | Total - 57 | |
| / 10:18:41.783 A | AM // 10:24:07.735 AM / | Pass - 0 | 5 | Pass - 0 | 57 |
| | | Fail - 5 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 57 | |


(S)- Open Recruitment Page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------------|
| | BEFORE - steps.Hooks.launchBrowser() | FAILED | 5 m 18.957 s |
| | org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=98.0.4758.102) Build info: version: '4.1.2', revision: '925a329c5a' System info: host: 'PKKHICS06L1290', ip: '127.0.0.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2f48ed9010037b845bcdf5b7647f0e07, get {url=https://opensource-demo.orangehrmlive.com/}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90, userDataDir: C:\Users\FARHAN-1.HAS\AppDa}}, goog:chromeOptions: {debuggerAddress: localhost:50078}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50078/devtoo, se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2f48ed9010037b845bcdf5b7647f0e07 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | PAILLD | 3 III 10.337 S |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:558) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:327) at steps.Hooks.launchBrowser(Hooks.java:19) | | |
| 1 | Then enter username "Admin" | SKIPPED | 0.002 s |
| 2 | Then enter password "admin123" | SKIPPED | 0.001 s |
| 3 | And click on sign in button | SKIPPED | 0.001 s |
| 4 | Then verify user is successfully login | SKIPPED | 0.000 s |
| 5 | Then click on Recruitment Button | SKIPPED | 0.000 s |
| 6 | Then verify user is on Recruitment Page | SKIPPED | 0.000 s |
| 7 | Then Click on Add button | SKIPPED | 0.000 s |
| 8 | Then logout Application | SKIPPED | 0.001 s |

(S)- Add new Candidate Record




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - steps.Hooks.launchBrowser() | FAILED | 1.451 s |
| | org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=98.0.4758.102) Build info: version: '4.1.2', revision: '9a5a329c5a' System info: host: 'PKKHICS06L1290', ip: '127.0.0.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [58e9aa19423ec5090def18c5a62fbd38, get {url=https://opensource-demo.orangehrmlive.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90, userDataDir: C:\Users\FARHAN~1.HAS\AppDa}, goog:chromeOptions: {debuggerAddress: localhost:64962}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64962/devtoo, se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 58e9aa19423ec5090def18c5a62fbd38 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |

DETAILED SECTION -- 6 --

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:558) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:327) at steps.Hooks.launchBrowser(Hooks.java:19) | | |
| | | | |
| 1 | Then enter username "Admin" | SKIPPED | 0.001 s |
| 2 | Then enter password "admin123" | SKIPPED | 0.000 s |
| 3 | And click on sign in button | SKIPPED | 0.000 s |
| 4 | Then verify user is successfully login | SKIPPED | 0.000 s |
| 5 | Then click on Recruitment Button | SKIPPED | 0.000 s |
| 6 | Then verify user is on Recruitment Page | SKIPPED | 0.000 s |
| 7 | Then Click on Add button | SKIPPED | 0.001 s |
| 8 | Then Add Basic Info "farhan","hassan","naqvi","test100@gmail.com","03458457741" | SKIPPED | 0.000 s |
| 9 | Then Select Job Vacancy | SKIPPED | 0.000 s |
| 10 | Then Upload Resume | SKIPPED | 0.000 s |
| 11 | Then Save candidate record | SKIPPED | 0.000 s |
| 12 | Then logout Application | SKIPPED | 0.000 s |


(S)- Select and Change Candidate Application Request Status



| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | BEFORE - steps.Hooks.launchBrowser() | FAILED | 1.493 s |
| | org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=98.0.4758.102) Build info: version: '4.1.2', revision: '9a5a329c5a' System info: host: 'PKKHICS06L1290', ip: '127.0.0.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1d3dff6db0554a1fd3a7286c6dcf4fea, get {url=https://opensource-demo.orangehrmlive.com/}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90, userDataDir: C:\USers\FARHAN-1.HAS\AppDa}), goog:chromeOptions: {debuggerAddress: localhostcfd4980}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy; Proxy(), se:cdp: ws://localhost:64980/devtoo, se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true) Session ID: 1d3dff6db0554a1fd3a7286c6dcf4fea at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:327) at steps.Hooks.launchBr | | |
| 1 | Then enter username "Admin" | SKIPPED | 0.000 s |
| 2 | Then enter password "admin123" | SKIPPED | 0.000 s |
| 3 | And click on sign in button | SKIPPED | 0.000 s |
| 4 | Then verify user is successfully login | SKIPPED | 0.008 s |
| 5 | Then click on Recruitment Button | SKIPPED | 0.002 s |
| 6 | Then verify user is on Recruitment Page | SKIPPED | 0.000 s |
| 7 | Then Search Candidate By Name "farhan","hassan","naqvi" | SKIPPED | 0.000 s |
| 8 | Then click on Search Button | SKIPPED | 0.000 s |
| 9 | Then select record from grid | SKIPPED | 0.001 s |
| 10 | Then change application status "Shortlist" | SKIPPED | 0.001 s |
| 11 | Then click on shortlist button | SKIPPED | 0.000 s |
| 12 | Then logout Application | SKIPPED | 0.000 s |

DETAILED SECTION -- 8 --


(S)- Edit Candidate Application



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | BEFORE - steps.Hooks.launchBrowser() | FAILED | 1.525 s |
| | org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=98.0.4758.102) Build info: version: '4.1.2', revision: '9a5a329c5a' System info: host: 'PKKHICS06L1290', ip: '127.0.0.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', jawa.version: '10.0' piver info: org.openqa.selenium.chrome.ChromeDriver Command: [1b539ab83689ac371e0b6d62281df51c, get {url=https://opensource-demo.orangehrmlive.com/}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90, userDataDir: C:Users\FARHAN-1.HAS\AppDa\}, goog:chromeOptions: {debuggerAddress: localhost:64997}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, pnammame: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64997/devtoo, se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1b539ab83689ac371e0b6d62281df51c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:78) at java.base/java.lang.reflect.Constructor.newInstance(VithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(Remot | | |
| 1 | Then enter username "Admin" | SKIPPED | 0.001 s |
| 2 | Then enter password "admin123" | SKIPPED | 0.001 s |
| 3 | And click on sign in button | SKIPPED | 0.000 s |
| 4 | Then verify user is successfully login | SKIPPED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 5 | Then click on Recruitment Button | SKIPPED | 0.000 s |
| 6 | Then verify user is on Recruitment Page | SKIPPED | 0.001 s |
| 7 | Then Search Candidate By Name "farhan", "hassan", "naqvi" | SKIPPED | 0.000 s |
| 8 | Then click on Search Button | SKIPPED | 0.000 s |
| 9 | Then select record from grid | SKIPPED | 0.000 s |
| 10 | Then click on edit button | SKIPPED | 0.000 s |
| 11 | Then edit the record | SKIPPED | 0.001 s |
| 12 | Then click on save button | SKIPPED | 0.000 s |
| 13 | Then logout Application | SKIPPED | 0.000 s |

(S)- Delete Candidate Record



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - steps.Hooks.launchBrowser() | FAILED | 1.485 s |
| | org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=98.0.4758.102) Build info: version: '4.1.2', revision: '9a5a329c5a' System info: host: 'PKKHICS06L1290', ip: '127.0.0.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [314bd6139de11911c6ffd1b79fa6ab44, get {url=https://opensource-demo.orangehrmlive.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90, userDataDir: C:\Users\FARHAN~1.HAS\AppDa}, goog:chromeOptions: {debuggerAddress: localhost:65018}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws:/localhost:65018/devtoo, se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 314bd6139de11911c6ffd1b79fa6ab44 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |

DETAILED SECTION -- 10 --

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:558) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:327) at steps.Hooks.launchBrowser(Hooks.java:19) | | |
| 1 | Then enter username "Admin" | SKIPPED | 0.001 s |
| 2 | Then enter password "admin123" | SKIPPED | 0.000 s |
| 3 | And click on sign in button | SKIPPED | 0.000 s |
| 4 | Then verify user is successfully login | SKIPPED | 0.001 s |
| 5 | Then click on Recruitment Button | SKIPPED | 0.001 s |
| 6 | Then verify user is on Recruitment Page | SKIPPED | 0.000 s |
| 7 | Then Search Candidate By Name "farhan","hassan","naqvi" | SKIPPED | 0.001 s |
| 8 | Then click on Search Button | SKIPPED | 0.001 s |
| 9 | Then select record to delete | SKIPPED | 0.000 s |
| 10 | Then click on delete button | SKIPPED | 0.000 s |
| 11 | Then click on Ok button on delete Popup | SKIPPED | 0.000 s |
| 12 | Then logout Application | SKIPPED | 0.000 s |