Trueline

FIELD CARD — HOW TO SCAN A ROOM
REV 2 · IPHONE / IPAD LIDAR

01 Where to stand

PLAN VIEW — LOOKING DOWN



Why: the whole wall run has to be in frame, including where it meets the floor. Hug the wall and the sensor sees only a patch, with no long straight edge to fit a plane to. Minimum working distance is about 8–10 in; the range ceiling is about 5 m.

02 How to hold it

SIDE VIEW



Chest height, tilted slightly down, two hands, elbows in. Smooth beats fast.

03 The limits — where it breaks

Under 5 min	Per room. Longer sessions drift, the device heats up, tracking degrades.
Under 30 × 30 ft	Apple's recommended maximum scan area. Bigger spaces get split.
One room per scan	Do not walk the house in one go. Each room is its own capture.
Glass & mirrors	Reflective surfaces cut reliability. Note them rather than trusting them.

IF THE APP TELLS YOU SOMETHING, IT WINS

RoomPlan gives live feedback — "Move farther away", "Slow down", "More light". It reads your actual session; this card does not. Follow the screen.

Figures are published manufacturer and industry values, not measurements taken by Trueline. Range ~5 m / 16 ft; minimum working distance ~8–10 in; recommended max scan area ~9 × 9 m. Validate against your own device before quoting any of them to a customer.

04 How to walk it

PLAN VIEW — THE WALK



Finish where you started — that is what lets the tracker correct itself

1. **Start in a corner**, never mid-wall.
2. **Move your body**, not your arms.
3. **Pause at every corner.** That is where the geometry gets pinned down.
4. **Finish where you started.** Biggest quality lever on the card.
5. **Lights on.** LiDAR does not care; the camera tracking does.

05 Furniture — leave it, but know what it costs

PLAN VIEW — WHY A BLOCKED WALL CANNOT BE TRUSTED

So: **put the tape on walls that are clear**, and mark the blocked ones “B” on the log.

A tape reading on a blocked wall mixes sensor error with occlusion error, and calibrates nothing.

A furnished room is the real job, so do not empty it. Pick up loose floor clutter, and note which walls are blocked.

A furnished room is the real job. Pick up loose floor clutter, note which walls are blocked, and tape only walls that are clear.

06 Open plans — one scan, then split

ONE SCAN ✓



One floor, one capture. The dashed lines get drawn in the app — they are not walls.

TWO SCANS ✗



Each capture starts its own coordinate system. **They do not line up.**

A kitchen running into a dining area running into a living room is **one capture**. Do not scan the areas separately: there is no wall between them to anchor on, so two captures of one continuous floor invent a seam the building does not have.

The exception. Over about 30 × 30 ft or five minutes it has to be split anyway — and this is the hardest case in the whole job. Overlap the two walks generously and make sure one shared feature appears in **both**: a column, a fireplace, a full corner.

Write down two things. Where *you* would draw the line between the areas, and whether the ceiling changes height across the space — a vaulted living room off a flat-ceiling kitchen is not the same ceiling, and the quantities have to know that.

07 When it goes wrong

`Will not close`	Walk it again **in the opposite direction** before giving up.
`Wall missing`	Too close, or held level. Re-walk at 4–6 ft, angled at the floor joint.
`Tracking jumped`	Stop and start the room again. A lost-tracking scan is not worth saving.
`Device hot`	Scan was too long. Split the space up and let it cool.
`Simple room first`	It is the control case. If simple is right and awkward is wrong, the problem is geometry — the solver's job, not yours.

A room walked wrong cannot be fixed afterwards — it has to be walked again. Four minutes done properly beats twenty done badly.

08 The tape log — the most valuable thing you do

A scan on its own has no ground truth. Tape three or four **clear** walls per room and write the numbers here. **Measure one wall twice**, at the start and end of the scan — if the two differ, that is drift, a different problem from sensor error.

ROOM	WHICH WALL	TAPE SAYS	SCAN SAYS	NOTES — "B" IF BLOCKED

Also note: scan time per room, which device, any change of ceiling height, and anything it got visibly wrong — a double door read as one, a closet swallowed, a wall split in two.

What to send back: one export file per room, scanned separately — not merged. Two rooms that share a wall are worth far more than two at opposite ends of the house. JSON above all other formats; DXF and PDF too if the app offers them. Plus this page, filled in.