

Farmore

One name. | One balance. | One account.

Author **Thandile Nododile** Self-custodial · Multi-chain

For information only

Farmore is a unified platform for every blockchain: unified identity, unified account, unified balance. **FAR** is its token, unifying value across blockchains, new and old. This document describes a system under active design; figures, parameters, and timelines may change. Nothing here is financial advice, and the token described is not offered as an investment.

INTRODUCTION

Unifying every blockchain

Money everywhere is scattered: across banks, across countries, across continents. In crypto it is worse still, fractured across chains, wallets, and addresses. Farmore begins with one question: what would it mean for all of it to be truly unified, held under a single name and a single balance? Making that unity feel effortless, and keeping it that way as the space grows, is the work Farmore exists to do.

This paper sets out what Farmore is, how it works on infrastructure that is already proven, and how its token captures value from real use rather than speculation. It is organised as follows.

- ◇ **Section 1, The problem.** Why money today is scattered across chains and wallets, and why that pushes ordinary people away.
- ◇ **Section 2, The product.** The three promises, one name, one balance, one account, and what using Farmore feels like.
- ◇ **Section 3, Architecture.** The layers Farmore builds, and the proven systems it stands on.
- ◇ **Section 4, Security and recovery.** Self-custody without a secret phrase that can be lost.
- ◇ **Section 5, The FAR token.** The productive model, the supply, and how every participant earns it.
- ◇ **Section 6, Target users and market entry.** Who Farmore serves first, and why.
- ◇ **Section 7, Roadmap.** What ships, and in what order.
- ◇ **Section 8, Risks and limitations.** What could go wrong, and how it is addressed.

01 – THE PROBLEM

Fragmentation across chains and wallets

Consider how people move money between banks today. To pay someone at Bank Y from a Bank X account, you need their account number, their branch code, and the correct bank name. Hold accounts at several banks and you keep several logins, several sets of details, and you usually pay a fee whenever money crosses from one to another. No single identity represents you across the system. You carry the map yourself.

Cryptocurrency makes this harder, not easier. Instead of a handful of banks, people hold value across many separate blockchains. Each network has its own wallet, its own long address, and its own isolated balance. Moving value between them requires a "bridge," which means fees, waiting, and a real chance of a failed transaction. And if you lose the secret recovery phrase that controls a wallet, the funds are gone permanently. There is no institution to call.

The result is the fragmentation shown in Figure 1. A typical active user manages several wallets at once, each a separate identity on a separate island, with no shared account tying them together.




Figure 1. Many wallets and addresses today, versus a single identity that resolves to every chain.

There is a second problem layered on top of the first: stress. Most wallets are built for traders and feel like a trading floor of flashing prices and alerts. That suits a small minority. It pushes everyone else away, including the very large number of people across emerging markets for whom digital money is not speculation but a practical defence against inflation and a cheaper way to send money home.

Finally, the track record is sobering. More than half, about 53 percent, of the cryptocurrencies launched since 2021 are already inactive, most often because the token had no real use beyond being sold onward to the next buyer [1]. Farmore is designed explicitly to avoid that failure, and Section 5 sets out how.

One name, one balance, one account

Farmore is a wallet you control yourself, paired with a single identity that works across every chain. No third party holds your money. At launch it runs as a browser extension and a web application.

The product reduces to three promises. You register once and choose a unique handle such as `@nododile`, and people send to that handle rather than to a forty-character address. You see one balance that combines everything you hold across all chains, displayed in the currency you actually think in. And you send in one step: enter a handle, enter an amount, confirm with your device, done. You never select a chain, never choose a bridge, and never hold a separate token only to pay fees.

Setup uses the same kind of device security that unlocks everyday apps, a passkey or biometric, so there is no secret phrase that can be lost. The chain your money sits on becomes a background detail you never need to see, in the same way you send an email without knowing which server carries it.

The hard engineering problem of moving value across chains is largely solved. The valuable problem, making it simple and safe enough for an ordinary person to actually use, is still open.

Figure 2 shows the everyday flow. A person registers once and picks a unique handle, after which a single account receives and sends across every chain. They never repeat setup per chain, never manage a separate address book, and never see the underlying network unless they choose to.




Figure 2. Register once and pick a handle, then one account sends and receives across every chain. The chain is never shown unless asked for.

Full name, unique handle

A handle is only useful for sending money if it points to exactly one person. Farmore separates the two things a name does. A person keeps their real **full name**, for example Thandile Nododile, which is simply how they are displayed and may be shared by many people in the world. Money, however, routes to a **unique handle**, for example **@nododile**, which is owned by a single account, claimed on a first-come basis, and resolves to one set of addresses with no ambiguity. When someone sends to **@nododile**, there is never a question of who they mean. This mirrors how internet domain names and naming systems such as ENS work, where one readable handle maps to one owner across the whole network.

Every handle also produces a **QR code** derived directly from it, so a person can receive funds in person or across apps simply by letting someone scan it, with no address to copy. Because the QR code encodes the unique handle, it inherits the same guarantee of pointing to exactly one account.

Uniqueness usually creates two problems: scarcity and squatting. Farmore keeps handles free to register, which removes the paywall that pushes ordinary people away, but free registration alone would invite automated land-grabs of every common handle. Three measures keep the namespace fair. Registration is tied to a real, verified account rather than to anonymous bulk claiming, which raises the cost of hoarding. Handles that are claimed

but never used can expire and return to the pool, so squatting is not durable. And since the display name and the handle are separate, many people can share the full name Thandile while each holds a distinct handle, so no one is locked out of an identity simply because a common name is popular. The handle is the convenience; the account beneath it is the guarantee.

Simple by default, detailed on demand

The single balance is what most people want most of the time, but a user who wants the full picture can open a detailed view that lists every asset they hold across every chain, with its amount and its value, all in one place. Nothing is hidden; the detail is simply one tap away rather than crowding the everyday screen. This is how Farmore stays calm for a newcomer while remaining complete for an expert, shown in Figure 3.




Figure 3. The everyday screen shows one total. Tapping it reveals every asset held across every chain, with amounts and values.

03 — ARCHITECTURE

A layered architecture on proven components

Farmore is not one program in one place. It is a set of distinct layers, shown in Figure 4: the experience and identity layers that Farmore builds, and the signing and routing layers that rest on established, production-proven

systems rather than novel invention. Splitting the work this way is what makes the design credible rather than speculative, and a single principle, described next, keeps every layer independent of any particular blockchain.




Figure 4. The top two layers are Farmore's contribution; the bottom two rest on established, production-proven systems.

Chain-neutral by design: a stable core, swappable adapters

The property that makes Farmore work across every chain, and lets new chains join without rewriting anything, is a single architectural discipline borrowed from how an operating system handles hardware. An operating system does not contain separate code for every printer ever made. It defines one printer interface, and each manufacturer writes a small driver that fits it. The system only ever talks to the interface, never to the device directly. Add a new printer, write a new driver; the system itself never changes.

Farmore applies exactly this. At the centre sits a **chain-agnostic core** that knows nothing about any specific blockchain. It only knows about an abstract **adapter interface**, a fixed set of questions every chain must be able to answer: what is the address for this account, build a transaction to send this amount, submit this signed transaction, report this balance, check this status. Each blockchain is supported by a **chain adapter** that answers those questions in that chain's own terms. The core asks the questions; the

adapter knows the answers. Every chain-specific detail is quarantined inside its adapter and nowhere else. This is what makes the system genuinely neutral, and it is enforced by one rule: chain-specific code may live only in an adapter, never in the core.




Figure 5. A chain-agnostic core talks only to a fixed adapter interface. Each chain, and every future chain, plugs in by implementing one adapter.

This one decision is what makes the architecture matter. Because the core is chain-blind and reaches every chain through the same interface, the system is genuinely neutral. Because a new chain means writing a new adapter rather than touching the core, outside contributors can add chains without Farmore's involvement. And because that holds for chains that do not exist yet, the system is future-proof: a blockchain launched next year is supported the moment someone writes its adapter. Farmore is therefore a protocol that chains connect to, not an application tied to one of them.

Figure 6 shows how a single user action flows through this structure end to end, including the hardest case, signing, which is where neutrality is least obvious.




Figure 6. The core resolves the handle and reads the intent; the adapter builds the chain-specific transaction; the core signs raw bytes using the scheme the adapter specifies; the adapter submits. The core never "knows" which chain it served.

Farmore will launch with adapters for three independent blockchains, built and run by the project itself. Three is a deliberate number. One chain proves nothing, and two could be a coincidence, but three chains with different transaction models and signature schemes show that the interface really is general and that the same account and handle work everywhere. These first adapters are both the proof that the protocol works and the reference others follow to write their own.

The signing layer

Different chains sign transactions with different mathematics. Normally that forces a separate private key per chain. Farmore avoids this using **threshold signing**, also called multi-party computation (MPC). Instead of one private key held in one place, the key is split into shares distributed across your device, the network, and your recovery factors. Signing requires a threshold of shares to cooperate, yet the full key is never reassembled anywhere, so there is no single secret for an attacker to steal. Because the core signs raw bytes and the adapter specifies which signature scheme to use, one account produces valid signatures on any chain, as shown in Figure 6.

$$\text{valid signature} \Leftrightarrow \text{cooperating shares} \geq t \text{ of } n$$

A (t, n) threshold scheme: the key is split into n shares; any t of them can sign together, while fewer than t reveal nothing about the key.

This is not experimental. Threshold signing is the standard for institutional custody: providers such as Fireblocks and BitGo secure large balances across dozens of chains with it, regulators recognised it as a valid self-custody model as early as 2019, and a cross-industry coalition including Google, Coinbase, and Stanford has petitioned NIST to formally standardise it [3][4]. Consumer wallets such as ZenGo already bring the same approach to ordinary users [4]. Farmore productises this proven technique for a general audience.

The routing layer

When you send money, you are really stating an **intent**: what you want to happen, not how. The "how" is handled by participants called **solvers**. A solver holds inventory across chains; when you submit an intent, it pays the recipient instantly from its own funds on the destination chain, then reclaims your funds on the source chain to rebalance. To you it looks instant and like one step. Solvers compete to fulfil each intent, which keeps the price low. Figure 7 shows the flow.




Figure 7. The user states an outcome; competing solvers fulfil it instantly and settle behind the scenes.

This pattern is already mainstream. Intent and solver networks such as CoW Swap and UniswapX run at serious volume, Across routes across roughly twenty chains, and the approach has been formalised in the ERC-7683 cross-chain intent standard co-authored by Uniswap Labs and Across [2][5]. One chain-abstraction network built on the same idea, NEAR Intents,

has processed more than ten billion dollars in cross-chain volume [6]. Farmore consumes this proven infrastructure rather than rebuilding it. Its defensible contribution is the experience above, and, over time, operating part of the solver layer itself, which is where the token earns its role.

04 – SAFETY

Security and recovery

The promise is that you stay in control without the brittleness that has cost so many people their funds. Because the account is built on threshold signing, there is no single recovery phrase that can be lost or stolen. Recovery instead combines several independent factors that you already have, for example your device, your email, and a trusted contact, any sufficient subset of which restores access. The same threshold property that protects the key protects the account: losing one factor is recoverable, yet no single factor is enough for a thief.

Before you confirm any transaction, Farmore simulates it and explains in plain language what it will do, flagging the malicious approvals and drainer signatures that account for a large share of present-day losses. And because Farmore never holds your money, it remains an interface rather than a custodian, which keeps you in control and keeps the product clear of the heaviest financial regulation.

05 – THE FAR TOKEN

The FAR token and its productive model

There are broadly two kinds of token. The first exists mainly to rise in price, its value resting on the next buyer paying more than the last. When new buyers stop arriving, it collapses, which is the story behind most failed projects [1]. The second kind has a genuine job: the network needs it to function, and demand for it grows as real usage grows. **FAR** is designed to be the second kind.

The incentives are straightforward. The founders, early backers and contributors are meant to be rewarded, because nobody builds for free. But the reward should come from building a network that produces real value, not from selling a token and hoping its price climbs. When the network does well, **FAR** does well, and so does everyone who built it.

The three core functions of FAR

First and most important, solvers must post a deposit in **FAR** to operate. This deposit is a security bond: if a solver fails to deliver or behaves dishonestly, its bond is slashed and used to compensate the affected user. Each solver's bond is set to exceed the value it can hold in flight, so attempting to cheat always costs more than it could gain. **FAR** is therefore the collateral that keeps the network honest, and the amount that must be locked grows directly with transaction volume.

Second, a portion of solver deposits and network revenue funds a **safety pool** that compensates users in the rare cases where a cross-chain transfer fails. Third, a share of network revenue is used to **buy back and remove FAR from circulation**, so that supply tightens as real volume rises. Crucially, users are never charged a token fee. Value is captured from solver margins, and because solvers compete, the user simply sees the cheapest fulfilment win. Figure 8 shows how these pieces form a loop driven by real activity.




Figure 8. Each turn of the loop is driven by genuine transactions, so the token's value tracks real use.

Launch state and phased decentralisation

A fully decentralised solver network does not exist on day one, because building it responsibly takes capital and time. The system therefore decentralises in three phases, shown in Figure 9. At launch, Farmore operates the first solver itself. This is centralised, and stated plainly. Even so, **FAR** already has a real job in Phase 1: it bonds that activity, funds the safety pool, and powers the user rewards described below.




Figure 9. The network starts centralised and decentralises in stages, so each claim is true at the moment it is made.

How **FAR** is earned

The principle is simple and applies to everyone: **FAR** is not handed out, it is earned through verified, useful contribution to the network. No one receives it for merely signing up, and no participant, the founder included, is simply gifted a stake. What differs between people is only the kind of contribution they make. The longer and more genuinely useful that contribution, the more **FAR** it earns.

Wherever possible, earning is **automatic and rule-based**, measured by the protocol itself rather than granted at anyone's discretion. In spirit it resembles mining, but instead of rewarding raw computation for its own sake, Farmore rewards *useful* activity: the work that actually moves the network forward. The main ways to earn are:

Using

Completing real cross-chain payments. Genuine transactions earn **FAR** ; sustained, long-term use earns more than one-off activity.

Securing

Running a solver that bonds **FAR** and successfully fulfils others' transactions. The more volume secured honestly, the

greater the reward.

Growing

Bringing in new people who actually transact, not merely sign up, so the reward follows real adoption rather than empty referrals.

Building

Contributing to the network itself: code, new chain adapters, security work. The founder and team earn here, by shipping, against delivered milestones and vested over three years.

Two safeguards keep this honest. Every earning path rewards actions that are **costly to fake**, so automated accounts cannot farm **FAR** and dump it, a failure that has harmed many earlier projects. And rewards are tied to useful *activity* over time, never to simply holding the token, so the model encourages real participation rather than passive speculation.

Token supply: a fixed cap, released as it is earned

Farmore sets a **fixed maximum supply of one billion FAR**. A known ceiling is simple to understand and easy to trust: like Bitcoin's twenty-one million, it guarantees that holdings cannot be diluted by unlimited future minting, and it lets value grow as demand rises against a supply that can only shrink, never expand beyond the cap.

What makes Farmore's model distinct is not the cap but **how supply enters circulation**. Only a small fraction is minted at genesis, enough to seed initial liquidity and the safety pool. The largest share, the community allocation, is released **only as a reward for verified real activity**: a genuine cross-chain payment, a solver fulfilling intents, a contributor shipping work. New **FAR** is therefore never released into a vacuum or dumped on a fixed calendar; every unit that enters circulation corresponds to something real that happened on the network, and the rate of release tapers as the network matures. This is the discipline of an earned token, within the safety of a fixed ceiling.

Against this inflow, a share of network revenue is used to **buy back and burn FAR** in proportion to transaction volume, a mechanism comparable to the fee burn that operates on established networks [7]. As genuine usage grows, the burn can exceed new release, so circulating supply tightens

precisely when the network is most active. The relationship between release and burn is shown in Figure 10.

$$\text{circulating} = \text{released for activity} - \text{burned by volume} \leq 1B \text{ cap}$$

Supply in circulation rises only as activity earns its release, falls as volume burns it, and can never exceed the fixed one billion cap. Net pressure turns deflationary once burn outpaces release.

There is an honest limit to this. The burn only outpaces new release when usage is genuinely high, so scarcity follows real adoption rather than being promised in advance. That is the point: **FAR** tightens because the network is used, not because a marketing line says it will. A token whose scarcity depends on real activity is harder to inflate and easier to trust.




Figure 10. A fixed one billion cap. From a small genesis, **FAR** is released only as real activity earns it, while volume burns it back. Circulating supply rises toward the cap, then can contract as usage dominates. Illustrative, not a forecast or a promise of deflation.

Distribution: stakes that fund and reward the build

The one billion **FAR** cap is allocated much as equity is in a company that goes public. The founder holds a portfolio, early investors and contributors hold a share for the capital and work they commit, a reserve funds ongoing development, and the largest portion belongs to the community of users who give the network its value. Insider holdings are a deliberate minority, and the community allocation is never handed out on a schedule; it is

released only as real activity earns it. The proposed distribution is shown in Figure 11.




Figure 11. Proposed allocation of the one billion **FAR** cap. The community share is released as earned rewards; founder, investor, and development stakes vest over three years.

Insiders, the founder, investors and contributors, hold only a minority of the supply, so Farmore is never structured to enrich its creators at the community's expense. None of it unlocks at launch. Insider stakes follow a **three-year vesting schedule with a one-year cliff**: nothing is released for the first twelve months, then the stake unlocks gradually each month over the following two years. No insider can sell on day one. The founder's stake reflects the work and risk of building the project, the investor stake is what backers receive for the capital that funds development, and the community allocation, far larger than the rest combined, belongs to the people whose use gives **FAR** its value.

06 — GO TO MARKET

Target users and market entry


Farmore launches for the users who feel the pain most acutely and who speak the loudest: people already in crypto who are juggling several wallets and chains. They are desperate enough for relief to forgive an early rough edge, and they tell others when something genuinely works. They are both the first users and the first marketing channel.

The product, however, is built to beginner-grade simplicity from the first day. So as it expands, particularly into markets across Africa, Latin America, and Southeast Asia where a simple, low-fee, recoverable wallet is a practical necessity rather than a convenience, the product turns out to have been designed for those users all along. The launch sequence is deliberately staged: this litepaper and the public narrative first, then a waitlist, then a first version of the wallet that does one thing well, holding and sending across a few chains in a single unified view.

07 — ROADMAP

Build sequence

Farmore is built in deliberate stages. Each stage ships the smallest thing that works and proves itself before the next is added, so the product stays clean and never carries a layer it has not yet earned. The full vision is rich; the path to it is minimal at every step.



08 — RISKS

Risks and limitations

Trust is the one asset this project cannot afford to lose, so the principal risks are stated plainly. Farmore depends on third-party cross-chain infrastructure, and failures or changes in that layer affect the product. At launch the solver is operated by Farmore itself, which is a single point of dependence until decentralisation progresses. The solver model requires real working capital, and under-capitalisation would constrain growth. The regulatory treatment of tokens and cross-chain money movement is still evolving and differs by country; **FAR** is designed to be useful inside the system rather than to be an investment, but its treatment is not guaranteed and varies by jurisdiction. Finally, well-funded teams are pursuing the same goal, so Farmore's advantage rests on experience, identity, and trust rather than on secret technology. None of this is financial advice, and **FAR** is not offered as an investment.

APPENDIX

References

1. CoinGecko 2025 dead-coins report, via CoinDesk (January 2026): of the cryptocurrencies listed on GeckoTerminal since mid-2021, about 53% are no longer actively traded.
[coindesk.com](https://www.coindesk.com)
2. Eco, "Best Cross-Chain Intent Protocols 2026: How Intents Are Replacing Bridges." eco.com
3. Fireblocks, "What is MPC" and "MPC vs Multi-Sig" (notes regulators recognised MPC self-custody in 2019). fireblocks.com/report/what-is-mpc, [/blog/mpc-vs-multi-sig](https://fireblocks.com/blog/mpc-vs-multi-sig)
4. Fireblocks, "Standardizing MPC Cryptography: A Cross-Industry Call to Action" (NIST petition co-signed by Google, Coinbase, Stanford). fireblocks.com. Consumer/institutional comparison: coinsdo.com
5. Eco, "CoW Swap Explained," on the ERC-7683 cross-chain intent standard co-authored by Uniswap Labs and Across. eco.com
6. Reporting on chain-abstraction / intent networks processing billions of dollars in cumulative cross-chain volume (2025-2026). Verify the latest figures with the protocol's own dashboards before citing.
7. Ethereum Foundation, "Understanding ETH Supply and Issuance," on the EIP-1559 fee-burn mechanism that removes tokens from circulation with usage. ethereum.org/eth/supply

Citations summarise publicly reported information for context. Figures and parameters in this document are proposals under active design.

FARMORE LITEPAPER · v1.0

Name provisional. For information only. Not an offer, solicitation, or financial advice.

The token described is not offered as an investment. Figures and timelines are proposals and may change.