

Practice Lab:

DSEFS, Configure and use

- This Practice Lab is dependent on Discussion Unit 7560, where most of the objects we create in this lab were introduced.
- This Practice Lab requires a working DSE system, with DSE Analytics enabled.
- Because of the dependency on the "dse fs" utility, this Practice Lab requires a ssh(C) prompt on at least one node operating DSE Analytics.

Challenge 1: Prerequisites

Prerequisites:

- Instructions are provided for Linux
- We will operate below recommended settings; 1 OS node only, minimum 8 GB RAM, 12 GB RAM preferred
- That you have an operating single node DSE Analytics cluster.
- All work done as 'root'



Challenge 1: Examine and/or fix dse.yaml

```
dsefs_options:  
  enabled:  
  keyspace_name: dsefs  
  work_dir: /var/lib/dsefs  
  public_port: 5598  
  private_port: 5599  
  data_directories:  
    - dir: /var/lib/dsefs/data  
      storage_weight: 1.0  
      min_free_space: 5368709120 # Change to 1024 for dev
```

Challenge 2: Scala, Scala REPL



Using the Scala REPL:

```
val rows = sc.textFile(  
  "file:///opt/stores_db/7545_HelloWorld.csv")  
rows.collect().foreach(println)
```

```
rows.saveAsTextFile(  
  "dsefs:///tmp/7545_HelloWorld.csv")
```

Challenge 3: "dse fs"

- Confirm the presence of the newly created file
- Cat same
- Run other POSIX/FS commands



Practice Lab:

Lessons Learned





End of Unit: