

Practice Lab:



DSE Analytics, Python

- This Practice Lab is dependent on Discussion Unit 7578, where most of the objects we create in this lab were introduced.
- In this Practice Lab, we use the Python Shell to run some of the earlier DSE Analytics statements we detailed
- Run a Python client program against DSE Analytics

Challenge 1: Prerequisites

Prerequisites:

- Instructions are provided for Linux
- We will operate below recommended settings; 1 OS node only, minimum 8 GB RAM, 12 GB RAM preferred
- That you have an operating single node DSE Core cluster with DSE Analytics enabled.
- All work done as 'root'



Challenge 1: Spark Python REPL

From the command line:

- (Exist all other REPL shells)
- dse pyspark

```
row = spark.sql("select * from ks_7579.customer")  
row.show()
```

```
exit()
```

- Run more from prior Spark/SQL Practice Labs.



Python is whitespace
sensitive. Do not
indent.

Challenge 2 (Optional): Python Client

- `pip install dse-client` # optional, see notes
 `pip install dse-driver`
 `python -m pip install`
- Edit an ASCII text file containing code; (See notes page for sample program)
- This file needs to be readable from an absolute pathname with no spaces. E.g., `/opt/file_name.py`
- To run, `dse spark-submit /opt/file_name.py`
- Edit the file above, add more from prior Spark/SQL Practice Labs.

Practice Lab:

Lessons Learned





End of Unit: