

Discussion Unit:


DSE Bulk Loader

Introduce the DSE Bulk Loader

Discussion Lab:

Bulk Loader versus Custom
Client Side Program-

Discussion Lab: Bulk Load, or Custom Program ?



- ☐ PreparedStatement
- ☐ Multi-statement
- ☐ Transaction/Batch
- ☐ (Memory management)
- ☐ (Restart on failure)
- ☐ (Issues w/ data)

End of Discussion Lab:

DSBulk: Overview


- Load, unload
- CSV, JSON
- Linux, Windows
- File, directories, stdin/stdout, Web Url
- 2-3 times faster than CQLSH/COPY
- Secure, Kerberos, other
- Configurable data parsing
- Command line
- Tunable




DSBulk: One of many loaders

Title	Version Number	Download/Driver Category
DataStax Bulk Loader	1.01	Loader/ODBC/JDBC Driver
DataStax Enterprise Graph Loader (DSE 6.0 and later)		Loader/ODBC/JDBC Driver
DataStax Enterprise Graph Loader (DSE 5.1)		Loader/ODBC/JDBC Driver
DataStax Enterprise Graph Loader (DSE 5.0)		Loader/ODBC/JDBC Driver
DataStax ODBC Driver for Apache Cassandra and DataStax Enterprise with CQL connector (DSE 4.8 and later)	2.5.6	Loader/ODBC/JDBC Driver
Simba JDBC Driver for Apache Spark™ (DSE 4.8 and later)	4.1	Loader/ODBC/JDBC Driver
Simba ODBC Driver for Apache Spark™ (DSE 4.8 and later)	1.2.6	Loader/ODBC/JDBC Driver

DSBulk: Loading Workflow



DSBulk: Unloading Workflow



DSBulk: Simple Loading/Unloading

```
dsbulk unload -url myData.csv -k ks1 -t table1
```

```
dsbulk load -url export.csv -k ks1 -t table1 -h \  
'10.200.1.3, 10.200.1.4' -header true
```

```
dsbulk load -url https://svr/data/export.csv -k ks1 -t table1 -h \  
'10.200.1.3, 10.200.1.4' -port 9876
```

```
cat abc.csv | dsbulk load -url stdin:/ -k ks1 -t table1
```

DSBulk: Load/Unload w/ config file

```
##### MyConfFile.conf #####
```

```
dsbulk {  
  # The name of the connector to use  
  connector.name = "csv"  
  # CSV field delimiter  
  connector.csv.delimiter = "|"   
  # The keyspace to connect to  
  schema.keyspace = "myKeyspace"  
  # The table to connect to  
  schema.table = "myTable"  
  # The field-to-column mapping  
  schema.mapping = "0=name, 1=age, 2=email"  
}
```

```
dsbulk load -f MyConfFile.conf \  
-url export.csv -k ks1 -t table1
```

