


Practice Lab:

DSE Search, Debugging

- This Practice Lab is dependent on Discussion Module 7445, where most of the objects we create in this lab were introduced.
- This Practice Lab requires a working DSE system, with DSE Search enabled, and with ability to execute CQL DDL.
- Because of the dependency on the dsetool utility, this Practice Lab requires a ssh(C) prompt on at least one node operating DSE Search. All other commands are run from CQLSH, or DSE Studio.

Challenge 1: Reverse Engineer

```
<fieldType name="nametext" class="solr.TextField">
  <analyzer>
    <tokenizer class="solr.StandardTokenizerFactory"/>
    <filter class="solr.StandardFilterFactory"/>
    <filter class="solr.LowerCaseFilterFactory"/>
    <filter class="solr.StopFilterFactory"/>
    <filter class="solr.EnglishMinimalStemFilterFactory"/>
  </analyzer>
</fieldType>
```



- What does this analyzer do ?
- Is this an INDEX or QUERY analyzer ?
- What happens if a decimal value gets placed in this field ?

Challenge 2:




- Use CQL commands to create, and Solr Admin UI to test (query)
- Create an analyzer that returns the DSE table column value “The Cranberries”, when given the query predicate, “and a kraNBurry”.
- More than one analyzer, stage the development incrementally-
 - A 1st field with just the single tokenizer
 - A 2nd field with the same tokenizer and just first filter
 - A 3rd field that adds a second tokenizer
 - Be prepared to show output values for each stage.

Challenge 3: AND, OR-Topped queries

- Use CQL commands to create, and Solr Admin UI to test (query)
- Create a DSE table with at least two non-primary key columns, add data
- Using these two query strings, and debugQuery
 - (col3:ddd AND col4:eee)
 - (col3:ddd OR col4:eee)

be prepared to discuss the differences in the (explain plans).



Discussion Lab:

Lessons learned





End of Module: