

Practice Lab:

DSE Search, Text Part 2

- This Practice Lab is dependent on Discussion Module 7449, where most of the objects we create in this lab were introduced.
- This Practice Lab requires a working DSE system, with DSE Search enabled, and with ability to execute CQL DDL.
- All other commands are run from CQLSH, DSE Studio, or the Solr Admin UI.

Challenge 1: Score using Solr Admin UI

```
.. VALUES ('aaa', 'test space' , 'test');  
.. VALUES ('bbb', 'space test' , 'test');  
.. VALUES ('ccc', 'test one two space' , 'test');  
.. VALUES ('ddd', 'test one two three space' , 'test');  
.. VALUES ('eee', 'test one two three four space' , 'test');
```



- Use CQL to CREATE TABLE, CREATE | ALTER SEARCH INDEX, INSERT (data)
- Use Solr Admin UI to observe Tf-Idf scoring as outlined in module 7449.

Challenge 1: Score using Solr Admin UI

You are done when you have produced screens similar to these, and understand score, and Tf-Idf values-

Request-Handler (qt)

/select

— common —

q

col2:three

fq

sort

start, rows

0

fl

*,score

df

json.facet

Raw Query Parameter

key1=val1&key2=val2

wt

json

☐ indent

☒ debugQuery

```
"response": {
  "numFound": 2,
  "start": 0,
  "maxScore": 0.7590632,
  "docs": [
    {
      "col1": "ddd",
      "col2": "test one two three space",
      "score": 0.7590632
    },
    {
      "col1": "eee",
      "col2": "test one two three four space",
      "score": 0.6454073
    }
  ]
}
```

"ddd": "0.7590632 = weight(col2:three in 4) [], result of: 0.7590632 = score
(doc=4,freq=1.0 = termFreq=1.0), product of: 0.87546873 = idf(docFreq=2, docCount=5)
0.86703634 = tfNorm, computed from: 1.0 = termFreq=1.0 1.2 = parameter k1
0.75 = parameter b 3.8 = avgFieldLength 5.2244897 = fieldLength"

"eee": "0.6454073 = weight(col2:three in 0) [], result of: 0.6454073 = score
(doc=0,freq=1.0 = termFreq=1.0), product of: 0.87546873 = idf(docFreq=2, docCount=5)
0.73721343 = tfNorm, computed from: 1.0 = termFreq=1.0 1.2 = parameter k1
0.75 = parameter b 3.8 = avgFieldLength 7.111111 = fieldLength"

Challenge 2: Boosting Query-

- Create two columns; one straight index, one sounds like.
- Create an OR query with the straight index boosted higher than the sounds like.
- Test to ensure exact match columns return higher



Challenge 3: Experiment with Fuzzy Search



- Create two columns; both straight index
- Create an OR query with the straight index boosted higher than the fuzzy search.
- Test to ensure exact match columns return higher

```
SELECT * FROM t6
WHERE solr_query =
  '{ "q" : "(col73:%huck^8 OR
col74:chuck~1)" }' ;
```

Discussion Lab:

Lessons learned





End of Module: